(CSE) 1137:15.18AG

NASA SP-7011 (389) June 1994 PSZ 2-7 - VI

# AEROSPACE MEDICINE AND BIOLOGY

A CONTINUING BIBLIOGRAPHY WITH INDEXES



96-886518 DGA

1 they

BEST COPY AVAILABLE

COMPLETED

# **BLANK PAGE**

## The NASA STI Program ... in Profile

Since its founding, NASA has been dedicated to the advancement of aeronautics and space science. The NASA Scientific and Technical Information (STI) Program plays a key part in helping NASA maintain this important role.

The NASA STI Program provides access to the NASA STI Database, the largest collection of aeronautical and space science STI in the world. The Program is also NASA's institutional mechanism for disseminating the results of its research and development activities.

Specialized services that help round out the Program's diverse offerings include creating custom thesauri, translating material to or from 34 foreign languages, building customized databases, organizing and publishing research results ... even providing videos.


For more information about the NASA STI Program, you can:

- Phone the NASA Access Help Desk at (301) 621-0390
- Fax your question to the NASA Access Help Desk at (301) 621-0134
- E-mail your question via the Internet to help@sti.nasa.gov
- · Write to:

NASA Access Help Desk NASA Center for AeroSpace Information 800 Elkridge Landing Road Linthicum Heights, MD 21090-2934

# AEROSPACE MEDICINE AND BIOLOGY

A CONTINUING BIBLIOGRAPHY WITH INDEXES



This publication was prepared by the NASA Center for AeroSpace Information, 800 Elkridge Landing Road, Linthicum Heights, MD 21090-2934, (301) 621-0390.

### INTRODUCTION

This issue of *Aerospace Medicine and Biology* (NASA SP-7011) lists 234 reports, articles, and other documents recently announced in the NASA STI Database. The first issue of *Aerospace Medicine and Biology* was published in July 1964.

Accession numbers cited in this issue include:

Scientific and Technical Aerospace Reports (STAR) (N-10000 Series)
Open Literature (A-10000 Series)

N94-26333 — N94-28826 None in this issue

In its subject coverage, Aerospace Medicine and Biology concentrates on the biological, physiological, psychological, and environmental effects to which humans are subjected during and following simulated or actual flight in the Earth's atmosphere or in interplanetary space. References describing similar effects on biological organisms of lower order are also included. Such related topics as sanitary problems, pharmacology, toxicology, safety and survival, life support systems, exobiology, and personnel factors receive appropriate attention. Applied research receives the most emphasis, but references to fundamental studies and theoretical principles related to experimental development also qualify for inclusion.

Each entry in the publication consists of a standard bibliographic citation accompanied in most cases by an abstract. The listing of the entries is arranged by *STAR* categories 51 through 55, the Life Sciences division. The citations include the original accession numbers from the respective annual accession numbers.

Seven indexes—subject, personal author, corporate source, foreign technology, contract number, report number, and accession number—are included.

A cumulative index for 1994 will be published in early 1995.

Information on availability of documents listed, addresses of organizations, and CASI price schedules are located at the back of this issue.

BLANK PAGE

# TABLE OF CONTENTS

Category 51	Life Sciences (General)	157
	Aerospace Medicine physiological factors; biological effects of radiation; and effects of ssness on man and animals.	172
	Behavioral Sciences psychological factors; individual and group behavior; crew training and en; and psychiatric research.	192
Category 54 Includes	Man/System Technology and Life Support human engineering; biotechnology; and space suits and protective clothing.	196
Category 55 Includes	Space Biology exobiology; planetary biology; and extraterrestrial life.	205
	r Index	
Corporate Source Index		
Foreign Technology Index		
Contract Number Index		
Report Number Index		
	ber Index	

#### TYPICAL REPORT CITATION AND ABSTRACT

#### NASA SPONSORED

ON MICROFICHE

ACCESSION NUMBER → N94-11045\*#

Pennsylvania State Univ., Hershey. Coll. of ← CORPORATE SOURCE

TITLE -> EFFECTS OF CSF HORMONES AND IONIC COMPOSITION ON SALT/WATER METABOLISM Final Technical Report, 1 Mar.

1981 - 31 Dec. 1992

AUTHOR → WALTER B. SEVERS 31 Dec. 1992 32 p

← PUBLICATION DATE

CONTRACT NUMBER → (Contract NCC2-127)

REPORT NUMBERS → (NASA-CR-193232; NAS 1.26:193232) · Avail: CASI HC A03/MF ← AVAILABILITY AND A01

PRICE CODE

The consequences of headward fluid shifts during manned spaceflight was studied. Such shifts were recognized early by both U.S. and Soviet scientists because of signs and symptoms referable to the head. Some of these include disturbed vision, puffiness in the face and periorbital areas, headache, vestibular dysfunction, and distended jugular veins. We posited that the fluid shift had an immediate effect on the brain and a long-term action requiring a neural interpretation of the flight environment. This would re-adjust both efferent neural as well as hormonal mechanisms to sustain cardiovascular and fluid/electrolyte balance consonent with survival in microgravity. Work along these lines is summarized. A synopsis of some of the main research is presented. The following topics were studied: (1) angiotensin and vasopressin action in the central nervous system; (2) intracranial pressure control; (3) research on subcommissural organ; and (4) research on the eye.

Author (revised)

# AEROSPACE MEDICINE AND BIOLOGY ACO

A Continuing Bibliography (Suppl. 389)

June 1994

#### 51

#### LIFE SCIENCES (GENERAL)

N94-26470 Korean Atomic Energy Research Inst., Daeduk (Republic of Korea).

STUDIES ON THE APPLICATION OF RADIATION FOR GENETIC TRANSFORMATION IN HIGHER PLANTS

YOUNG IL LEE, HI SUP SONG, JAE SUNG KIM, IN CHUL SHIN, SANG JAE LEE, KI WOON LEE, and YONG TACK LIM Feb. 1993 70 p In KOREAN Limited Reproducibility: More than 20% of this document may be affected by microfiche quality (DE93-632656; KAERI/RR-1214/92) Avail: Issuing Activity (Department of Energy (DOE)) (US Sales Only)

The present research discusses the use of radiation in genetic engineering to increase productivity. Some variants were selected from the M2 generation of Namzack and the M3 generation of Sumi. The variants were derived from the plantlet of the microtuber culture of two potato cultivars irradiated with gamma rays. The rate of variation in the irradiated microtuber indicated that there were very few differences among the cultivars. The optimum gamma ray dosage for inducing mutations was found to be in the range of 30-50 Gy of gamma rays.

N94-26517# Texas Univ. Health Science Center, San Antonio. Dept. of Radiology.

THE ROLE OF HYPERBARIC OXYGEN AS A PROPHYLAXIS FOR RADIATION ENTERITIS Final Report, 15 Feb. 1992 - 14

JOHN J. FELDMEIER 14 Feb. 1993 6 p (Contract F49620-92-J-0183)

(AD-A27 974; AFOSR-94-0016TR) Avail: CASI HC A02/MF A01 C3H mice were used to study the effects of post radiation treatments of hyperbaric oxygen (HBO) on preventing onset of radiation enteritis. Fifty mice were irradiated in the abdominal pelvic regions with identical radiation doses of 3000 CGY in 10 fractions over two weeks. The mice were randomly divided into a control and a study group of 25 each. The control group received no other treatment while being maintained with standard nutritional support. The study group preceived 30 HBO treatments (90 min of 100% oxygen at 2.4 ATA for 5 days/week for 6 weeks) starting 7 weeks after radiation therapy. All mice were sacrificed at 7 months and examined for signs of radiation damage. A numerical scoring system was used to quantitatively evaluate radiation damage to tissue. A score of +30 was determined for the radiation control group consisting of 21 surviving animals while a score of only +3 was noted for the HBO treated study group consisting of 25 surviving animals. Stretch meter examination showed that 7 of 21 control animals possessed stenotic lesions while only 4 of 25 HBO-treated animals were affected. Histological examination for submucosal fibrosis is presently in progress with no apparent differences noted thus far. This study indicates that post-radiation HBO treatments can significantly reduce small bowel radiation damage in mice.

N94-26623# Los Alamos National Lab., NM.
NEUTRON AND X RAY SCATTERING STUDIES OF THE
INTERACTIONS BETWEEN CA(2+)-BINDING PROTEINS AND
THEIR REGULATORY TARGETS: COMPARISONS OF
TROPONIN C AND CALMODULIN

J. TREWHELLA and G. A. OLAH 1993 15 p Presented at the 4th International Conference on Biophysics and Synchrotron Radiation, Tsukuba, Japan, 30 Aug. - 5 Sep. 1992 (Contract W-7405-ENG-36)

(DE94-002706; LA-UR-93-3851; CONF-920821-4) Avail: CASI HC A03/MF A01

The regulatory proteins calmodulin and troponin C share a strikingly unusual overall structure. Their crystal structures show each protein consists of two structurally homologous globular domains connected by an extended, solvent exposed alpha-helix of approximately eight turns. Calmodulin regulates a variety of enzymes that show remarkable functional and structural diversity. This diversity extends to the amino acid sequences of the calmodulin-binding domains in the target enzymes. In contrast with calodulin, troponin C appears to have a single very specialized function. It is an integral part of the troponin complex, and Ca(2+) binding to troponin c results in the release of the inhibitory function of troponin I, which eventually leads to actin-binding to myosin and the triggering of muscle contraction. Small-angle scattering has been particularly useful for studying the dumbbell shaped proteins because the technique is very sensitive to changes in the relative dispositions of the two globular domains. Small-angle scattering, using x rays or neutrons, gives information on the overall shapes of proteins in solution. Small-angle scattering studies of calmodulin and its complexes with calmodulin-binding domains from various target enzymes have played an important role in understanding the functional role of its unusual solvent exposed helix. Likewise, small-angle scattering has been used to study troponin C with various peptides, to shed light on the similarities and differences between calmodulin and troponin C.

N94-26991# Aerospace Medical Research Labs., Brooks AFB, TX. Crew Systems Directorate.

PERFORMANCE RECOVERY IN THE BABOON FOLLOWING (+)G SUB Z-INDUCED LOSS OF CONSCIOUSNESS Final Report, Jul. 1985 - Sep. 1990

JOHN W. BURNS, PAUL M. WERCHAN, JOHN W. FANTON, and ANDREW B. DOLLINS Dec. 1993 17 p (Contract AF PROJ. 7930)

(AD-A274411; AL/CF-TR-1993-0110) Avail: CASI HC A03/MF

Seven male baboons (avg. wt. 20.6 +/- 1.6 kg) were trained in a simple shock-avoidance performance task on the Armstrong Laboratory human/animal centrifuge for subsequent (+)G sub z-induced loss of consciousness (G-LOC) exposure. A red light was presented to the baboon at approximate 2-s intervals. The animal was allowed 1 s to turn off the light or receive a 1-s shock. The shock could be abbreviated by a late trigger pull (escape). Thus, the animal could avoid, escape, or accept the full shock. EEG was monitored from three transcranial stainless steel electrodes. Loss of consciousness (LOC) was induced by a rapid onset (4 or 6 G/s) exposure to 8 (+)G sub z, (head-to-feet inertial load), and sustained until LOC was identified by a near isoelectric EEG signal. Performance recovery time was measured from the return of EEG activity to the time when the animal resumed the

200000



performance task. These data were compared with previously obtained human data and found to be very similar. Also, it was found that performance recovery time significantly (p less than .001) increased with increased duration of unconsciousness. This study demonstrates the utility of the baboon as an animal model for G-LOC research.

N94-27045# National Defence Research Establishment, Umea (Sweden). Huvudavdelning foer ABC Skydd.

BAKTERIELLA TOXINER-MORGONDAGENS HOT (BACTERIAL TOXINS-THE THREAT OF TOMORROW)

KARIN HJALMARRSSON, LENA NORLANDER, and ROLAND ROSQVIST May 1993 62 p in SWAHILI

(PB94-124229; FOA-C-40310-4.4) Avail: CASI HC A04/MF A01

Toxins from pathogenic bacteria have been studied for the last century and have remained objects for intense research over the last decade. The power of gene technology has been used to increase the understanding of structure and mechanism of action of bacterial toxins. This review describes what is known for some of the most potent bacterial toxins. Aspects that are discussed are production of toxins in different systems, the use of toxins as new therapeutic agents and vaccines, and methods for identification of toxins.

N94-27165# Iowa Univ., Iowa City.

NCVS, VOLUME 5 Status and Progress Report, Nov. 1993 INGO TITZE, ed., JULIE LENKE, ed., JULIE OSTREM, ed., and

MARTIN MILDER, ed. Nov. 1993 106 p National Inst. on Deafness and Other Communication Disorders Prepared in cooperation with Denver Center for the Performing Arts. CO; Wisconsin Univ., Madison; and Utah Univ., Salt Lake

(AD-A274975) Avail: CASI HC A06/MF A02

This 5th Status and Progress Report comes at a time when we are all thinking of the long term future of the National Center for Voice and Speech. Many things are changing right now in the health science arena. All of us are familiar, of course, with the day to day developments of President Clinton's health care package. One thing is certain - each year we have to become more clever as researchers. The Advisory Board to NIDCD wishes us to get deeper into the molecular structure of all the organs of the human body involved in speech communication. At the same time, they wish us to understand the whole body as a system. Yet it is becoming more and more difficult to do invasive procedures, either on humans or on animals. This means that the critical data that we all need have to come from very carefully conducted experiments, those that have a high benefit to risk (or cost) ratio. On the one hand, we need large numbers of human subjects or animals to make our results statistically reliable; on the other hand, we need to conserve and protect humans and animals involved in research. This puts all of the pressure on the experimenter to obtain only those pieces of information that are absolutely vital and then to integrate the fragments in the most clever ways.

National Defence Research Establishment, Umea (Sweden). Huvudavdelning foer ABC-Skydd. MICROBIOLOGY RESEARCH AT SOME RESEARCH INSTITUTES IN THE FORMER SOVIET UNION: A SURVEY OF SCIENTIFIC PUBLICATIONS [MIKROBIOLOGISK FORSKNING

VID ETT ANTAL FORSKNINGSINSTITUT I DET FORNA SOVJETUNIONEN: EN SAMMANFATTNING AV

LITTERATURDATA]

G. BOSTROEM, B. ENGBERG, L. NORLANDER, A. NORQVIST, and A. OSTERMAN May 1993 22 p In SWAHILI (PB94-123320; FOA-C-40309-4.4) Avail: Issuing Activity (National Technical Information Service (NTIS))

The survey of the publications of some research institutes of the former Soviet Union has been performed. The study has focused on scientific publications found in the bibliographic database BIOSIS during 1980-89.

N94-27227°# National Aeronautics and Space Administration. Ames Research Center, Moffett Field, CA.

PROPRIOCEPTIVE ISOKINETIC EXERCISE TEST

P. T. DEMPSTER (Loredan Biomedical, Inc., Davis, CA.), E. M. BERNAUER (California Univ., Davis.), M. BOND (Loredan Biomedical, Inc., Davis, CA.), and J. E. GREENLEAF Jun. 1993

(Contract RTOP 199-18-12-07)

(NASA-TM-104015; A-93070; NAS 1.15:104015) Avail: CASI HC

Proprioception, the reception of stimuli within the body that indicates position, is an important mechanism for optimal human performance. People exposed to prolonged bed rest, microgravity, or other deconditioning situations usually experience reduced proprioceptor and kinesthetic stimuli that compromise body balance, posture, and equilibrium. A new proprioceptive test is described that utilizes the computer-driven LIDO isokinetic ergometer. An overview of the computer logic, software, and testing procedure for this proprioceptive test, which can be performed with the arms or legs, is described.

N94-27411\*# National Aeronautics and Space Administration. John F. Kennedy Space Center, Cocoa Beach, FL.

EFFECT OF CARBON DIOXIDE ENRICHMENT ON RADISH PRODUCTION USING NUTRIENT FILM TECHNIQUE (NFT)

C. L. MACKOWIAK (Bionetics Corp., Cocoa Beach, FL.), L. M. RUFFE (Bionetics Corp., Cocoa Beach, FL.), N. C. YORIO (Bionetics Corp., Cocoa Beach, FL.), and R. M. WHEELER (Bionetics Corp., Cocoa Beach, FL.) Mar. 1994 17 p (NASA-TM-107198; NAS 1.15:107198) Avail: CASI HC A03/MF

Radish plants (Raphanus sativus L. cvs. Cherry Belle, Giant White Globe, and Early Scarlet Globe) were grown in four different CO2 enriched environments, 0.04, 0.10, 0.50, and 1.00 kPa (400, 1000, 5000, 10000 ppm). Cultivar responses to CO2 treatments varied, where cv. Cherry Belle showed no significant response to CO2 enrichment, cv. Giant White Globe was moderately affected and Early Scarlet Globe was strongly affected. Enrichment at 0.10 kPa led to greater root dry matter (DM) than 1.00 kPa for cv. Giant White Glove, whereas 0.10 kPa produced greater storage root, shoot, and root DM than 1.00 kPa for cv. Early Scarlet Globe. The data suggest that 1.00 kPa CO2 may be detrimental to the growth of certain radish cultivars. Root:shoot ratios tended to increase with increasing CO2 concentration. Water use efficiency (g biomass/kg H2O) increased with increasing CO2 enrichment, up to 0.5 kPa but then declined at the 1.00 kPa treatment. The total nitric acid used to maintain nutrient solution pH was lowest at the 1.00 kPa treatment as well, suggesting a decreased demand of nutrients by the plants at the highest CO2 level.

John F. Kennedy Space Center, Cocoa Beach, FL

DEVELOPMENT OF A SPARGING TECHNIQUE FOR VOLATILE EMISSIONS FROM POTATO (SOLANUM TUBEROSUM)

ELIZABETH BERDIS (Bionetics Corp., Cocoa Beach, FL.), BARBARA VIEUX PETERSON (Bionetics Corp., Cocoa Beach, FL.), NEII. C. YORIO (Bionetics Corp., Cocoa Beach, FL.), JENNIFER BATTEN (Bionetics Corp., Cocoa Beach, FL.), and RAYMOND M. WHEELER 8 Dec. 1993 23 p (Contract NAS10-11624)

(NASA-TM-109199; NAS 1.15:109199) Avail: CASI HC A03/MF

Accumulation of volatile emissions from plants grown in tightly closed growth chambers may have allelopathic or phytotoxic properties. Whole air analysis of a closed chamber includes both biotic and abiotic volatile emissions. A method for characterization and quantification of biogenic emissions solely from plantlets was developed to investigate this complex mixture of volatile organic compounds. Volatile organic compounds from potato (Solanum tuberosum L. cv. Norland) were isolated, separated and identified using an in-line configuration consisting of a purge and trap concentrator with sparging vessels coupled to a GC/MS system.

Analyses identified plant volatile compounds: transcaryophyllene, alpha-humulene, thiobismethane, hexanal, cis-3-hexen-1-ol, and cis-3-hexenyl acetate.

Author

N94-27444# Nagoya Women's Univ. (Japan).
ENDOCRINOLOGICAL EVALUATIONS OF MUSCLE AND
BONE ATROPHY IN TAIL-SUSPENDED RATS [BIBU KENSUI
RATTO NI OKERU KIN-KOTSU ISHUKU NO NAIBUNPIGAKU
TEKI KENTO!

SETSUKO KAWANO, KAZUMI KANDA (Sanwa Kagaku Kenkyusho Co. Ltd., Kasugai, Japan.), YOSHIHARU MURATA (Nagoya Univ., Japan.), SACHIKO OMORI (Nagoya Univ., Japan.), NORIHIRO MIYAMOTO (Nagoya Univ., Japan.), KAORI SUEDA (Nagoya Univ., Japan.), and HISAO SEO (Nagoya Univ., Japan.) In Nagoya Univ., Annals of the Research Inst. of Environmental Medicine, Nagoya Univ., Volume 44 p 5-8 25 Mar. 1993 In JAPANESE Avail: CASI HC A01/MF A04

Metabolic change and endocrine variation of tail-suspended rats were studied as a model of atrophy in weightless state or long term bedding. Subjects were Wistar strain rats, suspended from the ceilings of the cages by wires pierced through the tails, and urine was collected every 12 hours. Seven days after the suspension, all rats were killed, and wet weight of associated organs, and testosterone, activated vitamin D3, hydroxyproline, Ca and Pi (Inorganic Phosphorus) concentration were measured, as well as Alkali Phosphatase (ALP) activity. As a result, in suspension groups, significant decrease was observed in body weight and in wet weights of the thymus, testicle and bones, whereas the adrenal gland weight was significantly increased. In suspension groups, there was also significant decrease in testosterone concentration. as well as tendency of decrease in vitamin D3. Ca and Pi concentrations in blood were significantly decreased within the normal range. In the bones of suspended group, ALP activity, the amounts of hydroxyproline, Ca and Pi were all decreased. These results suggest the correlation of muscle and bone atrophy with decrease of testosterone. The change of the bone components also reveals the decrease of bone density, which may result from Author (NASDA) the decrease of vitamin D3 in blood.

N94-27464# Nagoya Univ. (Japan). Research Inst. of Environmental Medicine.

MODULATION BY GALACTOSAMINE-INDUCED HEPATITIS OF BIOLOGICAL RESPONSES OF THE RAT EXPOSED TO HIGH ALTITUDE HYPOXIA [KYUSEI TEIATSU-TEISANSO KANKYOKA NI OKERU GARAKUT OSAMIN YUHATSU KANEN RATTO NO SEITAI HANNO]

CHIKASHI YAMAMOTO, MASATAKA YOSHINO (Institute for Developmental Research, Kasugai, Japan.), SHIGEO MORI, and HISAO SEO *In its* Annals of the Research Inst. of Environmental Medicine, Nagoya Univ., Volume 44 p 97-98 25 Mar. 1993 In JAPANESE

Avail: CASI HC A01/MF A04

Under hypobaric hypoxic condition, liver function is expected to be affected by induction of enzymes to adapt anaerobic condition. These biological responses were studied using rats induced hepatitis by galactosamine under the condition with altitude of 8,000 m. To examine liver metabolism, the activity of mitochondrial enzymes (citrate synthase, fumarase), cytosol glycolysis enzyme (hexokinase), glyconeogenesis enzyme FBPase (Fructose 1,6-bisphosphatase Steroid-Induced Enzyme) (tyrosine aminotransgerase) were measured. As a result, the activity of mitochondrial enzymes were decreased in hepatitis group, whereas that of hexokinase and FBPase was not changed by galactosamine. Both hepatitis and control group were not affected by exposure of high altitude hypoxia. However, tyrosine aminotransferase activity was increased twice as much as that of control group by exposure of high altitude hypoxia, while no change was observed in hepatitis group. The fact that mitochondrial enzymes were changed but not cytosol glycolysis enzymes in hepatitis group suggests that mitochondrial membrane could be damaged by galactosamine. In addition, galactosamine inhibited the steroidal induction of tyrosine aminotransferase under the condition of high attitude hypoxia. This implies that galactosamine was damaged endoplasmic reticulum,

too. These results suggests that galactosamine-induced hepatitis is useful to examine how to switch the anaerobic metabolism to aerobic metabolism.

Author (NASDA)

N94-27465# Nagoya Univ. (Japan). Research Inst. of Environmental Medicine.

PROTECTIVE ACTION OF PLATELET-ACTIVATING FACTOR ANTAGONIST, TCV-309, AGAINST ISCHEMIA REPERFUSION INJURY IN ISOLATED RABBIT HEARTS (KESSHOBAN KASSEIKA INSHI (PAF) KIKKOZAI TCV-309 NO KYOKETSU SHINKIN HOGO KOKA: IEUSAGI TEKISHUTSU KANRYUSHIN O MOCHITA JIKKENTEKI KENTO)

SATORU KATO, AKIRA KOIKE, TOSHIO ABE, ITSUO KODAMA, and JUNJI TOYAMA In its Annals of the Research Inst. of Environmental Medicine, Nagoya Univ., Volume 44 p 99-101 25 Mar. 1993 In JAPANESE

Avail: CASI HC A01/MF A04

It has been revealed that Platelet Activating Factor (PAF) has a direct effect on the heart, as well as possibility to be associated with reperfusion injury in the heart. This study examined the effect of TCV-309, an PAF antagonist, on isolated rabbit heart and on CPK (Creatine Phosphokinase) release during reperfusion. For this study, isolated rabbit hearts were perfused aerobically for 30 minutes, followed by blocking of perfusion for 120 minutes, then, reperfused again for 60 minutes. TCV-309 was administered in perfusate before and after the block. In this experiment, Left Ventricular Developed Pressure (LVDP) and the amount of CPK released in perfusate for 5 minutes after the reperfusion were measured. As a result, LVDP recovery rate was 54.3 percent in control group, whereas it was remarkably improved up to 77.6 percent in TCV-309 administered group. The amount of CPK was significantly decreased in TCV-309 administered group. From these results, it can be concluded that TCV-309 can improve cardiac function after ischemia and inhibit CPK release. These results support the possibility that PAF might be associated with reperfusion injury of cardiac ischemia. Author (NASDA)

N94-27466# Nagoya Univ. (Japan). Dept. of Cardiol-Surgery. PROTECTIVE ACTION OF AN AMILORIDE DERIVATIVE (AMILORIDE, 5-(N, N-DIMETHYL) HYDROCHLORIDE)
AGAINST IN ISOLATED ISCHEMIA/REPERFUSION NEWBORN RABBIT HEARTS [MIJUKU SHINKIN NO KYOKETSU SAIKANRYU SHOGAI NI TAISURU AMIRORAIDO YUDOTAI (AMIRORAIDO,5-(N-, N-JIMECHIRU) HIDOROKURORAIDO) NO HOGO KOKAI

AKIRA KOIKE, SATORU KATO, TOSHIAKI AKITA, TOSHIO ABE, ITSUO KODAMA, and JUNJI TOYAMA In Nagoya Univ., Annals of the Research Inst. of Environmental Medicine, Nagoya Univ., Volume 44 p 102-104 25 Mar. 1993 In JAPANESE Avail: CASI HC A01/MF A04

It is known that excess intracellular Ca(2+) causes cytotoxic reaction after reperfusion of cardiac ischemia. Ca(2+) is transported into the cell by Na(+)/Ca(2+) exchange propelled by H(+) concentration gradient, followed by Na(+)/H(+)exchange. It was reported that amiloride improved cardiac function in newborn rabbit hearts where intracellular Na(+) might be accumulated more than matured hearts probably due to anaerobic glycolysis. This effect depends on inhibition of Na(+)/H(+) and Na(+)/Ca(2+) exchanger. This study concerns protective action of a amilioride derivative, amiloride, 5-(N, N-dimethyl) hydrochloride (DMA) against reperfusion injury after ischemia, which can inhibit Na(+)/H(+) exchanger selectively. In this study, perfusion was blocked for 45 minutes after 15 minutes of preperfusion in isolated newborn rabbit heart, followed by reperfusion for 30 minutes, and Left Ventricular Developed Pressure (LVDP) was measured, as well as the amount of CPK (Creatine Phosphokinase) in perfusate for 15 minutes after the reperfusion was determined. It was also revealed that DMA barely effected non-ischemic heart from one to 10 micromoles, but 100 micromoles of DMA caused cardiac arrest. LVDP recovery rate was 51 percent in control group, whereas DMA improved it up to 1 percent. Comparing the amount of CPK, DMA group was decreased significantly than control group (68 unit/g vs. 10 unit/g). These results suggest that DMA improved LVDP recovery rate after reperfusion, and decreased CPK release, without any adverse effect on the heart. This effect was as much strong as amilloride.

Author (NASDA)

N94-27467# Nagoya Univ. (Japan). Research Inst. of Environmental Medicine.

EFFECTS OF HIGH-INTENSITY ELECTRIC FIELD
STIMULATION ON THE ELECTROMECHANICAL
PERFORMANCE OF CARDIAC MUSCLE: INFLUENCE OF
FIBER ORIENTATION Report No. 6 (KOENERUGI DENKI
SHIKKU GA SHINKIN NO MAKU KATSUDO DENI TO
CHORYOKU NI OYOBOSU SAYO: SHINKIN SENI SOKO NO
EIKYO]

ITSUO KODAMA, AKIKO ARAI, RYOKO SUZUKI, NITARO SHIBATA (Tokyo Woman's Medical Coll., Japan.), KIYOMI NIKI (Tokyo Woman's Medical Coll., Japan.), ICHIRO SAKUMA (Tokyo Woman's Medical Coll., Japan.), TADASHI HARAGUCHI (Tokyo Denki Univ., Japan.), KENJI FURUKAWA, YASUHIKO FUKUI, SAICHI HOSODA (Tokyo Woman's Medical Coll., Japan.) et al. In its Annals of the Research Inst. of Environmental Medicine, Nagoya Univ., Volume 44 p 105-109 25 Mar. 1993 In JAPANESE

Avail: CASI HC A01/MF A04

This study examined the responses of a cardiac muscle in the longitudinal (L) direction and transverse (T) direction stimulated by electric shock pulses (SP) using the cardiac muscles of guinea pigs. As a result, it was revealed that they responded differently by orientation of muscle fibers; i.e., the diastolic threshold of excitation in L direction was 1.4 - 1.6 times the strength as that in T direction. This suggests that L direction was more responsive to high intensity electric stimulation than T direction, probably resulting from electric potential (membrane potential) that is varied by the length of conductor in the same direction as electric field. However, in case of stimulating by 25 V/cm or more of SP's, the delayed responses were contrary to these results; i.e., decrease of resting potential and increase of contractility were larger in T direction than L direction, and vibration of membrane potential and spontaneous activity tend to occur in T direction. This is probably because electroporation that can pass ions unselectively after high-intensity electric stimulation does not present or presents slightly at the ends of longitudinal axis. Thus, electric coupling via gap junction of intercellular constitution that are different by orientation of muscle fibers may cause the different conductivity between T and L direction. Author (NASDA)

N94-27468# Nagoya Univ. (Japan). Research Inst. of Environmental Medicine.

ON THE MECHANISM OF REENTRANT ARRHYTHMIAS
FOLLOWING DC DEFIBRILLATION: INFLUENCE OF FIBER
ORIENTATION TO THE EFFECTS OF LOW-ENERGY
ELECTRIC FIELD STIMULATION ON THE EFFECTIVE
REFRACTORY PERIOD OF CARDIAC MUSCLE (CHOKURYU
JOSAIDO GO NO RIENTORI HUSEIMYAKU HASSEI KIJO NI
KANSURU KENKYU: TEI ENERUGI DENBA SHIGEKI NIYORU
SINKIN FUOKI ENCHO TO SENI SOKO NO KANKEI)
ITSUO KODAMA, NITARO SHIBATA (Tokyo Woman's Medical

Coll., Japan.), ICHIRO SAKUMA (Tokyo Denki Univ., Japan.), KIYOMI NIKI (Tokyo Woman's Medical Coll., Japan.), AKIKO ARAI, RYOKO SUZUKI, TADASHI HARAGUCHI (Tokyo Denki Univ., Japan.), KENJI FURUKAWA (Tokyo Denki Univ., Japan.), YASUHIKO FUKUI (Tokyo Denki Univ., Japan.), SAICHI HOSODA (Tokyo Woman's Medical Coll., Japan.) et al. In its Annals of the Research Inst. of Environmental Medicine, Nagoya Univ., Volume 44 p 110-113 25 Mar. 1993 In JAPANESE Avail: CASI HC A01/MF A04

In this study, the correlation between effects of low energy electric field stimulation on Effective Refractory Period (ERP) and cardiac fiber orientation was reviewed in order to clarify the mechanism of reentrant arrhythmias following DC (direct current) defibrillation. The ERP was measured using a cardiac muscle of guinea pigs stimulated by shock pulses (PS) provided to the longitudinal (L) direction and the transverse (T) direction. As a result, it was revealed that repolarization and ERP were delayed

according to the intervals between basic stimulation and PS and intensity of low energy electric field stimulations. This effect was marked in the L direction than the T direction, probably resulting from the shape of cardiac fibers. They are usually longer in the L direction than the T direction by 8 - 10 times so that the maximum membrane potential in the L direction is estimated to be several times as much as that in the T direction. The difference of conductivity by directions causes anisotropy of tissue resistance. In addition, electrical coupling occurred effectively and extracellular resistance was lowered in the L direction, which might also cause the difference of electric density by the directions. Low energy DC electric field stimulation can delay ERP and repolarization, and the delay was modified by strength of electric field, interval of stimulation, and orientation of cardiac fibers, leading to inequal refractory period in different sites. This could be a cause of Author (NASDA) reentrant arrhythmias.

N94-27469# Nagoya Univ. (Japan). Research Inst. of Environmental Medicine.

POSITIVE CHRONOTROPIC EFFECT OF MECHANICAL STRETCH ON THE SINOATRIAL NODE: ROLES OF NEUROTRANSMITTERS AND STRETCH ACTIVATED CHANNELS [KIKAITEKI SHINTEN NI YORU DOKESSETSU JIDONO KOSHIN NO KIJO NI KANSURU KENKYU]

AKIKO ARAI, RYOKO SUZUKI, ITSUO KODAMA, and JUNJI TOYAMA *In its* Annals of the Research Inst. of Environmental Medicine, Nagoya Univ., Volume 44 p 114-116 25 Mar. 1993 In JAPANESE

Avail: CASI HC A01/MF A04

It is known that stretch stimulation causes positive chronotropic effect on the sinoatrial node probably mediated by Stretch-Activated (SA) channels. This study examined the mechanism using the SA-channel blocker, gadolinium (Gd(3+)). The sinoatrial node of rabbit was extracted and the Spontaneous Cycle Length (SPCL) was determined during and after the stretch stimulation. As a result, it was revealed that the mechanical stretch caused positive chronotropic effect in proportion to the strength of the tension. The maximum effect was achieved immediately after the stretch stimulation and then decreased exponentially. When the neurotransmitter in the tissue was blocked pharmacologically by propranolol and atropine, residual effect after the stimulation disappeared. However, Gd(3+) did not decrease the positive chronotropic effect. These results suggests that this effect might result from not only neurotransmitters, especially noradrenaline, but also another factor. However, Gd(3+) sensitive SA channel might not play an important role in this process.

Author (NASDA)

N94-27470# Nagoya Univ. (Japan). Research Inst. of Environmental Medicine.

DISTURBED NEURONAL MIGRATION IN THE CEREBRAL CORTEX OF MICE BY LOW-DOSE GAMMA RADIATION [TEISENRYO HOSHASEN NI YORU MAUSU DAINO HISHITSU SHINKEI SAIBO NO YUSO SHOGAI]

MINORU INOUE, SHIZU HAYASAKA, XUE-ZHI SUN, and HIDEKI YAMAMURA *In its* Annals of the Research Inst. of Environmental Medicine, Nagoya Univ., Volume 44 p 117-121 25 Mar. 1993 In JAPANESE

(Contract MOE-03680181) Avail: CASI HC A01/MF A04

There is a possibility that gamma-radiation may affect a development of nerve cells by disturbance of neuronal migration. In the cerebral cortex, ganglionic layer is formed from inside to outside, and young nerve cells developed in the ventricule migrate through the primodial cortex to form the outer layer. This study examined the effect of low dose gamma-radiation on this migration using mice. Proliferative cells in S stage were labeled by Bromodeoxy Uridine (BrdU) at the 16th or 17th day of pregnancy, and 0.26 Gy of gamma-ray was radiated at the 17th day. These mice were killed at hours after the radiation or two days or six weeks after the birth, and each brain was examined. As a result, cell death was not observed in the ventricle hours after radiation. However, in the cerebral cortex of two day-old mice, migration of

nerve cells in S-stage were disturbed, while those in G1 or G2 stage migrated normally. In six week-old mice, migration was disturbed in cells in both S-stage and G0/G2 stage. These results suggest that low-dose gamma-radiation disturbs the migration of premature nerve cells to the cerebral cortex. In this process, cells during DNA (Deoxyribonucleic Acid) replication were more sensitive to the radiation effect than those during differentiation.

Author (NASDA)

N94-27471# Nagoya Univ. (Japan). Research Inst. of Environmental Medicine.

DISTRIBUTION OF GABA IMMUNOREACTIVE NEURONS IN THE BRAIN OF ROLLING MOUSE NAGOYA AND GAMMA-IRRADIATED MOUSE [IDENSEI UNDO SHICCHO MAUSU TO GANMASEN HIBAKU MAUSU NO NO NI OKERU GABA NYURON NO BUNPU]

TAKAYOSHI IMAI, YOSHIKO TAKAGISHI, SHIZU HAYASAKA MINORU INOUYE, and HIDEKI YAMAMURA In its Acnais of the Research Inst. of Environmental Medicine, Nagaya Uriv . Volume 44 p 122-124 25 Mar. 1993 In JAPANESE Avail: CASI HC A01/MF A04

A rolling mouse Nagoya has been used as a model of human spinocerebellar degeneration presenting hereditary ataxia. in this study, distribution of neurons containing Gamma-Aminobutyric Acid (GABA) in the brain of a rolling mouse Nagoya was determined immunologically using anti-GABA antibodies. In addition, mice with microcephaly by embryonal gamma-irradiation was also studied in the same manner. The brain of both mice were sliced, immunostained and observed microscopically. As a result, the cerebrum of the rolling mice appeared normal, and no histological abnormality was observed in the cerebellum in spite of some reports that presented the possibility of hypoplasia of the frontal lobe and decrease of granule cells. On the contrary, the gamma-irradiation mice had obviously smaller cerebrum and thinner cortex layer than control, but other parts of the brain was histologically normal. In the immunostain study, GABA-positive neurons were mainly observed in the cerebral cortex in both mice, striate body, thalamus and cerebeilar cortex. In the cerebral cortex, they were distributed predominantly in the two and four layers of control mice, whereas they were distributed in all layers of the gamma-irradiated mice and rolling mice. In other parts of the brain, no particular difference was observed in the distribution of GABA-positive neurons between control group and gamma-irradiated and rolling mice group.

Author (NASDA)

N94-27472# Suzuka Univ. of Medical Science and Technology

MOUSE CEREBELLUM: APOPTOTIC CELL DEATH AND INDUCTION OF TISSUE TRANSGLUTAMINASE [GANMASEN SHOSHA NO MAUSU SHINSEISHI NO SHONO GENKI NI OYOBOSU EIKYO: SAIBOSHI TO SOSHIKI TORANSUGURUTAMINAZE NO YUDO]

MASAO TAMARU, MASATO ANDO (Fujita Health Univ., Toyohashi, Japan.), YUTAKA NAGATA (Fujita Health Univ., Toyohashi, Japan.), and MINORU INOUE (Nagoya Univ., Japan.) In Nagoya Univ., Annals of the Research Inst. of Environmental Medicine, Nagoya Univ., Volume 44 p 125-127 25 Mar. 1993 In JAPANESE Avail: CASI HC A01/MF A04

It is known that developing nerve cells are so sensitive to radiation that apoptotic death often occurs. In this process, condensation of chromatin and pykonosis, followed by reduction of cells, finally results in destruction of cells. It is considered that Transglutaminase (TG) plays an important role to form apoptotic body via cross-link of protein. In order to reveal the TG function, it was examined whether the TG activity was changed or induced during the apoptosis. One-day old mice were irradiated by gamma-rays to cause apoptosis in the outer granule layer of the cerebellum. As a result, pykonosis increased 3 hours after the radiation, achieved the peak after 5 hours, then gradually decreased in the cerebellum, while the TG activity was changed in accordance with the change of pyknosis. TG activation and induction might strengthen the cross-link of protein which stabilizes apoptotic body

and prevent leak of intracellular substances. Thus, these results support the idea that "G may function in occurrence of apoptosis.

Author (NASDA)

N94-27477# Nagoya Univ. (Japan). Research Inst. of Environmental Medicine.

THE INTRACELLULAR SECOND MESSENGER SYSTEM IN C-FOS GENE INDUCTION BY ACTH [ACTH NI YORU C-FOS IDENSHI YUDO NO SAIBONAI SEKANDO MESSENJA]

NORIHIRO MIYAMOTO, KAZUMI KANDA, HIROYOSHI HIDAKA, and HISAO SEO *In its* Annals of the Research Inst. of Environmental Medicine, Nagoya Univ., Volume 44 p 145-147 25

Mar. 1993 In JAPANESE (Contract MOE-04671469) Avail: CASI HC A01/MF A04

In the previous report, it was demonstrated that Adrenocorticotroic Hormone (ACTH) induced to express the c-fos gene, a cellular tumor gene, transiently in the early stage in hypophysectomy rats. Several intracellular second messengers might participate in the c-fos gene induction, including cAMP (cyclic Adenosine 3', 5'-monophosphate) dependent kinase (A-kinase), proteinkinase C (C-kinase), and Ca(2+)/calmodulin-dependent kinase (CaM-kinase). This study examined the function of these messengers in c-fos gene induction. To the primary culture of rat's adrenal cells, an activator of either A-kinase, C-kinase or CaM-kinase was added, as well as an A-kinase inhibitor. As a result, c-fos mRNA (messenger Ribonucleic Acid) was remarkably increased 60 minutes after A-kinase activator, cAMP, addition, and decreased to the level before the addition at 180 minutes. The amount of corticosterone in the culture was increased in proportion to time. The A-kinase inhibitor, H-89, inhibited the increase of mRNA, as well as production of corticosterone, in dose-dependent manner. However, the activators of C-kinase and CaM-kinase did not increase the mRNA and corticosterone. These results suggest that the c-fos gene induction by ACTH may mediated by cAMP as a intracellular second messenger, and that C-kinase and CaM-kinase may not participate in c-fos gene induction as a second messenger. Author (NASDA)

N94-27479# Nagoya Univ. (Japan). Dept. of Surgery.
CLONING OF RAT RXR ALPHA CDNA AND THE EXPRESSION
OF ITS MRNA IN REGENERATING LIVER AND PRIMARY
CULTURED HEPATOCYTES [RATTO RXR ARUFA CDNA NO
KURONINGU TO SAISEIKAN OYOBI SHODAI BAIYO SAIBO NI
OKERU MRNA NO HATSUGEN]

MASAFUMI MENJO, YOSHIHARU MURATA, FUKUSHI KAMBE, TAICHI KATO, TSUYOSHI KATO, and HISAO SEO *In its* Annals of the Research Inst. of Environmental Medicine, Nagoya Univ., Volume 44 p 151-153 25 Mar. 1993 In JAPANESE (Contract MOE-03807084)

Avail: CASI HC A01/MF A04

It was demonstrated that the response to thyroid hormone was weakened in hepatocytes of proliferation phase due to inhibiting the expression of T(sub 3) response genes. This study examined the gene expression of rat alpha-Retinoid X Receptor (RXR-alpha) cDNA (complementary Deoxyribonucleic Acid) that is a T(sub 3) receptor auxiliary protein presenting in the liver, in order to clarify the mechanism of the thyroid hormone response in hepatocytes. For cDNA, RXR alpha cDNA was amplified by RT (Reverse Transcription)-PCR (Polymerase Chain Reaction) from total mRNA extracted from mice liver, and was cloned, and the sequence was determined. As a result, it was proved that the cDNA was homologous to the human RXR alpha DNA in 2.1 percent. Gene expression of RXR alpha was examined using regenerating liver, primary cultured hepatocytes, sham-operated liver. The three cells were cultivated by monolayer culture and spheroid culture, amplified by PCR, and the RXR alpha mRNA was identified on electrophoresis. As a result, no difference was observed in respect to mRNA expression among three kinds of cells, and between two culture methods. Therefore, it can be concluded that gene expression of RXR alpha mRNA (messenger Ribonucleic Acid) are not related with the decrease of the thyroid hormone response in proliferating hepatocytes. Author (NASDA) N94-27480# Nagoya Univ. (Japan). Research Inst. of Environmental Medicine.

CLONING OF A NOVEL POU FAMILY GENE BY RT-PCR METHOD (RT-PCR HO O MOCHITA ATARASHII POU IDENSHI NO KURONINGU NO KOKOROMI)

FUKUSHI KAMBE, SHINICHIRO TSUKAHARA, TAICHI KATO, NORIHIRO MIYAMOTO, YOSHIHARU MURATA, and HISAO SEO In its Annals of the Research Inst. of Environmental Medicine, Nagoya Univ., Volume 44 p 154-157 25 Mar. 1993 in JAPANESE

(Contract MOE-04454559) Avail: CASI HC A01/MF A04

Recently, it has been demonstrated that expression of Pit-1, an homeobox gene, is necessary for differentiation and proliferation of growth hormone, prolactin and thyroid-stimulating hormone in the anterior pituitary of rats, and that Pit-1 functioned as a transcription regulatory factor for the expression of hormone genes in each cell. Furthermore, a group of proteins called the POU family, that have a highly homologous domain with the Pit-1 gene, were found in the central nerve system, testicle, and B-cells. In this study, mRNA's (Messenger Ribonucleic Acid) were extracted from several organs, to find new POU gene. As a result, mRNA's of the hypothalamus, thyroid gland, thymus, adrenal grand and testicle were amplified by RT (Reverse Transcription)-PCR (Polymenase Chain Reaction), and their cDNA (complementary Deoxyribonucleic Acid) were revealed to be highly homologous to the human Oct-1 gene, which is of the POU family. The cDNA amplified from mRNA of the pituitary was identified as the Pit-1 POU domain. The mRNA of the pancreas could not be amplified. These results suggest that the cDNA's cloned in this study were rat Oct-1 cDNA, and that the Oct-1 POU domain sequence could be ubiquitous in vertebrates. In respect to organs, the Oct-1 gene was found in almost all organs except for the pancreas.

Author (NASDA)

N94-27482# Nagoya Univ. (Japan). Dept. of Internal Medicine. EXPRESSION ANALYSIS OF THYROXINE-BINDING GLOBULIN COMPLETE DEFICIENCY IN JAPANESE (TBG-CDJ) [NIHONJIN NO TBG KANZEN KESSONSHO (TBG-CDJ) NO HASSHO KIJO NI KANSURU KENKYU]

YOSHITAKA MIURA, FUKUSHI KANBE, YUICHI MORI, IKUO YAMAMORI, YOSHIYUKI TANI, YOSHIHARU MURATA, YUTAKA OISO, and HISAO SEO *in its* Annals of the Research Inst. of Environmental Medicine, Nagoya Univ., Volume 44 p 161-165 25 Mar. 1993 In JAPANESE

(Contract MOE-04671468) Avail: CASI HC A01/MF A04

Thyroxine-binding globulin complete deficiency is a hereditary disease that is defined by a serum Thyroxine-Binding Globulin (TBG) level of less than 5 mg/l. It has several subtypes including Thyroxine-Binding Globulin Complete Deficiency in Japanese (TBG-CDJ) which produces TBG with a deficit of 22 amino acids from the C-terminal, probably because of mistranslation of genetic code resulting from a deficit of one base. The purpose of this study was to reveal the mechanism of TBG-CDJ by examining the synthesis and release of TBG in COS-1 cells derived from a monkey's renal cells to which normal TBG (TBG-N) or mutant TBG (TBG-CDJ) was induced. As a result, the presence of intracellular TBG was identified in the cell induced TBG-CDJ for a relative long period. This suggests that something interfered with the release of normal TBG in the TBG-CDJ cells. From results of cell fractionation and sensitivity to endoglycosidase H, it was revealed that TBG was stored in RER (Rough-Surfaced Endoplasmic Reticulum) and was not transported to Golgi bodies. This is probably due to the C-terminal which might be important for intracellular transportation was varied in TBG-CDJ, and the tertiary structure was also considered to be changed.

Author (NASDA)

N94-27483# Nagoya Univ. (Japan). Research Inst. of Environmental Medicine.

DEVELOPMENT OF PURKINJE CELLS IN VITRO [BAIYOKE]
NI OKERU PURUKINE SAIBO NO BUNKA]

YOSHIKO TAKAGISHI, MANABU INOUE (Mie Univ., Japan.), TAKAHITO SUGIMOTO (Mie Univ., Japan.), and HIDEKI YAMAMURA *in its* Annals of the Research Inst. of Environmental Medicine, Nagoya Univ., Volume 44 p 166-169 25 Mar. 1993 In JAPANESE

Avail: CASI HC A01/MF A04

This study examined the development of Purkinje cells in a serum-free medium. The cerebellum of newborn mice or one week-old mice were trypsinized, and the free cells were cultivated in the serum-free medium at 37 C and under 5 percent CO2. To identify Purkinje cells, the antibodies for vitamin D-dependent Ca Binding Protein (CaBP) that are present in Purkinje cells were used for immunostain. As a result, slightly large sphere cells were stained at the first day of the cultivation. At the seventh day, Purkinje cells were observed with long axons and short dendrites that became longer at the 14th day and at the 21st day. Purkinje cells with branched axons were observed. The process of cell development in vitro was almost similar to that in vivo. It was reported that synapses of granule cells and Purkinje cells were observed electrophysiologically in vitro. Therefore cultivation of undeveloped Purkinje cells might be a useful model system to study the developing of nerve cells in the cerebellum.

Author (NASDA)

N94-27484# Nagoya Univ. (Japan). Research Inst. of Environmental Medicine.

DEVELOPMENTAL EXPRESSION OF PROTEIN KINASE C TYPE 1 ISOZYME IN SUNCUS AND RAT CEREBELLA [SUNKUSU TO RATTO NO SHONO NI OKERU PUROTEINKINAZE C1 GATA AISOZAIMU NO HATSUGEN]

SHIZU HAYASAKA, YOSHIKO TAKAGISHI, SENICHI ODA, MINORU INOUE, and HIDEKI YAMAMURA In its Annals of the Research Inst. of Environmental Medicine, Nagoya Univ., Volume 44 p 170-173 25 Mar. 1993 In JAPANESE Avail: CASI HC A01/MF A04

This study compared the development of the cerebellum between suncuses and rats by the expression of protein kinase C type 1 isozyme which is only present in the nervous system, especially in the Purkinje cells of rats and rabbits. The expression was identified by immunohistological method and immuno-blot method; i.e., the cerebellums were extracted from zero, one, three, five, 10, 15, 21, and 42 day-old suncuses and rats were sliced, immunostained, and observed microscopically, or homogenated and analyzed by electrophoresis. Purkinje cells were observed in the cerebellum of newborn suncuses, and their numbers increased as time passed, while they were not found until the third day in rats. In the immunohistological study, Purkinje cells were identified by type 1 isozyme in newborn suncuses and in 15 day-old rats. In the immuno-blot study, these cells were expressed in newborn suncuses and in 10 day-old rats. This suggests that the development of Purkinje cells was underway in suncuses at birth because their pregnancy period is longer than rats.

Author (NASDA)

N94-27485# Nagoya Univ. (Japan). School of General Education.

ABNORMAL DEVELOPMENT OF SEROTONIN NERVE FIBERS IN THE CEREBRAL CORTEX OF YOUNG RATS WITH METHYLAZOXYMETHANOL INDUCED MICROCEPHALY [MECHIRUAZOKISHIMETANORU NI YORU JIKKENTEKI SHOTOSHO RATTO NO DAINO HISHITSU NI OKERU SEROTONIN SHINKEI SENI NO SEIGO SHOKI HATTATSU IJO]

ATSUSHI FUNAHASHI, MINORU INOUE, and HIDEKI YAMAMURA In its Annals of the Research Inst. of Environmental Medicine, Nagoya Univ., Volume 44 p 174-176 25 Mar. 1993 In JAPANESE

Avail: CASI HC A01/MF A04

In a previous study, it was demonstrated that rats in which microcephaly was induced by intraperitoneal injection of Methylazoxymethanol (MAM) on the 15th day of pregnancy (MAM rat) had underdeveloped serotonin nerve fibers in the raphe nuclei. There are some reports that monoamine concentration, including

serotonin, is increased in the cerebral cortex and other subcortex regions of MAM rats. This study compared the distribution of serotonin nerve fibers in the visual cortex between a MAM rat group and control group. Both groups rats were killed on the first, third, or fifth day after birth, the brain was extracted, and the brain was examined for abnormal development of serotonin nerve fibers and nerve endings in the visual cortex by immunohistological Author (NASDA) method.

N94-27486# Nagoya Univ. (Japan). Research Inst. of **Environmental Medicine** 

EFFECTS OF ML-9, A MYOSIN LIGHT-CHAIN KINASE INHIBITOR, ON PREIMPLANTATION DEVELOPMENT OF THE MOUSE [MAUSU NO CHAKUSHOMAE HASSEI NI OYOBOSU MIOSHIN KEISA KINAZE SOGAIZAI ML-9 NO EIKYO)

NURUL KABIR, HIDEKI YAMAMURA, YOSHIKO TAKAGISHI, MINORU INOUE, SENICHI ODA, and HIROYOSHI HIDAKA In its Annals of the Research Inst. of Environmental Medicine, Nagoya Univ., Volume 44 p 177-179 25 Mar. 1993 In JAPANESE (Contract MOE-04670012)

Avail: CASI HC A01/MF A04

The purpose of this study is to reveal whether myosin light-chain kinase participates in preimplantaion development. Rat embryos were extracted 44 hours after fertilization, and they were cultivated for four days at 37 C in air containing 5 percent CO2. In the medium, an inhibitor of myosin light-chain kinase, 1-(5-chloronaphthalene 1-sulfonyl) 1H-hexahydro 1,4-diazepine hydrochloride (ML-9), was added at concentrations of 1, 10, or 50 micro M. The development was expressed by biological ages corresponding to each developing stage, and the relation with the biological age and time was examined. As a result, development of the embryo was inhibited by ML-9 in a dose-dependent manner. This implies that myosin light-chain kinase may participate in the preimplantation development of a mouse, and the intracellular regulation may be mediated by Ca-calmodulin-myosin light-chain kinase pathway. Author (NASDA)

N94-27487# Nagoya Univ. (Japan). Research Inst. of **Environmental Medicine** 

COMPACTION-LIKE BLASTOMERE AGGREGATION CAUSED BY 1-OLEOYL-2-ACETYLGLYCEROL IN MOUSE EMBRYOS: AN ELECTRON MICROSCOPIC OBSERVATION 1-OREOIRU-2-ASECHIRUGURISERORU NI YORI CONPAKUSHON YO NO KAKKYU GYOSHU O OKOSHITA MAUSUHAI NO DENKENTEKI KANSATSUI

TOSHIHIKO KUMAZAWA, YOSHIKO TAKAGISHI, MAMI OSUGI (Mie Univ., Japan.), and HIDEKI YAMAMURA In its Annals of the Research Inst. of Environmental Medicine, Nagoya Univ., Volume 44 p 180-182 25 Mar. 1993 In JAPANESE Avail: CASI HC A01/MF A04

It is known that 1-oleolyl-2-acetylglycerol (1,2-OAG), an

activator of proteinkinase, causes compaction-like aggregation in embryos in two, four, and eight-celled stages. This study examined the compaction-like aggregation induced by 1,2-OAG using an electron microscopy, especially the boundary surface of the blastomere and the microvillus on the outer surface, and compared it with physiological compaction. Embryos were extracted from B6C3F1 mice, cultivated till two, four, eight, or compaction stage, and 1,2-OAG was added. The embryos cultivated in the 1,2-OAG free medium had microvillus on the surface of blastomeres in two, four, and eight-celled stages, but they did not have a intracellular junction. In the 1,2-OAG treated embryos, microvillus was observed on the outer surface of blastomeres but not in the boundary surface, and the intracellular junction was not observed. The embryos with physiologically induced compaction had microvillus on the outer surface, and the intracellular junction was formed between the boundary surfaces. Author (NASDA) N94-27488# Seinan Gakuin Univ., Fukuoka (Japan).
INDUCTIVE DIFFERENTIATION OF NERVE CELLS IN MOUSE
EMBRYONIC ECTODERM AT EARLY PRIMITIVE STREAK STAGE BY RETINOIC ACID [RECHINOINSAN NI YORU SHOKI GENSHI SENJOKI HAISEIGAIHAIYO KARANO SHIMKEI SAIBO NO YUDOTEKI BUNKA]

KIYOKO YAMAMOTO and HIDEKI YAMANURA (Nagoya Univ., Japan.) In Nagoya Univ., Annals of the Research Inst. of Environmental Medicine, Nagoya Univ., Volume 44 p 183-185 25 Mar. 1993 In JAPANESE Sponsored by Narishige Zoological Science Award

Avail: CASI HC A01/MF A04

Retinoic acid has a strong teratogenic effect, and it participates in embryonic development extensively. In previous studies, the mouse embryonic ectoderm was cultivated in vitro at the early primitive streak stage, and it was found that most embryos differentiation was observed morphologically, and nerve cells were identified by the immunohistological method using embryonic ectoderm can differentiate to nerve cells in the presence of Retinoic Acid (RA). The embryos were extracted from mice at the early primitive streak stage, cultivated in a medium with RA for 20 hours, then removed to an RA-free medium. Cell differentiation was observed morphologically, and nerve cells were by the immunohistological method anti-neurofilament monoclonal antibodies. As a result, the differentiation of nerve cells was observed at the fifth day of cultivation, and this was identified immunohistologically. However, the number of differentiated nerve cells was not constant among Author (NASDA) each culture.

N94-27489# Nagoya Univ. (Japan). Research Inst. of Environmental Medicine

ANORECTAL MALFORMATIONS INDUCED BY INTRAPERITONEAL INJECTION OF ALL-TRANS RETINOIC ACID IN SUNCUS (SUNKUSU NI OKERU ORU TORANSU RECHINOIN SAN FUKUKONAI TOYO NI YORU SAKO NO YUHATSU]

RYOZO HASHIMOTO, SENICHI ODA, MINORU INOUE, and HIDEKI YAMAMURA *in its* Annals of the Research Inst. of Environmental Medicine, Nagoya Univ., Volume 44 p 186-188 25 Mar. 1993 In JAPANESE

Avail: CASI HC A01/MF A04

All-trans Retinoic Acid (RA) is a strong teratogenic agent that causes several malformations including anorectal malformation. The incidence of human anorectal malformation is reported to be relatively high (0.02 percent), so that it is important to study the development mechanism using animal models. The purpose of this study was to clarify whether a suncus is available for a experimental model of malformation development. Therefore, the suitable amount and timing of RA administration was determined to achieve high incidence of anorectal malformation. RA was injected 50, 100, or 200 mg/g weight to suncuses intraperitoneally at the 10th, 11th, 12th, or 13th day of pregnancy. Corn oil was injected as a control in the same way. The fetuses were extracted at the 27th day and observed microscopically. The highest incidence of anorectal malformation was observed in the group administered 100 mg/g weight RA at 12th day (88.2 percent). Administration at 10th day did not cause anorectal malformation. Administration at the 13th day caused tail malformation and only one case of anorectal malformation. In the case of 200 mg/g weight RA administration, all of the fetuses were dead. As a result, anorectal malformation can be induced by RA in suncuses with high incidence. This could be useful for pathological study of the development of anorectal malformation. Author (NASDA)

N94-27490# Eisai Co. Ltd., Hashima (Japan). Dept. of Drug Safety Research.

CROSS-SECTIONAL ANATOMY OF DAY 30 SUNCUS FETUSES (SUNKUSU 30 NICHI TAIJI NI OKERU ODAMEN NI YORU NAIBU KIKAN KANSATSU]

NOBUHIRO NIWA, TAKAO MATSUBARA, SENICHI ODA (Nagoya Univ., Japan.), MINORU INOUE (Nagoya Univ., Japan.), and HIDEKI YAMAMURA (Nagoya Univ., Japan.) In Nagoya Univ., Annals of the Research Inst. of Environmental Medicine, Nagoya Univ., Volume 44 p 189-192 25 Mar. 1993 In JAPANESE Avail: CASI HC A01/MF A04

The study of the safe administration of drugs is important in the area of preclinical studies. Rats are usually used to evaluate teratogeny of drugs, and the test methods have already been established. Although teratogeny has been observed in suncuses, the use of suncuses in safety studies has not been established. This report describes the observation of cross-sectional anatomy using normal 30 day suncus fetuses.

Author (NASDA)

N94-27491# Aichi Agricultural Research Center, Naga (Japan). SKELETAL DEVELOPMENT AND OSSIFICATION OF THE SWINE FETUSES (BUTA TAIJ! NO KOKKAKU KEISEI KATEI NO KANSATSU)

AYUMI T. ICHIKAWA, SENICHI ODA (Nagoya Univ., Japan.), and MINORU INOUE (Nagoya Univ., Japan.) In Nagoya Univ., Annals of the Research Inst. of Environmental Medicine, Nagoya Univ., Volume 44 p 193-196 25 Mar. 1993 In JAPANESE Avail: CASI HC A01/MF A04

Recently, the experimental demand for swine has increased, especially in the field of medicinal biology. For experimental use, it is necessary to understand normal fetal development, and ossification can be used as an index after organogenesis. This report presents the observational results of the timing of ossification and order in swine fetuses. The fetuses were extracted from the 32nd to 53rd day of pregnancy, fixed in ethanol, stained for the bones, and observed microscopically. As a result, ossification began in the mandible and the regions around the orbits on the 34th day. Until the 39th day, ossification of the cranium and facial bones had begun except for hyoid bone which began after the 52nd day. In the spine, ossification of the cervical vertebrae, ribs, and lumbar vertebrae was observed on the 39th day. Other vertebrae began to develop from anterior to posterior. For the limb bones, the humeri ossified on the 34th day. The scapulae, ulnae, radii, ilium, femora, tibiae, and fibrae ossified on the 39th day. The order of skeletogeny of feet and hooves was also determined in detail. Author (NASDA)

N94-27492# Yagi Memorial Park, Mitake (Japan). Inst. of Applied Biochemistry.

DEVELOPMENT OF INBRED STRAINS FROM JAPANESE WILD RATS (RATTUS NORVEGICUS) (NIHONSAN YASEI RATTO (RATUSU NORUBEGIKUSU) KARANO KEITO IKUSEI] KYOKO ONO, YOSHIKI NIWA, SHIZUKA KATO, SENICHI ODA (Nagoya Univ., Japan.), KYOJI KONDO, and HIDEKI YAMAMURA (Nagoya Univ., Japan.) In Nagoya Univ., Annals of the Research Inst. of Environmental Medicine, Nagoya Univ., Volume 44 p 197-201 25 Mar. 1993 In JAPANESE Avail: CASI HC A01/MF A04

This report discusses the development of inbred strains of Japanese wild rats (Rattus norvegicus) and the characteristics of these strains. Twelve pairs of wild rats were bred, and inbred strains were developed by sibling mating. The gene of hair color was analyzed for each of the strains, and a biological marker gene was detected by electrophoresis. As a result, five inbred strains were developed: A, B, C, D, and E. Strain A rats were gentle, docile, and seemed most suitable for experimental rats. They have stable breeding potential. Strain B rats have the mutant gene for hair color and eye color, and their characteristics and fertility are similar to those of strain A rats. Strain C rats were undersized, and may have a maker gene—transferrin mutant. Strain D rats showed marked maternal aggression. Strain E rats were developed from a different pair of captured rats from the other four strains. They are slightly gentle and docile, and their breeding potential is unstable.

N94-27493# Academy of Sciences (USSR), Novosibirsk. Inst. of Cytology and Genetics.

ELECTRON MICROSCOPIC ANALYSIS OF MEIOTIC CHROMOSOME PAIRING IN MALE HOUSE MUSK SHREW, SUNCUS MURINUS (SUNKUSU OSU NI OKERU SENSHOKUTAI TAIGO NO DENSHI KENBIKYO NI YORU

It has been reported that crossbred suncuses express a high frequency of mutation in size, shape, or number of chromosomes. Hence, they are an appropriate model for studying pairing or reconstitution of chromosomes. This study examines the chromosome pairing and shape of nucleolus from zygotene stage to diplotene stage of meiosis using spermatocyte of crossbred suncuses. The subjects were 17 mature male suncuses from eight breeding groups. The testicles were extracted, separated with a thin needle, fixed on a slide, and staind by silver staining. The spermatocyte chromosomes were observed by an electron microscopy and compared with other mammals, such as the Chinese hamster or mouse. As a result, no difference was observed between suncus and other mammals in respect to the behavior of chromosomes and shape of spermatocytes in prophase of meiosis. However, the behavior of the sex chromosome was apparently different from other mammals; i.e., the sex vesicle appeared in early prophase in the suncus, as opposed to late prophase in other mammals. Detail observation of pairing and shape of nucleolus in prophase of meiosis may be useful to study complicated meiosis in crossbreeding suncus with various number or shape of chromosomes. Author (NASDA)

N94-27494# Nagoya Univ. (Japan). Research Inst. of Environmental Medicine.

EFFECT OF PGE2 RECEPTOR AGONISTS BUTAPROST, M AND B 28767 AND AN ANTAGONIST AH 6809 ON THE BK RESPONSE OF VISCERAL POLYMODAL RECEPTORS [NAIZO PORIMODARU JUYOKI NO BURAJIKININ HANNO NI TAISURU PUROSUTAGURANJIN E2 JUYOTAI NO AGONISUTO BUTAPUROSUTO, M/B 28767, OYOBI ANTAGONISUTO AH 6809 NO KOKA]

HISASHI KODA, KAZUE MIZUMURA, and TAKAO KUMAZAWA In its Annals of the Research Inst. of Environmental Medicine, Nagoya Univ., Volume 44 p 205-207 25 Mar. 1993 In JAPANESE

(Contract MOE-04255103) Avail: CASI HC A01/MF A04

The polymodal receptor is one of the noxious receptors and can respond to extensive noxious stimulation including mechanical stimulation, heat, and dolorogenic substances. An inflammatory mediator, Prostaglandin E2 (PGE2), does not stimulate the polymodal receptor by itself; however, it strengthens the effects of heat or Bradykinin (BK) on the receptor. This study examined subtypes of the PGE2 receptor that might be associated with BK responses.

Author (NASDA)

N94-27495# Nagoya Univ. (Japan). Research Inst. of Environmental Medicine.

EXCITATION OF CUTANEOUS POLYMODAL RECEPTOR INDUCED BY SYMPATHETIC STIMULATION IN ADJUVANT-INDUCED ARTHRITIS RATS (AJUBANTO KANSETSUEN RATTO NI MIRARETA KOKAN SNINKEI SHIGEKI NI YORU HIFU PORIMODARU JUYOKI KOFUN) JUN SATO, SHIGEYUKI SUZUKI, TOMOKO ISEKI, and TAKAO KUMAZAWA In its Annals of the Research Inst. of Environmental Medicine, Nagoya Univ., Volume 44 p 208-210 25 Mar. 1993 In JAPANESE Sponsored by Uehara Memorial Foundation and Research Foundation for Oriental Medicine

(Contract MOE-04770070; MOE-04255103) Avail: CASI HC A01/MF A04

it was demonstrated that the polymodal receptor, one of the pain receptors, causes paralgesia via the sympathetic nerve, and that catecholamine alpha-2 receptors participate in this pain transmission. This report presents the effect of sympathetic nerves

on polymodal receptors using adjuvant-induced arthritis rats.

Author (NASDA)

N94-27496# Nagoya Univ. (Japan). Research Inst. of Environmental Medicine.

SELECTION OF SITE INJECTING ADJUVANT IN CHRONIC INFLAMMATION MODEL [MANSEI ENSHO MODERU NI OKERU KIENZAI TOYO BUI NO SENTAKU]

SHIGEYUKI SUZUKI, TOMOKO ISEKI, KAZUE MIZUMURA, and TAKAO KUMAZAWA *In its* Annals of the Research Inst. of Environmental Medicine, Nagoya Univ., Volume 44 p 211-213 25 Mar. 1993 In JAPANESE

(Contract MOE-04255103) Avail: CASI HC A01/MF A04

As an experimental model for chronic inflammation, rats with arthritis induced by adjuvant are used extensively. A phologogenic agent is usually administered to these rats at the base of the tail or the foot. A severe inflammatory response with marked swelling usually occurs at the administration site on the first day. This rapid and severe response is not suitable for experiments that measure the foot volume as an index of inflammation. Therefore, injecting the adjuvant at the one-third distal site of the tail was used in thisstudy. The purpose was to clarify whether the injection causes suitable inflammatory response as a model of chronic inflammation and to prepare control data on these rats.

Author (NASDA)

N94-27497# Nagoya Univ. (Japan). Research Inst. of Environmental Medicine.

INFLUENCE OF MECHANICAL STIMULATION ON INFLAMMATORY EDEMA [UNDO SHIGEKI NO ENSHOSEI FUSHU NI TAISURU EIKYO]

SHIGEYUKI SUZUKI, TOMOKO ISEKI, KAZUE MIZUMURA, and TAKAO KUMAZAWA *In its* Annals of the Research Inst. of Environmental Medicine, Nagoya Univ., Volume 44 p 214-216 25 Mar. 1993 In JAPANESE

(Contract MOE-04255103) Avail: CASI HC A01/MF A04

In previous studies, it was shown that inflammatory edema could be affected by a neurogenic inflammation caused by polymodal receptor stimulation using adjuvant-induced arthritis rats. This study examined the effect of mechanical stimulus on inflammatory edema while varying the concentration of the phlogogenic agent. The subjects were 13 Lewis strain rats, to which either 0.6 (N = 3), 0.4 (N = 3), 0.2 (N = 5), or 0.1 mg (N = 2) of adjuvant was administered at the one-third distal site of the tail. Each rat was forced to move everyday after the administration, and the foot volume was measured before and after the movement and compared with non-movement group. As a result, the foot volume is not different between the movement group and non-movement group in the case of administered 0.4 mg and 0.6 mg adjuvant; however, 0.2 mg adjuvant rats revealed remarkably larger foot volume in the movement group than the non-movement group. The 0.1 mg adjuvant rats, however, showed the opposite response to 0.2 mg adjuvant rats; the foot volume was smaller in the movement group. Assuming that the greater the concentration of phlogogenic agent gets, the more severe the inflammation becomes, these results suggest that polymodal receptors may be stimulated by mechanical stimulus in a certain inflammatory state and may result in occurrence of edema by neurogenic inflammation. Author (NASDA) N94-27498# Nagoya Univ. (Japan). Coll. of Medical Technology.

THE EFFECT OF NALOXONE ON SLEEPING TIME IN ADJUVANT ARTHRITIC RATS (CHOKI AJUBANTO KANSETSUEN RATTO NO MASUI KOKA JIKAN NI TAISURU NAROKISON ZENTOYO NO EIKYO)

TOMOKO ISEKI, SHIGEYUKI SUZUKI, KAZUE MIZUMURA, and TAKAO KUMAZAWA *In its* Annals of the Research Inst. of Environmental Medicine, Nagoya Univ., Volume 44 p 217-218 25 Mar. 1993 In JAPANESE

(Contract MOE-04255103) Avail: CASI HC A01/MF A04

It was known that the narcotic effect was prolonged in adjuvant-induced arthritic rats, probably due to decrease of the liver microsome activity. Recently, a finding was obtained that opioid analgesics prolongs the narcotic effect of pentobarbital. This suggests that the opioid pathway might be related to the prolongation in adjuvant-induced arthritic rats, and this possibility was examined in this study. The subjects were six Lewis strain rats classified into the control group (N=3) and the adjuvant-induced arthritis group (N=3). In both subjects the narcotics were administered intraperitoneally, and the period that wink reflex disappeared was measured as the effective time of the narcotics. The same measurement was performed on subjects preadministered with naloxone. As a result, the effective time of adjuvant group was longer than that before adjuvant administration; however, in case of preadministration of naroxone, the effective time became shorter. In the control group, the effective time became slightly shorter in case of naroxone preadministration.

Author (NASDA)

N94-27499# Nagoya Univ. (Japan). Research Inst. of Environmental Medicine.

EFFECTS OF CAPSAICIN ON FRESHLY DISSOCIATED RAT DORSAL ROOT GANGLION CELLS [RATTO SEKIZUI GOKON SHINKEISETSU BUNRI SAIBO NI TAISURU KAPUSAISHIN NO KOKAI

MASANORI KASAI, KAZUE MIZUMURA, and TAKAO KUMAZAWA *In its* Annals of the Research Inst. of Environmental Medicine, Nagoya Univ., Volume 44 p 219-220 25 Mar. 1993 In JAPANESE

(Contract MOE-04255103) Avail: CASI HC A01/MF A04

It was demonstrated that polymodal receptors responsive to noxious stimuli are sensitive to capsaicin (CAP), a philogogenic agent, in peripheral levels. The fact that polymodal receptors present in Dorsal Root Ganglions (DRG) and the cells in DRG can bind with and be stimulated by CAP suggests that the membrane of DRG cells might respond to CAP.

Author (NASDA)

N94-27500# Nagoya Univ. (Japan). Research Inst. of Environmental Medicine.

SIZE DISTRIBUTION OF RETROGRADELY LABELED DORSAL ROOT GANGLION CELLS: TEST OF NORMALITY (GYAKKOSEI TORESAHO NI YORI HYOSHIKI SARETA GOKON SHINKEISETSU SAIBO NO OKISA NO BUNPU: SEIKISEI NO KENTEI)

RYOKO TAMURA, KAZUE MIZUMURA, and TAKAO KUMAZAWA In its Annals of the Research Inst. of Environmental Medicine, Nagoya Univ., Volume 44 p 221-223 25 Mar. 1993 In JAPANESE

(Contract MOE-04255103) Avail: CASI HC A01/MF A04

In this study, the size of dosal root ganglion cells was compared with other ganglion cells using a retrograde tracer method. Fast Blue (FB) was injected to the testicle and epididymis or the left superior testicular nerve of male dogs, and the diameter of the cells in the first and second lumber vertebra (L1 and L2) was measured. In case of administering FB at the testicle, the mean diameter of labelled cells was 35.7 micrometers, whereas it was 31.7 micrometers when administered at the superior testicular nerve. The results of the normality test revealed that the cells

labelled at the testicle were intermingled with several sizes of cells. It is known that the dorsal root ganglion cells can be morphologically classified into small cell and large cell. The cells labelled at the superior testicular nerve were small cells, which implies that afferent neurons that control the testicle via superior testicular nerve may correspond to small cells. When FB was administered at the testicle, the fluorochrome may stain not only afferent neurons but also other cells. Therefore, the size of afferent neuron could be determined by the FB-labelled cells administered at the superior testicular cells. It can be concluded that the test of normality is useful to detect intermingled cells in the study using retrograde tracer method.

N94-27502# Kinjo Gakuin Univ., Nagoya (Japan). Dept. of Home Economics.
INTERACTION BETWEEN ENDOGENOUS OPIOID AND CHOLECYSTOKININ (CCK) IN MODULATING RESPIRATORY RESPONSES INDUCED BY THIN-FIBER MUSCULAR AFFERENTS [KI SAIKEI SHINKEI NYURYOKU NI YORU

KOKYU HANNO NO SHUSHOKU NI OKERU NAIINSEI OPIOIDO TO KORESHISUTOKININ (CCK) NO SOGO SAYO] EIKO TADAKI, YASUKO KOZAKI (Nagoya Univ., Japan.), and TAKAO KUMAZAWA (Nagoya Univ., Japan.) In Nagoya Univ., Annals of the Research Inst. of Environmental Medicine, Nagoya Univ., Volume 44 p 227-229 25 Mar. 1993 In JAPANESE (Contract MOE-04255103)

Avail: CASI HC A01/MF A04

It was reported that Cholecystokinin (CCK) participates in tachyphylaxy of opioid analgesics. The CCK receptor is classified into two subtypes; type A and type B. The effect of a type B receptor was examined using highly selective inhibitors, L-365 and 260, because B receptors are present mainly in the brain. The thin-fiber muscular afferent nerves of cats were stimulated every 35 minutes and L-365 or 260 was injected slowly for 1 minute intravenously, while respiratory response was monitored, and respiratory output was determined as an index. The concentration of inhibitor was 0.03, 0.1, 0.2, 0.3, 1.0 mg/kg, in the order of administration, and, at the last of them, naroxone, an inhibitor of opioids, was administered. As a result, the tachyphylaxis of Aspiratory Suppression (AS) that was induced by repetitive stimulation of thin-fiber muscular afferent nerves was inhibited by CCK-B (CCK Type-B) receptor inhibitor, L-365 and 260, in dose-dependent manner. It was also revealed that there is high correlation between the degree of tachyphylaxy and degree of inhibition. Therefore, this tachyphylaxy may be mediated by CCK-B receptors. L-365 and 260 dominantly affect the respiratory rate. This suggests that tachyphylaxy of AS may not result from deletion of endogenous opioid, but from activation of CCK receptors by excitation of thin-fiber muscular afferent nerve which modulates respiratory rate. Author (NASDA)

N94-27503# Nagoya Univ. (Japan). Research Inst. of Environmental Medicine.

EFFECTS OF PERFUSION OF AMIODARONE ON ELECTROPHYSIOLOGICAL PROPERTIES IN SINGLE RABBIT VENTRICULAR MYOCYTES (AMIODARONE KYUSEI TOYO GA IEUSAGI TANRI SHINSHITSUKIN SAIBO NI OYOBOSU DENKI

SEIRIGAKUTEKI SAYO]
KAICHIRO KAMIYA, JIANHUA CHENG, ITSUO KODAMA, and JUNJI TOYAMA In its Annals of the Research Inst. of Environmental Medicine, Nagoya Univ., Volume 44 p 230-232 25 Mar. 1993 In JAPANESE

Avail: CASI HC A01/MF A04

The acute administration of amiodarone, an antiarrhythmic agent, was studied and the data was compared with chronic administration. The ventricular myocytes were isolated from rabbit hearts, perfusated with perfusate containing amiodarone, and action potential was measured under steady stimulating frequency. As a result, Action Potential Duration (APD) was shortened by amiodarone acute administration, and this did not depend on the stimulating requency. The previous study demonstrated that APD was remained by prolonged by chronic administration of amiodarone. Therefore encorphysiologically reverse effects were observed in

rabbit ventricular myocytes by the two administration methods. In respect to ion current, amiodarone acute administration interfered Na current and Ca current, and the suppression of these inward currents may result in the shortening of APD. In addition, transient outward current induced by repetitive depolarization was not affected by amiodarone acute administration, whereas it was decreased by chronic administration.

Author (NASDA)

N94-27504# Nagoya Univ. (Japan). Research Inst. of Environmental Medicine.

FAST AND SLOW ONSETS OF NA CHANNEL BLOCKING ACTIONS DUE TO LIDOCAINE AND DISOPYRAMIDE USING CONCENTRATION-CLAMP METHOD (NODO KOTEIHO NI YORU ENUE NATORIUMU CHANERU YOKUSEIYAKU NO SAYO HATSUGEN KIJO NI KANSURU KENTO)

TAKAFUMI ANNO, EIICHI WATANABE, AKIHIKO TANIGUCHI, ITSUO KODAMA, and JUNJI TOYAMA In its Annals of the Research Inst. of Environmental Medicine, Nagoya Univ., Volume 44 p 233-235 25 Mar. 1993 In JAPANESE

Avail: CASI HC A01/MF A04

The purpose was to examine the change of Na current by lidocaine and disopyramide using concentration-clamp method, and to consider how the drugs bind the channel protein. The ventricular myocytes were isolated from guinea pig hearts and the Na current was measured using whole-cell clamp method. As a result, Na current was interfered slowly, at the time constant of 10 seconds, when disopyramide was added extracellularly. In case that lidocaine was added, Na channel was blocked by two steps; one is rapid block with the time constant of less than 0.1 seconds, and another is slow block that reached steady state for 60 to 120 seconds. The concentration of both drugs were so high that the Na current suppression depended not on electric potential or stimulating rate, but on binding the drug with the channel protein. If binding site of lidocaine presents on the only outer surface of the cell membrane, the time constant can be expressed using binding constant (k) and dissociation constant (I) as the following formula; 1/(k(D) + I). In order to bind the channel protein, drugs must pass through a extracellular hydrophilic path as well as intermembrane hydrophobic path. This suggests that the slow time constant of disopyramide and lidocaine may correspond to the hydrophobic pathway, and the rapid time constant of lidocaine, to the hydrophilic pathway. Author (NASDA)

N94-27505# Nagoya Univ. (Japan). Research Inst. of Environmental Medicine.

ELECTROPHYSIOLOGICAL EFFECTS OF MS-551, A NEW CLASS 3 ANTIARRHYTHMIC AGENT, ON ISOLATED RABBIT VENTRICULAR MUSCLES [KURASU 3 KOFUSEIMYAKUYAKU MS-551 NO IEUSAGI SHINSHITSUKIN NI TAISURU DENKI SEIRIGAKUTEKI SAYO]

RYOKO SUZUKI, ITSUO KODAMA, and JUNJI TOYAMA In its Annals of the Research Inst. of Environmental Medicine, Nagoya Univ., Volume 44 p 236-238 25 Mar. 1993 In JAPANESE

Avail: CASI HC A01/MF A04

MS-511, 1, 3-dimethyl 6-(2-(N-(2-hydroxethyl) 3-(4-nitrophenyl) propylamino) ethylamino) 2, 4-(1H, 3H)-pyrimidinedione hydrochloride, is a newly developed antiarrhythmic agent that can prolong the Action Potential Duration (APD) and effective refractory period mainly due to K channel blockage. The MS-551 was compared with sotalol and E-4031 in respect to prolongation of effective refractory period. Rabbit ventricular muscles were extracted, perfusated with perfusate containing MS-551, and the membrane potential was measured. As a result, MS-551 prolonged APD significantly at the concentration of 0.3 micro-M or more, without suppressing maximum upstroke velocity. The APD prolongation caused by sotalol and E-4031 showed remarkable reverse use-dependency within the range of 0.1 to 3.0 Hz of stimulus, whereas that by MS-551 showed diphasic rate-dependency. This suggests that MS-511 may suppress a different K channel from other drug suppression. Among various K channels in the myocytes, slow rectifying K channel may participate in the rate-dependent APD prolongation, and MS-551

may bind with the activated K channel because the effect emerged not at the first stimulating pulse but at the second pulse after a Author (NASDA) long pause.

N94-27506# Nagoya Univ. (Japan). Research Inst. of Environmental Medicine. COMPARATIVE INVESTIGATION OF NEW CLASS 3 ANTIARRHYTHMIC DRUGS, E-4031 AND MS-551, ON

**ELECTROPHYSIOLOGICAL PROPERTIES IN ISOLATED** RABBIT VENTRICULAR MYOCYTES [DAI 3 GUN KOFUSEIMYAKUYAKU E-4031, MS-551 GA IEUSAGI TANRI SHINSHITSUKIN SAIBO NI OYOBOSU DENKI SEIRIGAKUTEKI SAYO NO HIKAKU KENTO)

JIANHUA CHENG, KAICHIRO KAMIYA, ITSUO KODAMA, and JUNJI TOYAMA in its Annals of the Research Inst. of Environmental Medicine, Nagoya Univ., Volume 44 p 239-241 25 Mar. 1993 In JAPANESE

Avail: CASI HC A01/MF A04

The effect of newly developed Class 3 antiarrhythmic agents, E-4031 and MS-551 on electrophysiological property of myocytes, especially on action potential and transient outward current was examined. The ventricular myocytes were extracted from rabbit hearts, and membrane potential was measured using whole cell clamp method. As a result, Action Potential Duration (APD) was prolonged by E-4031 under low frequency stimulus in reverse use-dependent manner. On the other hand, MS-511 prolonged APD under high frequency stimulus in use dependent manner. However both drugs were similar in respect to APD prolongation without affecting maximum upstroke potential or action potential amplitude. In addition, they did not affect transient outward current that is an important factor to cause the notch in the first phase of the action potential and to regulate APD. Therefore, the APD prolongation by low frequency stimulus using E-4031 may not result from the effect on transient outward current. MS-511 prolongs APD with premature contraction which shows shorter coupling duration than E-4031, so that they may have different association and dissociation constants of drug and channel.

Author (NASDA)

N94-27507# Nagoya Univ. (Japan). Research Inst. of Environmental Medicine. EFFECTS OF CLASS 1 ANTIARRHYTHMIC DRUGS ON THE INTRAVENTRICULAR CONDUCTION: INFLUENCE OF FIBER ORIENTATION (KURASU 1 KOFUSEIMYAKUYAKU NIYORU SHINSHITSUNAI DENDO YOKUSEI TO SHINKIN SENI SOKO) MASATO IIDA, ITSUO KODAMA, and JUNJI TOYAMA Annals of the Research Inst. of Environmental Medicine, Nagoya Univ., Volume 44 p 242-244 25 Mar. 1993 In JAPANESE Avail: CASI HC A01/MF A04

Class 1 drugs, such as Na channel blockers, were used for ventricular arrhythmia to lower the conductivity and excitability of the ventricle. Recently, it was revealed that the inhibition of conductivity caused reentry in the ventricle. The conduction and fiber orientation of ventricular epicardium surface when lidocaine or flecainide was added, in order to clarify the mechanism of arrhythmia caused by class 1 antiarrhythmic agents was examined. The ventricle was extracted from rabbit hearts, and the extracellular potential was recorded and mapped to draw isochronic lines of conduction on the surface. These lines became stable after 2 hours of perfusion, and drew ellipses extended to the longitudinal direction of the fibers (L-direction). Lidocaine inhibited the L-direction conduction at the stimulating frequency of 2.0 Hz or more, and flecainide showed the similar inhibition within the range of 0.2 to 3.0 Hz. These inhibitions augmented with increase of stimulating frequency. This rate-dependency may result from use-dependent block of Na channel. However, both lidocaine and flecainanide did not inhibit the conduction to the transversal direction of the fibers. Author (NASDA)

Nagoya Univ. (Japan). Research Inst. of N94-27508# **Environmental Medicine** 

EFFECTS OF CLASS 3 ANTIARRHYTHMIC AGENTS, E-4031 AND MS-551 ON VENTRICULAR REPOLARIZATION IN ISOLATED RABBIT HEARTS (IEUSAGI SHINSHITSU NO SAI BUNKYOKU NI TAISURU KURASU 3 KOFUSEIMYAKUZAI E-4031 TO MS-551 NO SAYO)

HIROKAZU IWATA, RYOKO SUZUKI, KAICHIRO KAMIYA, ITSUO KODAMA, and JUNJI TOYAMA In its Annals of the Research Inst. of Environmental Medicine, Nagoya Univ., Volume 44 p 25 Mar. 1993 In JAPANESE

Avail: CASI HC A01/MF A04

It is known that class 3 antiarrhythmic agents can prolong action potential duration and refractory period, however it is uncertain whether these effects are different by each ventricular site, or how these drugs modify the repolarization in the entire ventricle. The effects of newly developed class 3 drugs, E-4031 and MS-551, were examined by mapping the electric potential of the heart surface. The hearts were extracted from rabbits, and heart surface potential were recorded and conductivity was mapped using a distant bipolar electrogram. As a result, it was demonstrated that E-4031 had a different effect from E-4031 prolonged the APD (Action Potential Duration) mainly in the apex, and increased spatial inequality of repolarization, whereas MS-551 did not cause inequality of ADP and repolarization in the entire left ventricle. It is known that class 3 drugs prolong APD and refractory period by inhibiting three types of K current, i.e., slow rectifying K(+) current, inward rectifying K(+) current, and transient outward current. The channels of these current are distributed unequally on the heart surface. This may be the reason why ADP and E-4031 effect was different by the sites of ventricle. Author (NASDA)

Nagoya Univ. (Japan). Research Inst. of **Environmental Medicine** ELECTRICAL COUPLING BETWEEN THE SINO-ATRIAL NODE AND ATRIAL MUSCLE: CELL TO CELL INTERACTION THROUGH AN EXTERNAL CIRCUIT AND ITS SIMULATION BY COMPUTER MODELING [DOBO KESSETSU TO SHINBOKAN NO DENKITEKI KETSUGO NI KANSURU KENKYU: GAIBU KAIRO O MOCHIITA SAIBO KETSUGO JIKKEN)

EIICHI WATANABE, TAKAFUMI ANNO, ITSUO KODAMA, and JUNJI TOYAMA In its Annals of the Research Inst. of Environmental Medicine, Nagoya Univ., Volume 44 p 248-250 25 Mar. 1993 In JAPANESE

Avail: CASI HC A01/MF A04

N94-27509#

Electric coupling between a multicellular sample or isolated myocyte and an external circuit simulating a gap junction able to change the conductivity was examined, and the electric coupling between sinoatrial node and atrial muscle was reviewed. external circuit was consist of a voltage converter connected with an amplifier with membrane potential to membrane current converter, which can couple certain cells with other cells or a membrane model that can change the conductance like gap junction. Using this system, two experiments were performed. In one experiment, sinoatrial node cells were connected with a membrane model, however, spontaneous exciting cycle, depolarization velocity of the fourth phase, and action potential duration were not modified by the membrane model. This is probably because of insufficient space clamp due to low input resistance of the cells. Another experiment was that a single atrial cell of a guinea pig was connected with recorded action potential of the sinoatrial node. As a result, the atrial cell was excited, and as conductance increased, the action potential became similar to action potential in the sinoatrial node. Therefore, it can be concluded that this system is useful for quantitative evaluation of the cell-to-cell interaction and cellular excitability by electric coupling between a cell and a membrane model.

Author (NASDA)

N94-27510# Research Inst. of Nagoya Univ. (Japan). **Environmental Medicine** 

A STUDY ON TISSUE EXCITATION OF CARDIAC MUSCLE UNDER ELECTRICAL FIELD STIMULATION (FIRUDO SHIGEKIKA SHINKIN NO KATSUDO DENI SAIDAI TACHIAGARI SOKUDOI

AKIHIKO TANIGUCHI, TAKAFUMI ANNO, MASAKI SHIRAKAWA (Toyohashi Univ. of Technology, Aichi, Japan.), SHIRO USUI (Toyohashi Univ. of Technology, Aichi, Japan.), ITSUO KODAMA, and JUNJI TOYAMA In its Annals of the Research Inst. of Environmental Medicine, Nagoya Univ., Volume 44 p 251-254 25 Mar. 1993 In JAPANESE

Avail: CASI HC A01/MF A04

Whether action potential by electrical field stimulation is affected by intercellular electrical interaction was examined. The right ventricular papillary muscles were extracted from guinea pig hearts, to which electrical field stimulation was given, and the upstroke phase of action potential was recorded, as well as the activation time was determined as a time to reach the maximum upstroke velocity (V(sub max)) for each phase. As a result, V(sub max) was similar to that of one-point stimulation at any part of the muscle, which was about half of the V(sub max) in a single cell. The activation time was dispersed within the range of approximately 2-3 msec. In this experiment, a two-dimensional sheet model was developed to simulate cell membrane with dispersed excitation stages. Using this model, it was revealed that when electrical field stimulation was given, the cells were not excited synchronously, but the excitation was propagated among cells. The change of field stimulation may vary the direction of conduction, and cause unequa! excitation, because isochronic line of conduction was obviously changed according to the change of stimulus strength, and because there were sites that V(sub max) was changed largely by abrupt change of activation time. Therefore, it can be concluded that V(sub max) was affected by various intercellular interaction when electric field stimulation was given, so that V(sub max) should not be used as an index of availability of Na channels. Author (NASDA)

**Environmental Medicine BLOCK OF CARDIAC SODIUM CHANNELS BY RO 22-9194** (R), A NEW ANTIARRHYTHMIC AGENT: EFFECTS ON THE MAXIMUM UPSTROKE VELOCITY (VMAX) OF SINGLE **GUINEA PIG VENTRICULAR MYOCYTES** 

Nagoya Univ. (Japan).

Research Inst. of

(KOFUSEIMYAKUYAKU RO 22-9194 (R) NO SHINKIN NA CHANERU YOKUSEI SAYO: MORUMOTTO TANRI SHINSHITSUKIN SAIBO NO KATSUDO DENI SAIDAI TACHIAGARI SOKUDO (VMAX) NIYORU KENTO)

KAZUYASU MARUYAMA, RYOKO SUZUKI, TAKAFUMI ANNO, ITSUO KODAMA, and JUNJI TOYAMA In its Annals of the Research Inst. of Environmental Medicine, Nagoya Univ., Volume 44 p 255-258 25 Mar. 1993 In JAPANESE Avail: CASI HC A01/MF A04

N94-27511#

Ro 22-9194 (R), (2R)-2-amino N-(2, 6-dimethylphenyl) N-(3-(3-pyridyl) propyl) propionamiade D-tartrate is a newly developed antiarrhythmic agent. In previous study, it was demonstrated that the effect was dependent on blockage of Na channels of myocytes, because the drug inhibited the maximum upstroke velocity (V(sub max)) in rate-dependent manner. The membrane potential dependency of Na channel blockage by Ro 22-9194 (R) was examined. Venticular myocytes were isolated from guinea pig hearts, membrane potential was clamped by the whole cell clamp method, and the membrane potential and V(sub max) was determined. From the relation between resting potential of a single cell and V(sub max), it was revealed that the membrane potential that decreases V(sub max) by 50 percent was lowered by .0 mV by adding 30 micro-M Ro 22-9194 (R). This suggests that the drug may bind inactivated Na channels. In order to examine the participation of Na channel in detail, clamp pulses were given, which can shift the Na channel to resting state to inactivated state via activated state, and the duration of inactivated state is changeable. When a single pulse was given, V(sub max) inhibition was apparently increased by prolongation of pulse duration, so

that Na block may occur both in the upstroke phase and in the plateau phase. From the experiment using train pulses, it was revealed that Ro 22-9194 blocked Na channels in use dependent manner by repetitive activation, and the drug could bind both activated and inactivated channel. Author (NASDA)

Nagoya Univ. (Japan). Research Inst. of N94-27512# **Environmental Medicine** ELECTROPHYSIOLOGICAL EFFECTS OF AN ANTIARRHYTHMIC DRUG, MORICIZINE ON ISOLATED GUINEA PIG VENTRICULAR MUSCLES [KO FUSEIMYAKUYAKU MORISHIJIN NO MORUMOTTO SHINSHITSUKIN NI TAISURU DENKI SEIRIGAKUTEKI SAYO) KAZUYASU MARUYAMA, RYOKO SUZUKI, TAKAFUMI ANNO, ITSUO KODAMA, and JUNJI TOYAMA In its Annals of the Rosearch Inst. of Environmental Medicine, Nagoya Univ., Volume 44 p 259-261 25 Mar. 1993 In JAPANESE Avail: CASI HC A01/MF A04

Moricizine is an oral antiarrhythmic agent that has an effect block Na channel. Rate-dependent and membrane potential-dependent Na channel inhibition by moricizine using maximum upstroke velocity (V(sub max)) as an index was studied. The right papillary muscles were extracted from guinea pig hearts, and the action potential was recorded when electric stimuli were given. As a result, moricizine decreased the V(sub max) in dose-dependent manner without affecting the resting potential at the concentration of 1 micro-M or more. The concentration to inhibit the V(sub max) by 20 percent (IC(sub 20)) was 1.3 micro-M under basic stimulus of 1 Hz, and under three or more micro-M, the action potential duration was shortened significantly. These results suggest that main effect of moricizine on cardiac muscles might depend on inhibition of Na channels. In case of train stimuli, V(sub max) was inhibited use-dependently, and the inhibition was augmented as the frequency of stimulus was increased. The recovery time constant and onset rate of Use-Dependent Block (UDB) were similar to flecainide that shows slow Na channel blockage. From experiments using isolated ventricular myocytes, V(sub max) was decreased significantly when the duration of 0 mV conditioning clamp was prolonged to 400 msec or more, and the longer the duration was prolonged, the more the V(sub max) decreased. 0 mV conditioning clamp shifts Na channel from resting state to inactivating state via activating state. From these results, it can be concluded that moricizine may have high affinity to inactivated Na channel. Author (NASDA)

N94-27513# Nagoya Univ. (Japan). Research Inst. of Environmental Medicine. CORRELATION BETWEEN ELECTRICAL ACTIVITY AND THE SIZE OF SINGLE SINOATRIAL NODE CELLS [DOBO KESSETSU HOCHODORI SAIBO NO OKISA TO DENKITEKI TOKUSEI TONO KANKEI)

HARUO HONJO, M. R. BOYETT (Leeds Univ., England.), ITSUO KODAMA, and JUNJI TOYAMA In its Annals of the Research Inst. of Environmental Medicine, Nagoya Univ., Volume 44 p 262-265 25 Mar. 1993 In JAPANESE

Avail: CASI HC A01/MF A04

In the sinoatrial node, various sizes of pacemaker cells are present. The purpose is to compare the cell size with spontaneous action potential pulses and ion current densities in pacemaker cells. The sinoatrial myocytes were isolated from rabbit hearts, and the cells which contract spontaneously were clamped by the whole cell clamp method. The action potential was recorded and membrane current was measured under membrane potential clamp. As a result, there was correlation between the size of these cells and spontaneous action potential; i.e., the small cells showed shallow maximum diastolic membrane potential and low maximum upstroke velocity and diastolic depolarization velocity compared by the large cells. In addition, small cells tended to be slow in spontaneous excitation. It is known that small cells present in the central part of the sinoatrial node, so that pacemaker cells in the central sinoatrial node may have shallow maximum diastolic potential, slow maximum upstroke velocity and diastolic depolarization velocity, and slow spontaneous activity. In respect to correlation between ion current density and cell size, no significant correlation was observed between the density of L-type Ca current and cell size, however, the density of non-selective current activated by hyperpolarization tended to augment the large cells. Therefore, this current may participate in rapid spontaneous activity and diastolic depolarization velocity in larger cells.

Author (NASDA)

N94-27514# Nagoya Univ. (Japan). Research Inst. of Environmental Medicine.

THE IONIC MECHANISM UNDERLYING THE NEGATIVE CHRONOTROPIC EFFECT OF ACETYLCHOLINE: EXPERIMENTAL STUDY IN RABBIT SINGLE SINOATRIAL NODE CELLS Report No. 1 [DOBO KESSETSU NI TAISURU ASECHIRUKORIN INSEI HENJI SAYO NO ION KIJO NI KANSURU KENKYU: TANRI DOBO KESSETSU SAIBOU O MOCHITA JIKKEN]

HARUO HONJO, M. R. BOYETT (Leeds Univ., England.), ITSUO KODAMA, and JUNJI TOYAMA *In its* Annals of the Research Inst. of Environmental Medicine, Nagoya Univ., Volume 44 p 266-268 25 Mar. 1993 In JAPANESE

Avail: CASI HC A01/MF A04

Acetylcholine (Ach) has a negative chronotropic effect on the heart due to suppressing automatism of the pacemaker in the sinoatrial node. How selective inhibition of ion channels can influence the Ach negative chronotropic effect was examined. The sinoatrial myocytes were isolated from rabbit hearts, and spontaneous cycle length was measured. In order to distinguish Ach effects on K current and on non-selective current activated by hyperdepolarization, each current was inhibited selectively using Ba(2+) and Cs(+); 0.5 mM Ba(2+) can inhibit K current by 80 -0 percent, and 1 mM Cs(+) can inhibit the non-selective current by 50 - 60 percent. Both inhibitors do not affect other currents. A 1 mM Cs(+) did not show any effect on spontaneous excitation rate of the sinoatrial node, and on inhibition by Ach. This suggests that the negative chronotropic effect of Ach is not related to the non-selective current. On the other hand, although 0.5 mM Ba(2+) did not affect the spontaneous excitation rate when Ach was not present, it suppressed the Ach effect on spontaneous excitation. Therefore, the K current may participate in negative chronotropic Author (NASDA) effect of Ach.

N94-27515# Nagoya Univ. (Japan). Research Inst. of Environmental Medicine.

THE IONIC MECHANISM UNDERLYING THE NEGATIVE CHRONOTROPIC EFFECT OF ACETYLCHOLINE: EXPERIMENTS USING SMALL SINOATRIAL NODE TISSUE PREPARATIONS ISOLATED FROM RABBIT HEARTS Report No. 2 [DOBO KESSETSU NI TAISURU ASECHIRUKORIN INSEI HENJI SAYO NO ION KIJO NI KANSURU KENKYU: TASAIBO BISHO HYOHON O MOCHIITA JIKKEN]

ITSUO KODAMA, M. R. BOYETT (Leeds Univ., England.), AKIKO ARAI, RYOKO SUZUKI, HARUO HONJO, and JUNJI TOYAMA In its Annals of the Research Inst. of Environmental Medicine, Nagoya Univ., Volume 44 p 269-271 25 Mar. 1993 In JAPANESE

Avail: CASI HC A01/MF A04

The inhibition of automatism and change of membrane potential pulses in multicellular samples under wide range of Acetylcholine (Ach) concentration using selective inhibitors of channels associated with Ach was studied. Small sinoatrial node tissues were extracted from rabbit hearts, and perfused with perfusate containing Ach, Ba(2+), or Cs(+). Ba(2+) was used as a selective inhibitor of Ach sensitive K current (I(sub k)), and Cs(+), as a inhibitor of inward current activated by hyperdepolarization (I(sub f)). As a result, 2 mM Cs(+) decreased spontaneous excitation rate by 12.8 percent, while 2 mM Cs(+) did not affect the negative chronotropic effect of Ach; i.e., the dose-response curve and IC(sub 50) (the concentration inhibiting Ach effect by 50 percent) was not changed by Cs(+) addition. This implies that I(sub f) may not play an important role in pacemaker function, and that the negative chronotropic effect by Ach may not be associated with I(sub f). 0.5mM Ba(2+) prolonged the action potential duration, and

decreased the maximum diastolic potential by 8-10 mV, as well as slight promotion of spontaneous excitation was observed. This is probably because of decrease of slow rectifying K current, and partially due to decrease of I(sub f) current secondary to the depolarization. In addition, Ba(2+) shifted the dose-response curve of Ach to the right, and increase IC(sub 50) (Ach) 3.5 times, which implies that Ach effect was inhibited. Therefore, the negative chronotropic effect of Ach may be caused by the activation of K current.

N94-27516# Nagoya Univ. (Japan). Research Inst. of Environmental Medicine.

THE IONIC MECHANISM UNDERLYING THE NEGATIVE CHRONOTROPIC EFFECT OF ACETYLCHOLINE: POSTGANGLIONIC VAGAL STIMULATION IN ISOLATED RABBIT HEARTS Report No. 3 [DOBO KESSETSU NI TAISURU ASECHIRUKORIN INSEI HENJI SAYO NO ION KIJO NI KANSURU KENKYU: MEISO SHINKEISETSUGO SENI SHIGEKI NO KOKA]

ITSUO KODAMA, AKIKO ARAI, RYOKO SUZUKI, HARUO HONJO, M. R. BOYETT (Leeds Univ., England.), and JUNJI TOYAMA In its Annals of the Research Inst. of Environmental Medicine, Nagoya Univ., Volume 44 p 272-275 25 Mar. 1993 In JAPANESE

Avail: CASI HC A01/MF A04

in a previous study, it was demonstrated that the negative chronotropic effect of Acetylcholine (Ach) on sinoatrial node was owed to activation of K current (I(sub k)) rather than inward current activated by hyperpolarization (l(sub f)). The negative chronotropic effect of Ach released from postganglionic vagal ending on the entire sinoatrial node was studied. The sample tissues extracted from rabbit hearts were stimulated by electric field stimulus, and the response disappeared when atropine was added. Therefore, this response may be caused by binding muscarinic receptor with Ach released from postganglionic vagal ending. The vagal nerves responded with three phases; early automatism inhibition, secondary post-inhibitory rebound, and late artomatism inhibition. The post-inhibitory rebound can not be explained by the shift of pace-making site to other site in the sinoatrial node, because there is a finding that the post-inhibitory rebound was observed after the pacemaker site returned to the original site. When Cs(2+), an inhibitor of I(sub f), was added, the post-inhibitory rebound disappeared or decreased, which implies that automatism may be promoted by I(sub f) activation following hyperpolarization in vagal endings. Although Cs(2+) did not change the relation between early automatism inhibition and vagal stimulus compared with control, Ba(2+) decreased the negative chronotropic effect. It can be concluded that I(sub k) may play a more important role than I(sub f) in the negative chronotropic effect by Ach.

Author (NASDA)

N94-27519# Nagoya Univ. (Japan). Dept. of Ophthalomology.
ANALYSIS OF THE ELECTRICALLY EVOKED RESPONSE
(EER) OF THE CAT [NEKO EER (EREKUTORIKARI EBOKUTO
RESUPONSU) NO KISOTEKI KENKYU: 17, 18 YA HISHITSU NI
OKERU EER NO NYURON KIGEN NO KENKYU]

KAZUHIRO SHIMAZU, YOZO MIYAKE, YASUHIRO FUKATSU (Fukatsu Eye Clinic, Nagoya, Japan.), and SATORU WATANABE In Nagoya Univ., Annals of the Research Inst. of Environmental Medicine, Nagoya Univ., Volume 44 p 282-287 25 Mar. 1993 In JAPANESE

Avail: CASI HC A02/MF A04

Phosphene is a sense obtained by electric stimulus of eyeball, and it can be applied as an evoked potential in the brain. The basic pulses of EER (Electricaly Evoked Response) and responses of a single neuron in the area 17 and 18 of the cerebral cortex were studied. The subjects were cats whose cerebral cortex was exposed, and extracellular potential was recorded. 54 units of cortex neurons were identified in the area 17, including 41 simple cells and 13 complex cells, and, 48 units, in the area 18. It is known that discharge occurs corresponding to two negative waves in Lateral Geniculate Neurons (LGN); i.e., latency ms (N1) and latency 20 ms (N2) stimulus. As a result of neuronal responses in the area 17, simple cells discharged by either N1, N2 or N1 and

N2, and the response was less periodical compared with LGN, while the complex cells tended to slightly respond to the N1 and N2 stimuli. In the area 18, a few neurons discharged by the N1 stimulus, and no neuron could respond to both N1 and N2 stimuli. However, the neurons discharging by 30 ms or more stimulus presented in the area 18. In addition, by stimuli of 20 ms or more given twice at the interval of 20 ms, the responses were inhibited, which implies that these responses may be mediated by multiple synapses in the cortex, and the responses to 20 ms of stimuli may be a single synaptic response. Author (NASDA)

Nagoya Univ. (Japan). N94-27530# Research inst. of **Environmental Medicine** 

THE MEASUREMENTS OF MUSCLE BLOOD FLOW BY LASER DOPPLER FLOWMETRY WITH NEEDLE TYPE PROBE (HARIGATA PUROBE O MOCHITA REZA DOPPURA KETSURYURYOKEI NIYORU KIN SOSHIKI KETSURYURYO NO

KIYOHITO YAMAMOTO, YASUHIRO OBA, TADAAKI MANO, and SHIGEHIKO SHIONOYA In its Annals of the Research Inst. of Environmental Medicine, Nagoya Univ., Volume 44 p 335-339 25 Mar. 1993 In JAPANESE

Avail: CASI HC A01/MF A04

Laser Doppler velocimetry is an easy method to measure continuous skin blood flow. However, for muscle blood flow measurement, the probe must touch directly to the operationally exposed muscle, and the performance has not been determined yet. The newly developed needle type probe for laser Doppler velocimetry can be inserted into the target muscle without operation, so that simple and continuous measurement of muscle blood flow might be achieved. In order to examine this possibility. the laser Doppler velocimeter was compared with an ultrasonic velocimeter in respect to suitability of continuous measurement and reproducibility. The subjects were three dogs, in which an ultrasonic velocimeter was equipped to the popliteal artery, and a laser Doppler velocimeter was inserted into the musculus gastrocnemius, and blood flow was varied by papaverin and reactive hyperemia. As a result, there was a linear relationship between measurements of the two velocimeters when blood flow increased, whereas when blood flow decreased, no linear relationship was observed between the two methods. However, in short-period blood flow decrease, the two methods were correlated positively, although the incline was different between papaverin and reactive hyperemia. These results suggest that the laser Doppler velocimeter could be useful to measure muscle blood flow with high reproducibility; however the measurements should be evaluated as relative

N94-27537# Nagoya Univ. (Japan). Dept. of Circulation DESENSITIZATION TO ACETHYLCHOLINE IN PACEMAKER CELLS OF THE SINGATRIAL NODE [DOBO KESSETSU SAIBO HOCHODORI SAIBO NI OKERU ASECHIRUKORIN INSEI HENJI SAYO NO DATSU KANSA GENSHO]

HARUO HONJO, ITSUO KODAMA, and MARK R. BOYETT (Leeds In its Annals of the Research Inst. of Univ., England.) Environmental Medicine, Nagoya Univ., Volume 44 p 367-369 25 Mar. 1993 In JAPANESE Presented at the 13th Symposium on Environmental Medicine, Aichi, Japan, 11 Nov. 1992

Avail: CASI HC A01/MF A04

The most important effect of acetylcholine (Ach) on the heart is negative chronotropic effect that decreases heart rate by inhibiting autonomic activity of sinoatrial pacemaker. This article presents experimental findings on the desensitization of negative chronotropic effect by Ach. It is reported that the negative chronotropic effect is caused by three ion currents; i.e., activation of Ach sensitive inward rectifying K current, i(sub k, Ach), inhibition of L type Ca current, i(sub Ca), and non-selective current activated by hyperdepolarization, i(sub f). Therefore, it was examined which current participates in Ach desensitization, using a single sinoatrial myocytes of rabbit hearts with clamped membrane potential. As a result, i(sub k, Ach) was activated by Ach, then decayed biphasically, while Ach inhibited i(sub Ca) and i(sub f) under stimulation of beta receptor, but this inhibition did not decay. I(sub

Ca) and i(sub \* are inhibited by decrease of cAMP (adenosine 3', 5'-cyclic monophosphate) resulting from adenylate cyclase suppression via inhibitory G protein. These results suggest that adenylate cyclase inhibition by Ach may not cause desensitization of ion currents, but that the desensitization may result from change Author (NASDA) of Ach sensitive K channels.

N94-27539# Nagoya Univ. (Japan). Dept. of Neural Regulation. THE POLYMODAL RECEPTOR [PORIMODARU RESEPUTA] KAZUE MIZUMURA in its Annals of the Research Inst. of Environmental Medicine, Nagoya Univ., Volume 44 p 373-374 25 Mar. 1993 In JAPANESE Presented at the 13th Symposium on Environmental Medicine, Aichi, Japan, 11 Nov. 1992 Avail: CASI HC A01/MF A04

The polymodal receptor is a noxious receptor that not only causes the sense of pain, but also affects autonomic functions, and is sensitized by inflammatory mediators. This article presents the findings on the sensitization of polymodal receptors examined by prostaglandin E2 (PGE2). The PGE2 scarcely causes discharge on polymodal receptor; however, it augments the discharge caused by Bradykinin (BK) or caloric stimulus in different concentrations. This suggests that the polymodal receptor has at least two binding sites for prostaglandin. Therefore, antagonists of each three subtypes of PGE receptors (EP1, EP2, and EP3) were added to the polymodal receptor, and it was revealed that EP3 receptor might participate in augmentation of BK effect, and EP2 receptor may be relevant to caloric stimulus. In order to identify the second messengers of these receptors, the relation between adenosine 3', 5'-cyclic monophosphate (cAMP) concentration and responses to BK and caloric stimulus was examined. As a result, BK response was slightly suppressed by increase of intracellular cAMP, which may imply that EP3 receptor inhibited adenylate cyclase via inhibitory G protein. On the contrary, the thermoresponse was obviously increased by cAMP increase, and it was also decreased by adenylate cyclase inhibitor, which supports the idea that cAMP participates in thermoresponse via PGE2 receptor.

Author (NASDA)

N94-27743# Deutsche Forschungsanstalt fuer Luft- und Raumfahrt, Cologne (Germany). Abt. Strahlenbiologie.
CONSTRUCTION AND TEST OF EXPERIMENT HARDWARE FOR A SPACE EXPERIMENT ON SPACELAB MISSION IML-2 Ph.D. Thesis - Fachhochschule Aachen [KONSTRUKTION UND PRUEFUNG VON EXPERIMENT-HARDWARE EIN WELTRAUMEXPERIMENT AUF DER SPACELAB-MISSION IML-21

UTE SCHLENGERMANN Mar. 1993 83 p In GERMAN (ISSN 0939-2963)

(DLR-FB-93-23; ETN-94-95499) Avail: CASI HC A05/MF A01

The space experiment KINETICS onboard of the Spacelab mission IML-2 (International Microgravity Laboratory) deals with cellular repair processes of radiation injured DNA (Deoxyribo Nucleic Acid) in microgravity. The biological samples consist of irradiated cultures of bacteria and human cells in nine Tvp-1-containers of the Biorack. They are kept frozen except for the active phase in the 37 C incubator. The experiment hardware comprises nine sample carriers and three passive thermal units to keep the samples frozen during the first 30 h of the mission. The sample carriers are constructed from rectangular aluminum profiles with holes to accommodate eighteen 200 micrometers tubes with bacteria and ten 600 micrometers tubes with cell cultures, each. The passive thermal units are stainless steel vacuum flasks. Their interior is divided into an inner part, accommodating three sample carriers, and an outer part with phase changing material. A total of 550 ml of a water salt solution as phase changing material will keep the samples frozen for 42 h.

N94-27754# Deutsche Forschungsanstalt fuer Luft- und Raumfahrt, Cologne (Germany). Abt. Strahlenbiologie. VACUUM-UV-EFFECTS ON E. COLI PLASMID PUC19: INACTIVATION, STRAND BREAK INDUCTION AND MUTATION INDUCTION Ph.D. Thesis - Bonn Univ. [VAKUUM-UV-EFFEKTE AUF DAS E. COLI PLASMID PUC19: INAKTIVIERUNG, STRANGBRUCHINDUKTION UND MUTATIONSINDUKTION] JOERG WEHNER Jul. 1993 111 p in GERMAN (ISSN 0939-2963)

(DLR-FB-93-26; ÉTN-94-95502) Avail: CASI HC A06/MF A02
On Escherichia coli plasmid pUC19 the UV action spectra of inactivation, mutation induction and strand break induction are compared between wet and dry state. The cross sections of inactivation and mutation induction show similar dependence on wavelength strand in the range 190 to 254 nm, whereas the cross sections of inactivation and break induction show similar dependence on wavelength in the range 160 to 190 nm. The mutation spectrum was detected after irradiation with V-UV (Vacuum UV) (160 nm) and V-UV (254 nm). In both cases, more than 60 of the detected mutations were transitions. After irradiation with V-UV (254 nm) a significant amount of frame-shift mutations could be detected.

N94-27862# Japan Atomic Energy Research Inst., Tokyo. NEUTRONS IN BIOLOGY

SATORU FUNAHASHI (Japan Atomic Energy Research Inst., Tokai.) and NOBUO NIIMURA (Toho Univ., Tokyo, Japan.) Jan. 1993 104 p

(DE94-701085; JAERI-M-92-213) Avail: CASI HC A06/MF A02 The start of JRR-3M in 1990 was a great epoch to the neutron scattering research in Japan. Abundant neutron beam generated by the JRR-3M made it possible to widen the research field of neutron scattering in Japan. In the early days of neutron scattering, biological materials were too difficult to be studied by neutrons not only because of their complexity but also because of the strong incoherent scattering by hydrogen. However, the remarkable development of the recent neutron scattering and its related sciences, as well as the availability of higher flux, has made biological materials one of the most attractive subjects to he studied by neutrons. In early September 1992, an intensive workshop titled 'Neutrons in Biology' was held in Hitachi City by making use of the opportunity of the 4th International Conference on Biophysics and Synchrotron Radiation (BSR92) held in Tsukuba. The workshop was organized by volunteers who are eager to develop the research in this field in Japan. Numbers of outstanding neutron scattering biologists from U.S., Europe, and Asian countries met together and enthusiastic discussions were held all day long. The editors believe that the presentations at the workshop were so invaluable that it is absolutely adequate to put them on record as an issue of JAERI-M and to make them available for scientists to refer to in order to further promote the research in the future.

N94-27940\*# Ohio State Univ., Columbus.
ROOT GRAVITROPISM IN MAIZE AND ARABIDOPSIS Final
Report, 1 Mar. 1992 - 30 Nov. 1993
MICHAEL L. EVANS 30 Nov. 1993 4 p
(Contract NAG10-84)

(NASA-CR-195710; NAS 1.26:195710) Avail: CASI HC A01/MF

Research during the period 1 March 1992 to 30 November 1993 focused on improvements in a video digitizer system designed to automate the recording of surface extension in plants respecting to gravistimulation. The improvements included modificar of software to allow detailed analysis of localized extension particles of Arabidopsis. We used the system to analyze the role of the postmitotic isodiametric growth zone (a region between the meristem and the elongation zone) in the response of maize roots to auxin, calcium, touch and gravity. We also used the system to analyze short-term auxin and gravity we also used the system to analyze short-term auxin and gravitropic responses in mutants of Arabidopsis with reduced auxin sensitivity. In a related project, we studied the relationship between growth rate and surface electrical currents in roots by examining the effects of gravity and

thigmostimulation on surface potentials in maize roots.

Derived from text

N94-27970# National Inst. of Polar Research, Tokyo (Japan).
COUNTING ADELIE PENGUINS AT COLONIES: SEASONAL
AND ANNUAL CHANGES [KORONI DENO ADERI PENGIN NO
KAUNTO: KISETSU HENKA TO NEN HENKA]
In its Antarctic Record, Vol. 36, No. 2 p 279-284 30 Jul. 1992

In JAPANESE

Avail: CASI HC A02/MF A02

The number of Adelie penguin (Pygoscelis adeliae) adults at lonies around Showa Station changes seasonally. The penguins started to arrive at the colonies on October 20-25. The number of adults at each colony reached its maximum on November 10-20, decreased until late November and was stable on December 1-10. This seasonal pattern was consistent over years and colonies. Censuses in mid-November and early December are recommended since they could give reliable numbers of breeding pairs.

Author (NASDA)

N94-27971# Hiroshima Univ. (Japan). Dept. of Environmental Studies.

NOTE ON THE STRUCTURE OF MOSS COLONIES COMPOSED OF TWO SPECIES ON KING GEORGE ISLAND, THE SOUTH SHETLAND ISLANDS (KINGUJOJITO NO NI SHU YORI NARU SENRUI KORONI NO KOZO NI TSUITE)

TAKAYUKI NAKATSUBO and SHUJI OTANI (National Inst. of Polar Research, Tokyo, Japan.) In National Inst. of Polar Research, Antarctic Record, Vol. 36, No. 2 p 285-293 30 Jul. 1992 Sponsored by Ministry of Education, Science and Culture, Tokyo, Japan

Avail: CASI HC A02/MF A02

Moss colonies composed of two species Sanionia uncinata and Bryum pseudotriquetrum are abundant in the vicinity of Great Wall Station on King George Island. Vertical cross-sections of these colonies were examined to know the colony structure indicating the interaction between the two species. In several colonies, a layer composed of Bryum pseudotriquetrum was partially covered with shoots of Sanionia uncinata. In some other colonies, a layer composed of Sanionia uncinata was partially covered with shoots of Bryum pseudotriquetrum. For the rest of the colonies, both species coexisted without covering each other. It is concluded that the proportion of the two species in a colony has changed through the colonies at each site.

Author (NASDA)

N94-28198\*# Oceanographic Consultants.
SONIC BOOMS AND MARINE MAMMALS: INFORMATIONAL
STATUS AND RECOMMENDATIONS

WILLIAM C. CUMMINGS In NASA. Ames Research Center, High-Speed Research: Sonic Boom, Volume 1 p 219-231 Feb. 1994

Avail: CASI HC A03/MF A03

The topics discussed include the following: introduction to marine mammals; marine mammal hearing; noise effects; sonic booms; sonic boom effects on marine mammals; predictions; and recommendations.

CASI

N94-28304\*# Princeton Univ., NJ. Dept. of Geological and Geophysical Sciences.

AM EVALUATION OF CRITERIA THAT MAY BE USED TO IDENTIFY SPECIES SURVIVING A MASS EXTINCTION Abstract Only

N. MACLEOD In Houston Univ., New Developments Regarding the KT Event and Other Catastrophes in Earth History p 75-77 1994

Avail: CASI HC A01/MF A02

One of the most difficult obstacles to establishing a causal connection between mass extinctions and large body impacts is the existence of what appear to be many more KT survivor species than previously suspected. Though interpretations of 'Cretaceous' faunal elements in lowermost Danian sediments differ, this enigmatic fauna has not been recovered from every

biozone-complete boundary section, including the El Kef stratotype. In terms of their potential for providing constraints on scenarios seeking to account for the KT extinction event, the significance of such observations cannot be overstated. Owing to the consistency with which these observations have been made over the last several years, the possibility of widespread trans-KT biotic survivorship can no longer be dismissed. Rather, the survivorship hypothesis must be tested alongside its alternative (the reworking hypothesis) to determine which explains the available data in the most complete yet parsimonious manner. Moreover, valid tests for survivorship cannot be based on negative evidence or on the assumption that only a small cohort of species could have survived the KT boundary event. Several authors have recently proposed various criteria that might be used to test alternative interpretations for this aspect lowermost Danian biotic record. Author (revised)

N94-28408 Technical Research Centre of Finland, Espoo. Biotekniikan Lab.

## BARLEY CELL CULTURE AS A PRODUCER OF HETEROLOGOUS PROTEIN Ph.D. Thesis

L. MANNONEN 1993 77 p Limited Reproducibility: More than 20% of this document may be affected by microfiche quality (PB94-132339; VTT/PUB-138) Copyright Avail: CASI HC A05

The purpose of the present study was to demonstrate the possibility of using the stable cell culture of barley (Hordeum vulgare var. Pokko) established in our laboratory, in the production of heterologous proteins. Production of a cellulolytic enzyme, heat stable endoglucanase EGI from the filamentous fungi Trichoderma reesei, was chosen as an example.

N94-28420# Advisory Group for Aerospace Research and Development, Neuilly-Sur-Seine (France). Aerospace Medical Panel.

THE SUPPORT OF AIR OPERATIONS UNDER EXTREME HOT AND COLD WEATHER CONDITIONS (LES OPERATIONS AERIENNES EN ENV!RONNEMENT EXTREME CHAUD/FROID)

Oct. 1993 312 p In ENGLISH and FRENCH Symposium held in Victoria, British Columbia, 17-21 May 1993 (AGARD-CP-540; ISBN-92-835-0721-5) Copyright Avail: CASI

HC A14/MF A03

Extreme temperatures, both hot and cold, can severely restrict the ability of aircrew and support personnel to accomplish their missions. Under emergency conditions of bail-out, ejection, and ditching of fixed or rotary-wing aircraft on land or in water, the survival rate of aircrew and passengers is also affected by the intensity of thermal stress experienced and the duration of exposure to the thermal stress. This has all recently been borne out by the experience of intense air operations in the Gulf War. This symposium reviewed the operational conditions experienced under extreme hot and cold weather. The papers presented at this symposium highlighted recent advances in thermal physiology, clothing sciences, personal flying equipment, and microclimate cooling. Emphasis was placed on the potential applications of these advances in situations where thermal stress may confound the efficient achievement of mission objectives.

N94-28439# Erlangen-Nuremberg Univ. Childrens Hospital (Germany). Inst. of Forensic Medicine.

PHYSIOLOGICAL INVESTIGATIONS OF THE ISOLATED RAT'S LIVER IN HYPOTHERMIA AND HYPOXIA AND THEIR RELEVANCE IN AIRCRAFT INCIDENTS ABOVE THE SEA

T. DUMSER, M. KRAEMER (Institute of Aviation Medicine, Fuerstenfeldbruck, Germany.), and J. HOEPER In AGARD, The Support of Air Operations under Extreme Hot and Cold Weather Conditions 11 p Oct. 1993

Copyright Avail: CASI HC A03/MF A03

Animals have two main methods of adjusting their body temperature. Poikilothermic animals adjust it to the existing ambient temperature, temperature, whereas homoiothermic animals keep temperature at a relatively constant value which is frequently above the ambient temperature; thus, temperature; thus, they able to stay in contrast to poikilothermic animals whose metabolic processes slow down increasingly due to van't Hoff's rule when

ambient temperatures are when ambient temperatures are low, rendering sometimes even resulting in low-temperature rigidity. This, however, enables them to survive for a longer period of time in case of a lack of food and/or cold spells. Hibernating animals are something in between. In times of food shortage and in the period of cold weather, they reduce their metabolic processes and lower their body temperature. Without a doubt, man is part of the group of homoiothermic organisms. However, when having a closer look at homoiothermic organisms, it becomes obvious that their body temperature is only constant as far as the body core and the vital organs are concerned - there are fluctuations in the temperature of the extremities, i.e., the outer parts of the body, which are mainly induced by the environment. Consequently, the tissue of these regions of the body is subject to changes in temperature which may be considerable without resulting in permanent damage. Findings, mainly obtained from transplantation medicine, have shown that the organs of the body core need not be damaged irreversibly either, if their temperature is lowered for several hours on the contrary, they can even be preserved this way for a limited period. Derived from text

N94-28667 Kent State Univ., OH.
DEVELOPMENT OF NOVEL SWITCHABLE PROTEIN
SURFACES Final Report, 15 Mar. 1990 - 31 Jul. 1993

ROGER K. GILPIN Dec. 1993 11 p Limited Reproducibility: More than 20% of this document may be affected by microfiche quality

(Contract DAAL03-90-G-0061)

(AD-A275510; ARO-27695.21-CH-SM) Avail: CASI HC A03

The objective of the proposed work was to develop a range of new separation and purification media based on ligand imprinting techniques to generate ligand binding sites on silica-immobilized proteins for specifically targeted compounds. Ligand imprinting take advantage of our ability to manipulate the dynamical properties of proteins using water as a plasticizer.

#### 52

#### **AEROSPACE MEDICINE**

Includes physiological factors; biological effects of radiation; and effects of weightlessness on man and animals.

N94-26360# Army Health Care Studies and Clinical Investigation Activity, Fort Sam Houston, TX.

PRACTICE PATTERNS OF US ARMY MEDICAL DEPARTMENT PSYCHIATRISTS AND PSYCHOLOGISTS Final Report, May 1991 - Dec. 1993

NANCY K. WILLCOCKSON and JAMES M. GEORGOULAKIS Jan. 1994 27 p

(AD-A274787; HCSCIA-HR-94-002) Avail: CASI HC A03/MF

The present study is an evaluation of psychiatrist and psychologist patient care services from the Army's Ambulatory Care Data Base. The data from the present study did not reveal any evidence that psychiatrists performed patient care or medical services in any manner different from psychologists, with the exception that they prescribed medication. Psychologists were found (1) to spend more time with patients, (2) to provide a wider variety of patient care services, (3) to treat more patients with concurrent medical disorders, (4) to perform nearly all psychological testing evaluations, and (5) to be the sole medical professionals performing biofeedback and behavioral assessment. Both provider groups treated all of the same patient diagnostic categories, with some variation in patient diagnostic frequency, and neither group utilized ancillary medical procedures to any significant extent in its evaluation and management of patients. This data revealed that psychologists' are the almost exclusive providers of psychological testing evaluation, which is a work intensive, lengthy, and complex diagnostic process. Four significant variations were found: (1) time spent in evaluation, depended upon the type of assessment performed (e.g., personality, intellectual, neuropsychological, or a combination thereof; (2) the amount of direct provider time required by psychologists, which depended upon three factors—the complexity of the case, the type of assessment undertaken, and whether a psychological assistant was utilized; (3) the frequency with which types of evaluations were performed, with personality assessments accounting for almost one-half half of all psychological testing evaluations; and (4) the average number of visit days involved in an assessment, which, again, varied with the complexity of the evaluation.

N94-26377# Naval Health Research Center, San Diego, CA.
MONITORING ACTIVITY WITH A WRIST-WORN ACTIGRAPH:
EFFECTS OF AMPLIFIER PASSBAND AND THRESHOLD
VARIATIONS Final Report, Nov. 1990 - Oct. 1992
TIMOTHY F. ELSMORE and PAUL NAITOH Feb. 1993 63 p

(Contract MIPR-91MM1505)

(AD-A274705; NHRC-93-18) Avail: CASI HC A04/MF A01 This project investigated some properties of the AMA-32 wrist-worn activity monitor. In the first phase of this project, a software program for the analysis of activity data was developed. The program permits rapid statistical and graphical summaries of activity data. The second phase of the project investigated effects of varying the sensitivity of the actigraph. Three different frequency passbands were investigated. The ability to differentiate sleep from wake was optimized with a 2 to 3 Hz passband, particularly with a high trigger threshold. Increasing sensitivity by lowering the trigger threshold or by broadening the passband reduced sleep/wake discriminability. The optimal sleep/wake discrimination parameters for the AMA-32 approximate those of earlier generations of wrist-worn actigraphs. The work in this report suggests research to investigate the utility of other actigraph sensitivity settings for differentiating movement patterns during sleep or for assessments of daytime workload.

N94-26432# Army Aeromedical Research Lab., Fort Rucker,

US ARMY AVIATION EPIDEMIOLOGY DATA REGISTRY: INCIDENCE AND OUTCOMES OF AVIATOR FLYING EVALUATION BOARDS Final Report

KEVIN T. MASON and S. G. SHANNON Oct. 1993 21 p

(Contract DA PROJ. 3M1-62787-A-879)

(AD-A274711; USAARL-94-2) Avail: CASI HC A03/MF A01
The Aviation Epidemiology Data Registry (AEDR) is a family of databases storing history and physical information on Army aircrewmembers. The AEDR lacks some aviation career endpoints, one being the outcome of flying evaluation boards (FEB's) for nonmedical disqualifications. The outcomes of 170 new FEB actions from 1985 through 1992 in active duty and U.S. Army Reserve aviators were reviewed. The overall incidence was 1.13 per 1,000 aviator-years. Aviators aged 25 through 39 were twice as likely to undergo FEB actions. The likelihood of restoration to flying duties after FEB was significantly lower if the FEB was for poor relative to contact, and motivation, than if the FEB was for poor flying proficiency or failure to follow flight rules. Many nonmedical disqualifications leading to FEB require medical evaluation to rule out underlying mental disorders.

N94-26435# Air Force Systems Command, Brooks AFB, TX. Armstrong Lab.

AEROMEDICAL ISSUES RELATED TO POSITIVE PRESSURE BREATHING FOR +GZ PROTECTION Interim Report, 1 Apr. - 31 Oct. 1992

LARRY P. KROCK Dec. 1993 13 p

(Contract AF PROJ. 7930)

(AD-A274717; AL-TP-1992-0024) Avail: CASI HC A03/MF A01 Positive pressure breathing as a method to enhance aircrew

Positive pressure breathing as a method to enhance aircrew tolerance for repeated and sustained high +Gz exposures (PBG) was first considered many years ago. Use of Combined Advanced Technology Enhanced Design G Ensemble (COMBAT EDGE) as a G-protection measure increases overall tolerance to +Gz acceleration by reducing the fatigue associated with performing

straining maneuvers during extended or repeated exposures to acceleration stress. Physiologically, PBG exerts its effects upon both the cardiovascular and respiratory systems. The principal benefit of PBG is the maintenance of elevated intrathoracic pressure with minimal voluntary effort on behalf of the individual. Some confusion exists with regard to the potential impact COMBAT EDGE may have on the physical health of aircrew. A certain unknown probability exists suggesting acute and/or long-term exposure to PBG may produce certain undesirable changes in the cardiopulmonary physiology of a pilot. This issue has resulted in the need to provide information regarding the current state of our understanding. Described herein are the principal physiologic issues raised concerning use of COMBAT EDGE, looking to the available literature, past experience, and current and future research answers.

N94-26549 Korean Atomic Energy Research Inst., Daeduk (Republic of Korea).

MOLECULAR BIOLOGICAL STUDIES ON THE HUMAN RADIORESISTANCE AND DRUG RESISTANCE

CHANG MIN KIM and WEON SEON HONG Apr. 1992 20 p In KOREAN Limited Reproducibility: More than 20% of this document may be affected by microfiche quality (DE93-632682: KAERI/RR-1114/91) Avail: CASI HC A03 (US

We irradiated the MKN45 and PC14 cell lines with 500 rads and also established the adriamycin-resistant and cis-platinum resistant cell line. The genomic DNA and total RNA were extracted and subjected to the Southern and Northern analysis using various probes including heat shock protein 70, MDR1, fos, TGFb, etc. The mRNA transcript was increased 1 hour after the irradiation and sustained during the 48 hours and returned to the level of pre-irradiation. No significant change was observed with the drug resistant cell lines at the level of gene dosage. We suggest that the marked increase of the hsp70 transcript is a very important finding and is believed to be a good candidate for the modulation of the cellular response to irradiation and the radioresistance.

DOE

N94-26748# Army Aeromedical Research Lab., Fort Rucker,

A COMPARISON OF SLEEP SCORED FROM
ELECTROENCEPHALOGRAPHY TO SLEEP SCORED BY
WRIST ACTIGRAPHY Technical Report, Nov. 1989 - Feb. 1990
J. L. CALDWELL and JOHN A. CALDWELL, JR. Sep. 1993
33 p

(AD-A273739; USAARL-93-32) Avail: CASI HC A03/MF A01

During military operations, it has been found that soldiers often are required to work for long periods of time without rest. In order to assist commanders in determining how much rest soldiers receive, various methods of monitoring activity have been used. One unobtrusive method is to use wrist activity monitors (WAM's) to determine how long soldiers are required to work with little or no sleep. This study compared data from traditionally scored sleep using electroencephaiographs (EEG's) to data from WAM's to determine the ability of WAMs to measure sleep. Based on this limited comparison study, it appears that the WAM is a good instrument to use to estimate sleep time when an EEG is not possible. The percent agreement between WAM sleep time and EEG sleep time is very high, with an average of almost 89 percent. The error tended to be in the direction of overestimation of sleep time by the WAM. Also, the current method of scoring using a set cutoff of counts is a suitable method. However, an overestimation of sleep most likely will occur when this method is used. Therefore, whenever actigraphs are used, a conservative interpretation of the data is to discuss 'rest time' instead of 'sleep time.' In addition, the data is to discuss rest time instead of the duality of sleep as determined by normal EEG sleep staging DTIC

N94-26847# Air Force Flight Test Center, Edwards AFB, CA.
THE USE OF EEG AS A WORKLOAD ASSESSMENT TOOL IN
FLIGHT TEST Technical Report

BRUCE P. HUNN Oct. 1993 79 p

(AD-A274568; AFFTC-TIM-93-02) Avail: CASI HC A05/MF A01

This report examines the use of EEG (Electroencephalography) as a tool to assess aircrew mental workload in-flight. It contains a brief history of EEG methods and a detailed analysis section. It also contains a large reference section for additional research purposes. Analysis methods, both historical and current are discussed. Statistical and graphic presentation of continuous EEG data is reviewed and recommendations are made for future testing of EEG technologies.

N94-26973# Systems Research Labs., Inc., Dayton, OH.
PASSIVE AND ACTIVE BEHAVIOR OF THE
CARDIOVASCULAR SYSTEM UNDER INCREASED
GRAVITATIONAL LOADS IN A CHRONICALLY
INSTRUMENTAL CONSCIOUS BABOON MODEL Final Report,
1 Feb. 1991 - 1 Jun. 1993

DAVID A. SELF, CURTIS D. WHITE, RICHARD W. OWENS, JOHN W. FANTON, and RICKY D. LATHAM Nov. 1993 27 p (Contract AF PROJ. 2312)

(AD-A274344; AL/AC-TR-1993-0103) Avail: CASI HC A03/MF

Simultaneous recordings of right atrial, left atrial, left ventricular (LV) and aortic pressure (AOP), aortic root flow and LV dimensions were recorded in chronically instrumented baboons at rest and undergoing centrifugation that mimicked military aviation acceleration environments. We separated the early and late hemodynamic responses to increased +Gz loads during acceleration using a rapid onset-rapid return (ROR) (greater than 4.5 G/s) centrifugation protocol. +Gz onset resulted in immediate changes in vascular pressure from hydrostatic effects, followed by passive shifting of blood volume to dependent regions causing declines in systemic pressure above the hydrostatic indifference point (HIP) and in venous return. Stroke volume (SV) and mean cardiac power output fell. Distending carotid level pressure routinely fell during acceleration to levels well outside threshold values previously reported for carotid baroreflex function. Active compensation consisted of increases in heart rate, AOP and decreases in aortic flow. Previous +Gz load history had enormous impact on blood pressure regulation during increased +Gz loads and on baseline pressures existing prior to exposure to a second + Gz onset. Animals exposed to a conditioning run that saturated their short-term pressure regulatory mechanisms 5 min before a second +Gz exposure, displayed significantly higher mean aortic root pressures and consistently overshot their baseline operating points during centrifugation. We conclude that hemodynamic consequences of rapid-onset acceleration are extremely complex and may provide conflicting error signal information during compensatory adjustments.

N94-26985# Army Aeromedical Research Lab., Fort Rucker,

MONOGRAPH OF THE AVIATION EPIDEMIOLOGY DATA REGISTER FOR CALENDAR YEAR 1988 Final Report ROBERT H. SCHRIMSHER and SAMUEL G. SHANNON AU

1993 99 p

(Contract DAMD17-92-C-2062)

(AD-A274589) Avail: CASI HC A05/MF A02

The purpose of this monograph is to provide the reader with descriptive statistics from the Aviation Epidemiology Data Register (AEDR). Data are presented for class 2/2A Flying Duty Medical Examinations (FDMES) based on information received by the AEDR during calendar year 1988. It is our purpose to provide these data with little discussion so as to encourage comparisons with other monographs.

N94-27088# Wright State Univ., Dayton, OH.
PULSE WAVEFORM AND TRANSCRANIAL DOPPLER
ANALYSIS DURING LOWER BODY NEGATIVE PRESSURE
Interim Report, Jan. - Oct. 1992
RAINER K. EFFENHAUSER and LLOYD D. TRIPP, JR. Apr.
1993 83 p

(Contract AF PROJ. 7231) (AD-A274516; AL/CF-TR-1993-0097) Avail: CASI HC A05/MF A01

The use of lower body negative pressure (LBNP) as an acceleration pre-conditioning technique for space applications was investigated. The purpose was to evaluate changes in cephalic blood flow during LBNP. The intent was to see if detection or warning of impending syncope was possible, and to simulate effects which occur under exposure to +Gz. Ten subjects underwent the following LBNP profile while in a standing position: Five minutes of baseline at ambient pressure, followed by increments of -10 mm Hg every three minutes to a minimum of -50 mm Hg. They remained at -50 mm Hg for a maximum of twenty minutes or until presyncopal symptoms occurred. An additional five minutes of post-LBNP baseline data were collected. The analog pulse waveform, obtained from a pulse owneter sensor located approximately at eye level on the subject's ear lobe. The pulse waveform analysis included pulse area, amplitude, and duration. Other physiological variables included: middle cerebral artery blood flow velocity using transcranial Doppler (TCD) sonography, and oxygen saturation obtained from a pulse oximeter. Six of the ten subjects experienced presyncopal symptoms during the LBNP profile. Significant changes were observed in several variables at the presyncopal endpoint and included: pulse waveform area (P=0.0048), pulse waveform amplitude (P=0.0236), cerebral artery blood flow velocity (P=0.0001), and cerebral artery pulsatility index (P = 0.0357).

N94-27097# Army Aeromedical Research Lab., Fort Rucker,

AVIATION EPIDEMIOLOGY DATA REGISTER: INDEXING THE AEDR DOCUMENT LASER OPTIC ARCHIVE Final Report

KEVIN T. MASON, SAMUEL G. SHANNON, and ROBERT E. POST Oct. 1993 20 p

(Contract DA PROJ. 3M1-62787-A-879)

(AD-A274185; USAARL-94-1) Avail: CASI HC A03/MF A01

The Aviation Epidemiology Data Register (AEDR) is a family of databases storing health and physical parameters of Army aircrew. The components are administratively linked by social security number (SSN). A new component is an upgrade of the medical document microfiche archive to laser optic CD-ROM. The U.S. Army Aeromedical Activity requested assistance in creating an indexing scheme for the new system. They wanted to use a single SSN digit, the disks to fill at a uniform rate, and to keep the same aircrew member on the same disk even if multiple entries were made for the same patient. The SSN of each case in the microfiche archive was extracted as a reference population. Analysis of the frequency distribution of decimal values for selected SSN digits showed the last SSN digit would meet the stated requirements. Any of the first five SSN digits should not be used for indexing.

N94-27130# Army Aeromedical Research Lab., Fort Rucker, AL.

MONOGRAPH OF THE AVIATION EPIDEMIOLOGY DATA REGISTER FOR CY 1992 Final Report

ROBERT H. SCHRIMSHER and SAMUEL G. SHANNON Aug. 1993 109 p

(Contract DA PROJ. 3M1-62787-A-879)

(AD-A274400; USAARL-93-35) Avail: CASI HC A06/MF A02

The purpose of this monograph is to provide the reader with descriptive statistics from the Aviation Epidemiology Data Register (AEDR). Data are presented for class 2/2A flying Duty Medical Examinations (FDME) based on information received by the AEDR during calendar year 1992. It is our purpose to provide these data with little discussion so as to encourage comparisons with other monographs.

N94-27442# Nagoya Univ. (Japan). Research Inst. of Environmental Medicine.

ANNALS OF THE RESEARCH INST. OF ENVIRONMENTAL MEDICINE, NAGOYA UNIV., VOLUME 44 (KANKYO IGAKU KENKYUJO NENPO)

25 Mar. 1993 401 p In JAPANESE (ISSN 0369-3570)

(REPT-44-VOL-44; JTN-94-80524) Avail: CASI HC A18/MF A04 The following topics were discussed: space environments, microgravity, low oxygen, metabolism, posture control, space activity, eye movement, temperature effect, thermoregulation, water immersion, sensory reception, stresses, visual reception, heart, cardiac muscle, pace-maker cells, electric stimuli, gamma radiation, brain, neurons, nervous cells, nervous systems, autonomic nervous system, receptors, circulatory system, neurotransmitters, enzymes, proteins, hormones, genes, electric potential, RNA (Ribonucleic Acid), DNA (Deoxyribonucleic Acid), cultivation, cloning, electron microscopy, acetylcholine, prostaglandin, Na ion channel, K ion channel, Ca(2+), ion current, antiarrhythmic agents, blood flow,

saccade system, microneurography, and hypotension.

Author (NASDA)

N94-27443# Sanwa Kagaku Kenkyusho Co. Ltd., Kasugai (Japan).

CHANGES IN CIRCADIAN VARIATIONS OF URINE EXCRETION IN TAIL-SUSPENDED RATS (RATTO BIBU KENSUI NI OKERU CHUYA NO NYO HAISETSU RIZUMU NO HENKA)

KAZUMI KANDA, SACHIKO OHMORI (Nagoya Univ., Japan.), CHIKASHI YAMAMOTO (Nagoya Univ., Japan.), SETSUKO KAWANO (Nagoya Women's Univ., Japan.), SAYOKO HAYAMIZU (Nagoya Univ., Japan.), NORIHIRO MIYAMOTO (Nagoya Univ., Japan.), YOSHIHARU MURATA (Nagoya Univ., Japan.), and HISAO SEO (Nagoya Univ., Japan.) In Nagoya Univ., Annals of the Research Inst. of Environmental Medicine, Nagoya Univ., Volume 44 p 1-4 25 Mar. 1993 In JAPANESE Avail: CASI HC A01/MF A04

In this study, urine excretion was examined using tail-suspended rats as a model of muscle and bone atrophy in a weightless state. Subjects were 30 Wistar strain rats, classified into a control group, and suspended groups. In suspended groups, rats were suspended from the ceilings of the cages with wires pierced through the coccygeal bone for seven days, and urine was collected every 12 hours, as well as the amount of diets and water ingested was measured. As a result, the amount of diet and water ingestion was significantly decreased in the tail-suspended groups. Urine excretion in day was increased in all suspended groups, while that in night was different by when the suspension started; i.e. rats suspended at 19:00 increased in urine excretion, but those suspended at 7:00 did not show remarkable change. Comparing the ratios of urine excretion in night to that in day, they were significantly decreased in the suspended groups, whereas no observable change was detected in the control group. These results suggest that the circadian change of urine excretion may result from secretion and modification of Atrial Natriuretic Polypeptide (ANP) by glucocorticoids. Author (NASDA)

N94-27445# Nagoya Univ. (Japan). Research Inst. of Environmental Medicine.

CHANGES IN FLUID AND ELECTROLYTE METABOLISM DURING WATER IMMERSION AT HIGH OR THERMONEUTRAL TEMPERATURE [KOON OYOBI CHUSEION SUISHINJI NI OKERU MIZU-DENKAISHITSU TAISHA NO HENDO] SACHIKO OMORI, KAZUMI KANDA, CHIKASHI YAMAMOTO,

SACHIKO OMORI, KAZUMI KANDA, CHIKASHI YAMAMOTO, SAYOKO HAYAMIZU, K. A. KIRSCH (Freie Univ., Berlin, Germany.), SATOSHI IWASE, CHIHIRO MIWA, JUNICHI SUGENOYA (Aichi Medical Univ., Nagakute, Japan.), TADAAKI MANO, and YOSHIHARU MURATA *In its* Annals of the Research Inst. of Environmental Medicine, Nagoya Univ., Volume 44 p 9-17 25 Mar. 1993 In JAPANESE

Avail: CASI HC A02/MF A04

It is known that water and electrolyte metabolism changes due to movement of fluid from lower part to upper part of the body when astronauts are in a weightless state. In addition, stress might effect on astronauts' metabolism during space travel. To study metabolic changes in this condition, subjects were immersed in thermoneutral water or hot water to load stress, and blood and urine samples were collected. As a result, Ht (Hematocrit), total

protein and Ca concentration was decreased by immersion in thermoneutral water bath, which suggests that blood was diluted by fluid transferred into the vessel in a weightless state. In addition, decrease of aldosterone that was also observed may cause increase of Na in urine and urine flow. Contrastingly, by immersion in high temperature water, it was revealed that blood was condensed by sweating, and aldosterone was increased. These results suggests that stress loaded by high temperature might stimulate the hypothalamus that controls the secretion of the adrenal grand.

N94-27449# Kawasaki Heavy Industries Ltd., Kobe (Japan).
TELESCIENCE TESTBEDDING FOR PHYSIOLOGICAL
EXPERIMENTS UNDER HYPOBARIC HYPOXIC CONDITIONS
[TEIATSU TEISANSO KANKYOKA DENO SEIRIGAKU JIKKEN
ENO TERESAIENSU-SHISUTEMU NO TEKIYO]

SEIJI NISHIO, SATORU WATANABE (Nagoya Univ., Japan.), MASAMICHI YAMASHITA (Ministry of Education, Kanagawa, Japan.), SHIGEO MORI (Nagoya Univ., Japan.), SOKICHI SAKURAGI (Aichi Univ. of Education, Japan.), YOSHIRO WADA (Nagoya Univ., Japan.), HIROYUKI SUZUKI (Aichi Univ. of Education, Japan.), MITSUHIRO KOEDA (Chukyo Univ., Toyota, Japan.), and TAKATOSHI SHOJI In Nagoya Univ., Annals of the Research Inst. of Environmental Medicine, Nagoya Univ., Volume 44 p 30-34 25 Mar. 1993 In JAPANESE Avail: CASI HC A01/MF A04

Physiological experiments in outer space requires special

knowledge and technique. However the limited number of Payload Specialists (PS) cannot cover all the special fields, so that the role of telescience has become important in order to communicate experimental sequences or manipulation with Principal Investigators (PI), especially in experiments with flexible sequences. Several preliminary studies to simulate space experiments using testbedding revealed that human factors may provide an important effect on space experiments. Therefore, this study focused on operation ability of PS's under hypobaric hypoxic conditions that was evaluated by Kraepelin census, results of a video game, brain wave and heart rate. As a result, operation ability was not decreased in this condition, which suggests effectiveness of the teletool as a means of communication with PI's on ground and PS's in space. The method that direction by PI's was given as necessary was proved to be useful to optimize the time line if PS's have enough level of skill. In addition, several PI's directed

N94-27450# Aichi Univ. of Education (Japan). Dept. of Nursing.

two PS's to perform two experiments parallely. This parallel system seemed to be useful to save time, but it should be prudent to

introduce it, because both PI's and PS's felt anxiety in the parallel

TELESCIENCE TESTBEDDING UNDER HYPOBARIC HYPOXIC CONDITIONS: EVALUATION BY OPERATION ABILITY AND RECOGNITION ABILITY (TEIATSU TEISANSO KANKYOKA DENO TERESAIENSU-TESUTOBEDDO: SAGYO NORYOKU OYOBI JOHO NINSHIKINORYOKU NI YORU HYOKA)

SOKICHI SAKURAGI, SATORU WATANABE (Nagoya Univ., Japan.), SHIGEO MORI (Nagoya Univ., Japan.), YOSHIRO WADA (Nagoya Univ., Japan.), HIROYUKI SUZUKI (Nagoya Univ., Japan.), TAKATOSHI SHOJI (Kawasaki Heavy Industries Ltd., Kobe, Japan.), and SEIJ! NISHIO (Kawasaki Heavy Industries Ltd., Kobe, Japan.) In Nagoya Univ., Annals of the Research Inst. of Environmental Medicine, Nagoya Univ., Volume 44 p 35-37 25 Mar. 1993 In JAPANESE

Avail: CASI HC A01/MF A04

system.

Telescience is a remote operation support system which enables Principal Investigators (PI) on ground to direct a Payload Specialist (PS) and to manipulate directly the experimental system in outer space through teletools. In order to complete this system, simulation tests were performed on ground using testbedding. This report concerns the 4th simulation test, that focused on human factors under a particular condition of outer space, hypobaric hypoxia. In this test, operation and recognition ability was evaluated by results of Kraepelin census, results of a video game, scoring

Author (NASDA)

of subjective symptoms and measurements of brain wave and heart rate, for two subjects. As a result, no difference was observed in these abilities between normal and hypobaric hypoxic condition in one subject, probably because of experience of a decompression chamber that the subjects already had. The other subject, who had no such experience, revealed decrease in operation ability, while no or slight decrease was observed in recognition ability. These results suggests that a PS can respond to clear directions even in a particular condition that could decrease operation ability.

Author (NASDA)

N94-27451# Nagoya Univ. (Japan). Research Inst. of Environmental Medicine.

TELESCIENCE TESTBEDDING FOR PHYSIOLOGICAL EXPERIMENTS UNDER HYPOBARIC HYPOXIC CONDITIONS: DEVELOPMENT AND EVALUATION IN CNV MEASURING [TEIATSU TEISANSO KANKYOKA DENO SEIRIGAKU JIKKEN ENO TERESAIENSU-SHISUTEMU NO TEKIYO: CNV KEISOKU KARA MITA HYOKA]

HIROYUKI SUZUKI, SATORU WATANABE, SHIGEO MORI, YOSHIRO WADA, MASAMICHI YAMASHITA (Ministry of Education, Kanagawa, Japan.), SOKICHI SAKURAGI (Aichi Univ. of Education, Japan.), MITSUHIRO KOEDA (Chukyo Univ., Toyota, Japan.), SEIJI NISHIO (Kawasaki Heavy Industries Ltd., Kobe, Japan.), and TAKATOSHI SHOJI (Kawasaki Heavy Industries Ltd., Kobe, Japan.) In its Annals of the Research Inst. of Environmental Medicine, Nagoya Univ., Volume 44 p 38-44 25 Mar. 1993 in JAPANESE

Avail: CASI HC A02/MF A04

Telescience is a system to achieve highly credible experiment in outer space, directed by Principal Investigators (PI) on ground through teletools, and is inevitable to perform complicated physiological experiments that require flexible experimental sequences. For development and operation of telescience, preliminary experiments were performed under the hypobaric hypoxic condition in a testbedding. In this study, Contigent Negative Variation (CNV) was used as an objective index of attentiveness to evaluate credibility and adequacy of telescience experiments. In addition, a teletool which has been developed to determine CNV, was also evaluated in respect to operational effectiveness. As a result, it was demonstrated that CNV was a useful index to evaluate operation ability. In evaluation of the teletool, the up link image was effective in presenting, directing and discussing data from ground, especially in a phase requiring sophisticated manipulation. The down link data was improved to send only status data of device and statistic data on physiological and behavior indexes, which enabled: (1) reduction of information to 1/200; (2) decrease of PI's work; and (3) visualization and facilitation of data by making a graph. On the other hand, as the system largely depends on the computer support, several problems occurred due to less communication with PS's. Author (NASDA)

N94-27452# Nagoya Univ. (Japan). Research Inst. of Environmental Medicine.

THE ELECTROGASTROGRAM DURING PARABOLIC FLIGHT [PARABORIKKU FURAITO NI OKERU EGG (EREKUTOROGASUTOROGURAFI) SOKUTEI]

YOSHIRO WADA, HIROYUKI SUZUKI, SATORU WATANABE, and YOSHIKI KANEOKE *In its* Annals of the Research Inst. of Environmental Medicine, Nagoya Univ., Volume 44 p 45-48 25 Mar. 1993 In JAPANESE

Avail: CASI HC A01/MF A04

Motion sickness is a disease caused by vehicles with symptoms of digestive system, as well as pale and cold sweat. It is often observed in parabolic flight which produces microgravity and hypergravity. Recently, Electrogastrography (ECG) has been developed to record gastric electroactivity percutaneously. In order to examine whether ECG was available as an index of nausia and vomitting in motion sickness, ECG was measured during parabolic flight in this study. As a result, from scoring of motion sickness according to the diagnosis table, four in eight subjects were diagnosed as motion sickness. Although there was individual difference in amplitude and frequency of ECG, motion sickness

occurred in subjects who had large amplitude before vomiting, or high frequency as nausea became worse. It was also observed that trajectory of ECG turned to the opposite direction when gravity shifted from 0 to 2 G. Therefore, ECG might be useful as an objective index of motion sickness, however, further studies with large population would be necessary in order to remove individual differences.

Author (NASDA)

N94-27453# Nagoya Univ. (Japan). Research Inst. of Environmental Medicine.

VERTICAL GAZE DIRECTION DURING PARABOLIC FLIGHT [PARABORIKKU FURAITO JI NO SUICHOKUSEI GANSHIN] HIROYUKI SUZUKI, SATORU WATANABE, SHIRO USUI (Toyohashi Univ. of Technology, Aichi, Japan.), AKIRA MIYAMOTO (National Space Development Agency, Tokyo, Japan.) and SHUNJI NAGAOKA (National Space Development Agency, Tokyo, Japan.) in its Annals of the Research Inst. of Environmental Medicine, Nagoya Univ., Volume 44 p 49-51 25 Mar. 1993 In JAPANESE Sponsored by NASDA

Avail: CASI HC A01/MF A04

There are many reports that variation of gravity causes vertical nystagmus, probably resulting from changes of vertical acceleration sensed by statoliths system. This report concerns some findings obtained from simultaneous measurement of acceleration and vertical eye movement by Electronystagmography (ENG) in the parabolic flight under the following three conditions: (1) open eyed gaze with sitting position; (2) dark field with sitting position; and (3) dark field with reclining position. As a result, under the condition (1), no eye movement was detected during vertical gravity (Gz) altered from 2.3 to 0 G, while upward shift of eye position and downward nystagmus were observed during Gz changing from hypergravity to microgravity under the condition (2). On the other hand, while the eye position was shifted upwards under the condition (3), slight downward nystagmus was observed from hypergravity to microgravity. In both sitting and reclining positions, eye position was shifted before Gz decreased below 1 G. In addition, the posture or the direction that subjects were facing may affect the eye movement in parabolic flight, so that these factors should be considered in the study concerning sense of equilibrium.

Author (NASDA) equilibrium.

N94-27454# Aichi Univ. of Education (Japan). Dept. of Nursing.

HEART RATE CHANGE IN NORMAL AND LABYRINTHECTOMIZED HAMSTERS DURING PARABOLIC FLIGHT (HOBUTSUSEN HIKOCHU NO SEIJO OYOBI ZENTEI HAKAI HAMUSUTA NO SHINPAKUSU HENKA)

SOKICHI SAKURAGI, SATORU WATANABE (Nagoya Univ., Japan.), YOSHIRO WADA (Nagoya Univ., Japan.), and HIROYUKI SUZUKI (Nagoya Univ., Japan.) In Nagoya Univ., Annals of the Research Inst. of Environmental Medicine, Nagoya Univ., Volume 44 p 52-54 25 Mar. 1993 In JAPANESE

Avail: CASI HC A01/MF A04

Usually, circulatory system is regulated under a constant gravity. However, in outer space, microgravity causes fluid to move to the upper part of the body, and the regulation of the fluid movement results in circulatory hypometabolism after returning in normal gravity. There is no effective countermeasure for this hypometabolism at present. In this study, adaptation of circulatory system under microgravity was examined by Electrogastrography (ÉCG) in parabolic flight using eight hamsters, including three normal, three hemilateral labyrinthectomized and two bilateral labyrinthectomized hamsters. ECG data was sent by telemetric transmitter implanted in the hamsters, with data of vertical gravity. As a result, two in three normal harmsters increased heart rate under the microgravity, while the other labyrinthectomized hamsters did not reveal any change by variation of gravity. The simultaneous human experiment demonstrated that although human heart rate was decreased under microgravity, and was increased under hypergravity in sitting position, it was not affected in supine position. This could be because in sitting position the fluid movement by change of gravity stimulates baroreceptor, leading to decrease of heart rate, while in supine position the change of gravity may not

move fluid. As harnsters' posture is considered to be similar to human supine position, the effect of fluid can be excluded, so that the change of heart rate in hainster may be caused by change Author (NASDA) of vestibular sense or somatasthenia.

Nagoya Univ. (Japan). Research Inst. of **Environmental Medicine** 

THE MECHANISM OF CALORIC NYSTAGMUS UNDER MICROGRAVITY. 1: CHANGES OF ENDOLYMPHATIC PRESSURE IN THE SEMICIRCULAR CANAL OF PIGEON BY CALORIC STIMULATION (MUJURYOKU KA NI OKERU ONDOSEI GANSHIN HATSUGEN KIJO. 1: HATO NO ONDO SHIGEKI NI TAISURU SUIHEI HANKIKANNAI RINPA ATSU

WADA, HIROYUKI SUZUKI, and SATORU YOSHIRO WATANABE In its Annals of the Research Inst. of Environmental Medicine, Nagoya Univ., Volume 44 p 64-67 25 Mar. 1993

Avail: CASI HC A01/MF A04

The caloric nystagmus is a nystagmus caused by pouring cold or hot water in the external auditory meatus, which is extensively practiced in clinical test of equilibrium function. The cause might be change of endolymphatic pressure in the semicircular canal according to caloric stimulation. This study examined the variation of endolymphatic pressure in response to caloric stimulation in pigeons in order to verify the hypothesis. The endolymphatic pressure was measured with a thermosensor directly on the semicircular canal, around which a silicon tube was twisted to stimulate by hot or cold water flowing through it. It was observed that the endolymphatic pressure of pigeons increased when stimulated by cold water and decreased by hot water, and the pressure was varied in proportion to the change of temperature. In addition, because this change was not affected by posture of a pigeon's head which fixed to keep the semicircular canal in horizontal or 45 degree-inclining position, the effect of gravity could be excluded. Author (NASDA)

N94-27458# Nagoya Univ. (Japan). Research inst. of Environmental Medicine.

CARDIOVASCULAR FUNCTION DURING THERMONEUTRAL **HEAD-OUT WATER IMMERSION IN THE ELDERLY** (KOREISHA NI OKERU CHURITSUON KEIKA SUISHIN FUKAJI NO JUNKAN DOTAL

YOSHIKI SUGIYAMA, CHIHIRO MIWA, HATSUE SUZUKI, YE-XIANG XUE, TOSHIYOSHI MATSUKAWA, SATOSHI IWASE, and TADAAKI MANO In its Annals of the Research Inst. of Environmental Medicine, Nagoya Univ., Volume 44 p 68-71 Mar. 1993 In JAPANESE

Avail: CASI HC A01/MF A04

Circulation system is regulated mainly by autonomic nerve system including pressor-receptor reflex. However, in the elderly, this regulation system did not seem to function, probably because of degeneration of baroreceptor and less fluid movement which may lower the suppression of muscular intension via sympathetic nervous system. The purpose of this study is to review circulatory regulation in the elderly. For examination of circulatory function, heart rate, blood pressure, mean stroke volume and cardiac output were compared between the elderly and the youth when immersed in thermoneutral water up to the level of navel or shoulder, or in standing position before the immersion. As a result, during immersion, heart rate was significantly decreased in the youth, while no decrease was observed in the elderly. Blood pressure was significantly increased in the elderly, but stroke volume was significantly increased in the youth. Cardiac output was increased only in the youth. These results reveal that in the elderly the blood pressure was increased significantly in spite of less cardiac output, which should be suppressed by negative feedback of sympathetic nervous system stimulated by the baroreceptor. However the function of pressor-receptor reflex may degenerate in the elderly. In addition, during immersion, water pressure moves fluid toward upper part of the body, and this fluid movement may stimulate the baroreceptor. However, the mechanism might not work sufficiently in the elderly. Author (NASDA)

Research Inst. of N94-27459# Nagoya Univ. (Japan). **Environmental Medicine** 

EFFECTS OF 40 C HOT WATER IMMERSION FOR AN HOUR ON THERMOREGULATORY FUNCTIONS IN HUMANS: COMPARISON WITH 34 C THERMONEUTRAL IMMERSION [40 C ICHI JIKANNO SUISHIN GA TAION CHOSETSU KINO NI OYOBOSU EIKYO: 34 C NO CHURITSUON SUISHIN TONO HIKAKU]

CHIHIRO MIWA, SATOSHI IWASE, TOSHIYOSHI MATSUKAWA, JUNICHI SUGENOYA (Aichi Medical Univ., Nagakute, Japan.), KOJI YAMAGUCHI (Toho Gas Co. Ltd., Nagoya, Japan.), TADAAKI MANO, YOSHIKI SUGIYAMA, YE-XIANG XUE, and KARL A. KIRSCH (Freie Univ., Berlin, Germany.) in its Annals of the Research Inst. of Environmental Medicine, Nagoya Univ., Volume 44 p 72-75 25 Mar. 1993 In JAPANESE Avail: CASI HC A01/MF A04

This study examined the effects of temperature in water immersion by measuring skin temperature, core temperature, sweat rate, blood flow, body weight loss and urine volume, and compared the data between 34 C and 40 C water immersion. As a result, skin temperature and blood flow in forearms and precordia was increased, and blood flow in fingertips was decreased, during immersion in hot water. After immersion for 10 minutes, the core temperature and sweat rate was rapidly increased in high temperature water. During thermoneutral water immersion, skin temperature, sweat rate and blood flow did not change, and core temperature was lowered. Body weight loss in hot water immersion was larger by 300 g, while urine volume in thermoneutral water immersion was five times as much as that in hot water immersion. The sweat rate in the palm which represents psychogenic sweat was observed 20 minutes after the hot water immersion, probably because of stress by high temperatrue. In addition, in hot water, blood flow and skin temperature was increased by two steps; one is immediately after the immersion and the other is about 10 minutes after that. The first step might be the direct effect of water temperature, and the second might result from dilation of peripheral vessels by the change of core temperature that could stimulate thermoregulation system. It is suggested that the body weight loss might result from increased sweat in the case of high temperature. and from endocrine variation in the case of thermoneutral immersion. Author (NASDA)

N94-27460# Nagoya Univ. (Japan). Research Inst. of **Environmental Medicine** DEVELOPMENT OF STIMULUS-SEEKING SCALE FOR **EXPECTING INDIVIDUAL DIFFERENCES AGAINST** CONFINEMENT STRESS [HEISA KANKYO SUTORESU NI TAISURO TAISEI YOSOKU NO TAMENO SHIGEKI KIKYU

SHAKUDO NO SAKUSEI) MITSURO KIDA, MASAFUMI TANAKA, TETSUJI ITO, and KAZUAKI KAWANO *In its* Annals of the Research Inst. of Environmental Medicine, Nagoya Univ., Volume 44 p 76-83 25 Mar. 1993 In JAPANESE

(Contract MOE-04551001)

Avail: CASI HC A02/MF A04

Confinement stress is a current issue caused by an extremely few stimuli such as life in a satellite station or polar base. There are several levels of optimal stimulus for each individual, and if the individual difference could be measured, the confinement stress will be predicted. The purpose of this study was to develop a new stimulus-seeking scale based on Zuckerman's scale. In this stimulus-seeking scale, two levels were presumed; i.e. external stimulus-seeking that seeks external or physical stimulus, and internal stimulus-seeking that seeks internal or mental stimulus. Based on the two stimulus-seeking levels, a questionnaire was prepared to verify whether this classification was appropriate or not, as well as to review this scale by comparing the established scale of anxiety and disposition. From results of about 200 subjects, each 10 items were selected for internal and external stimulus-seeking level as appropriate items to distinguish individual features. Analytical study revealed the credibility and propriety of these items. Comparing scores of characteristic anxiety scale and disposition scale, there was correlation with external stimulus-seeking scale, while slight or no correlation was observed with internal stimulus-seeking scale.

Author (NASDA)

N94-27473# Nagoya Univ. (Japan). Research Inst. of Environmental Medicine.

EFFECTS OF BATHING AT 40 C ON CARDIOVASCULAR SYSTEM IN HUMANS: COMPARISON WITH 34 C THERMONEUTRAL BATHING [40 C NO NYUYOKU GA HITO NO JUNKANKIKEI NI OYOBOSU EIKYO]

TOSHIYOSHI MATSUKAWA, CHIHIRO MIWA, SATOSHI IWASE, YOSHIKI SUGIYAMA, YE-XIANG XUE, TADAKI MANO, JUNICHI SUGENOYA (Aichi Medical Univ., Nagakute, Japan.), KOJI YAMAGUCHI (Toho Gas Co. Ltd., Nagoya, Japan.), and KARL A. KIRSCH (Freie Univ., Berlin, Germany.) In its Annals of the Research Inst. of Environmental Medicine, Nagoya Univ., Volume 44 p 128-130 25 Mar. 1993 In JAPANESE Avail: CASI HC A01/MF A04

The incidence of stroke and cardiac infarction increases during and immediately after bathing; however, it is not sufficiently understood what is the effect of bathing, especially on the circulatorysystem. In this study, the changes of core temperature, skin blood flow, blood pressure and heart rate were measured to compare the effect of bathing in 34 C water and 40 C water on healthy human subjects. As a result, in 34 C bathing, skin blood flow and systolic pressure did not change, while core temperature, diastolic pressure, mean blood pressure and heart rate were decreased. On the contrary, in 40 C bathing, core temperature, skin blood flow and heart rate were significantly increased, and systolic, diastolic and mean pressure were decreased significantly. Generally, bathing effects circulatory system by static water pressure and water temperature, but 34 C bathing receives only static water pressure. Therefore, the difference between 34 C and 40 C bathing could result from the effect of water temperature. This effect includes an increase of peripheral blood that may decrease the amount of central blood, leading to decrease of blood pressure in 40 C bathing. The reverse response of heart rate was explained as follows: in 34 C bathing, increase of central blood by static water pressure may stimulate baroreceptor to decrease heart rate, whereas, in 40 C bathing, baroreceptor was stimulated oppositely, as well as stimulation of the hypothalamus by high core temperature also functioned to increase heart rate via sympathetic nerve system. Author (NASDA)

N94-27474# Nagoya Univ. (Japan). Research Inst. of Environmental Medicine.

EFFECTS OF 41 C BATHING FOR 20 MINUTES ON CARDIOVASCULAR AND THERMOREGULATORY FUNCTIONS IN HUMANS (HITO NO SHIN JUNKAN KINO TO ONDO CHOSETSU KINO NI OYOBOSU 41 C 20 PUNKAN NYUYOKU NO EKYO)

CHIHIRO MIWA, SATOSHI IWASE, TOSHIYOSHI MATSUKAWA, YOSHIKI SUGIYAMA, TADAAKI MANO, MITSURO KIDA, HIROSHI YAMAGUCHI (Toho Gas Co. Ltd., Nagoya, Japan.), SEISHI OKUYAMA (Toho Gas Co. Ltd., Nagoya, Japan.), TOSHIYA MIZUNO, TERUYUKI SAITO et al. In its Annais of the Research Inst. of Environmental Medicine, Nagoya Univ., Volume 44 p 131-134 25 Mar. 1993 In JAPANESE Avail: CASI HC A01/MF A04

The Japanese prefers hot water bathing of 41 - 43 C; however, it was reported that cardiovascular and cerebrovascular diseases often occurs during hot water bathing. This study examined physiological effects of 41 C bathing for 20 minutes on healthy human subjects. As a result, heart and respiration rate, skin temperature and skin blood flow were increased, while blood pressure was decreased. When bathing, the first response could be dilation of peripheral vessels that decreases circulatory blood and cardiac output, which might result in immediate decrease of blood pressure and rise of heart and respiration rate. The second response which occurred 10 minutes after bathing was increase of heart rate and respiration rate, probably resulting from elevation of core temperature that also stores blood in peripheral vessels and decrease circulatory blood, and from stimulation of the

hypothalamus by high core temperature to activate sympathetic nerve system. Sweat was observed 10 minutes after the bathing, which would be thermoregulation against core temperature elevation. Author (NASDA)

N94-27475# Nagoya Univ. (Japan). School of Engineering.
MONTHLY VARIATION OF PHYSIOLOGICAL AND
PSYCHOLOGICAL RESPONSES UNDER UNSTEADY THERMAL
CONDITIONS Report No. 2 [HITEIJO ONNETSU KANKYOKA
DENO SEIRI-SHINRI HANNO NI OKERU NENNAI HENDO]
TERUYUKI SAITO, SATORU KUNO, MITSURO KIDA, KAZUO
KOGA, HATSUE SUZUKI, TOSHIYA MIZUNO, HIDEO ONO
(Sugiyama Jogakuin Univ., Nagoya, Japan.), and NOBUO
NAKAHARA In its Annais of the Research Inst. of Environmental
Medicine, Nagoya Univ., Volume 44 p 135-139 25 Mar. 1993
In JAPANESE

Avail: CASI HC A01/MF A04

This study examined physiological response (mean skin temperature) and psychological response (feeling of hot and cold, cool and warm, comfort and desire for elevating or lowering room temperature) of human subjects for every month in case of changing room temperature from 18 to 26 C and from 34 to 26 C. For each response parameters, linear regression line was obtained from the relation of the response with change of room temperature. Concerning skin temperature, regression lines of each month were compared between rising and lowering temperature condition, and the inclines in the two conditions differed remarkably during June to August. This suggests that during summer sweat lowers skin temperature in 34 C condition so that the incline becomes gentler around the temperature. The incline of hot and cold feelings was not varied by seasonal changes, but generally, the inclines were steeper in rising temperature than lowering temperature. This is because at 18 C subjects complained coldness more than the degree of complain of hotness in lowering temperature. In the desire for room temperature, the Y intercepts were smaller in winter, which suggests that a man is satisfied to higher temperature during winter. Author (NASDA)

N94-27476# Sugiyama Jogakuin Univ., Nagoya (Japan). Dept. of Human Environment.

MAN'S ABILITY TO ADAPT HIMSELF FOR THE SEASONAL CLIMATIC CHANGES: FROM VIEWPOINT OF ANTICIPATION AND SEASONABLE BEHAVIOR (DOTEKI NA ONNETSU KANKYO NI TAISURU NINGEN NO TSUIJUSEI NI KANSURU KOSATSU: YOCHIKODO ANCHISHIPESHON TO KISETSU SOOSEI NO KANKEI NI TSUITE)

HIDEO ONO and MITSURO KIDA (Nagoya Univ., Japan.) In Nagoya Univ., Annals of the Research Inst. of Environmental Medicine, Nagoya Univ., Volume 44 p 140-144 25 Mar. 1993 In JAPANESE

Avail: CASI HC A01/MF A04

The purpose of this article is to review the studies on environmental evaluation and changes of comfortability by dynamic thermal conditions, especially on a effect of seasonal changes, in order to achieve a coordinated environments not depending on large energy consumption but considering ecological system on the entire earth. From these studies, it was revealed that the change of room temperature caused physiological and psychological changes. The similar physiological changes were also observed in seasonal changes, although the peak of hot or cold temperature preceded the peak of physiological responses by about two months. The senses of warm or cool seem to largely depend on a physiological factor (hormone or metabolism), and a mental factor (scenary or color). The adaptability is a behavior to reach such warm or cool condition by anticipating the seasonal changes. There are two factors that effect thermo-comfortability; seasonal factor, such as metabolism, meteorological condition, or scenary, and seasonable factor, such as admiration of seasons. It seems to be important to consider both factors for design and management of comfortable environment.

Author (NASDA)

N94-27478# Nagoya Univ. (Japan). Research Inst. of Environmental Medicine.

THYROID HORMONE ACTION IN CULTURED HUMAN SKIN FIBROBLASTS: EVALUATION USING SPHEROID CULTURE (HITO HIFU SENIGA SAIBO NI OKERU KOJOSEN HORUMON SAYO: SUFEROIDO BAIYO O MOCHITA KENTO)

YOSHIHARU MURATA, MASAFUMI MENJO, TAKASHI MIYAZAKI, HISAO SEO, MANABU YAMAZAKI (Japan Research Center, Atsugi.), and YUICHI MORI (Japan Research Center, Atsugi.) In its Annals of the Research inst. of Environmental Medicine, Nagoya Univ., Volume 44 p 148-150 25 Mar. 1993 In JAPANESE (Contract MOE-04671470)

Avail: CASI HC A01/MF A04

This article presents the responses of human skin fibroblasts to the stimulus of thyroid hormone. In previous studies, the mechanism was examined with monolayer culture, however, different stages of cell cycle were observed among cells. On the other hand, cells are considered to stay at G(sub 0)-stage in the spheroid culture. In this study, this spheroid culture was applied using a thermo-sensitive polymer which has a property to become insoluble above 30 C and soluble below the temperature. Human skin fibroblasts were cultured in solid medium at 37 C, and when confluent, it was cooled to 4 C to melt the polymer so that the cells were suspended in the medium and gradually formed spheroids. Triiodothyronine (T(sub 3)) was added to the culture when spheroid was formed and Fibronectin (FN) mRNA (Messenger Ribonucleic Acid) and collagenase mRNA was determined as indices of the response. As a result, FN mRNA was decreased to two-thirds by T(sub 3) addition, while collagenase mRNA was not changed by T(sub 3). There is some contradictions between these results and those from monolayer culture, because the effect of proteinkinase C cannot bε excluded from the latter system due to containing cells with different cell cycles. Therefore, the spheroid culture may be superior in examining the pure effect of thyroid hormone. Author (NASDA)

N94-27481# Nagoya Univ. (Japan). Research Inst. of Environmental Medicine.

EFFECT OF SERA FROM PATIENTS TREATED WITH LONG-TERM HEMODIALYSIS ON MRNA'S FOR COLLAGENASE, STROMELYSIN, AND TISSUE INHIBITOR OF METALLOPROTEASE IN CULTURED HUMAN SYNOVIAL CELLS (BAIYO HITO KATSUMAKU SAIBO NI OKERU KORAGENAZE, SUTOMERAISHIN, OYOBI SOSHIKI METAROPUROTEAZE INHIBITA NO KAKUIDENSHI HATSUGEN NI OYOBOSU TOSEKI KANJA KESSEI TENKA NO

TAKASH MIYAZAKI, MOTOYOSHI SATO, YOSHIHARU MURATA, KENJI MAEDA, and HISAO SEO *In its* Annals of the Research Inst. of Environmental Medicine, Nagoya Univ., Volume 44 p 158-160 25 Mar. 1993 In JAPANESE Sponsored by the Aichi Kidney Foundation and Kowa Life Science Foundation

Avail: CASI HC A01/MF A04

Long-term hemodialysis usually causes dialysis amyloid arthropathy. It was demonstrated in the previous studies that sera from long-term hemodialysis patients promoted the production of Collagenase (CS) that plays an important role in degradation of interstitial tissue in synovial cells. This study examined whether this sera varies the expression of mRNA of Stomelysin (SN) and Tissue Inhibitor of Metalloprotease (TIMP). It is known that SN promotes degradation of interstitial tissue together with CS synergistically, and TIMP inhibits such degradation by blocking both proteases to reconstitute interstitial tissue. Sera from long-term dialysis patient was added to subcultured synovial cells, and the mRNA (messenger Ribonucleic Acid) was extracted and determined. As a result, mRNA of CS and SN was increased three times as much as that of control in which sera from healthy person was added. On the contrary, at the most, only a slight difference was observed in TIMP mRNA expression between sera from patient and a healthy person. This suggests that sera from the dialysis patient change synovial cells to promote degradation of surrounding interstitial tissue. Author (NASDA) N94-27501# Yasui Acupuncture Clinic, Nagoya (Japan).
CHANGES IN PAIN SENSATION INDUCED BY REPETITIVE
APPLICATION OF NOXIOUS HEAT PULSES TO THE HUMAN
SKIN [SHINGAITEKI FUKUSHANETSU SHIGEKI NC
KURIKAESHI NI YORU HITO HIFU TSUKAKU NO HENKA]
HIROTAKA YASUI, KAZUHIKO KUMAZAWA (Aichi Medical Univ.,
Nagakute, Japan.), KAZUE MIZUMURA (Nagoya Univ., Japan.)
and TAKAO KUMAZAWA (Nagoya Univ., Japan.)
In Nagoya
Univ., Annals of the Research Inst. of Environmental Medicine,
Nagoya Univ., Volume 44 p 224-226 25 Mar. 1993 In
JAPANESE

(Contract MOE-04255103) Avail: CASI HC A01/MF A04

Pain can be classified into two types: primary pain, which is weakened by repetitive stimuli; and secondary pain, which is dull and strengthened by repetitive stimuli. The purpose of this study was to examine the change of primary pain sensation when repetitive stimuli of noxious heat pulses was applied to the human skin.

Author (NASDA)

N94-27520# Nagoya Univ. (Japan). Research Inst. of Environmental Medicine.

IMPAIRED ASSOCIATED MOVEMENT IN PARKINSON'S DISEASE: AN EVALUATION OF BELL'S PHENOMENON [PAKINSONBYO NI OKERU RENGO UNDO SHOGAI: BERU GENSHO NI TSUITE NO KENTO]

MINORU HOSHIYAMA, SATORU WATANABE, SEIJI YOSHINO (Suzuka Univ. of Medical Science and Technology, Japan.), and KANEO MORI *In its* Annals of the Research Inst. of Environmental Medicine, Nagoya Univ., Volume 44 p 288-291 25 Mar. 1993 In JAPANESE

Avail: CASI HC A01/MF A04

One of the dyskinesia in Parkinson's disease is a kinesia with impaired associated movement. This impairment includes Bell's phenomenon which is an upward movement of eye balls accompanied with eye close movement. The purpose is to observe the Bell's phenomenon in patients with Parkinson's disease. The subjects were seven patients with Parkinson's disease and eight healthy persons in the similar ages, who sat in resting position, with the head fixed, and closed the eyes while gazing at the front. Movement of eye ball and eye lid was recorded by an Electrooculogram (EOG). As a result, the Bell's phenomenon was observed in both groups. However, vertical movement of eye balls was significantly smaller in movement angle and the maximum angle in patient group? although no difference was observed in horizontal movement and distance of eye lid movement between both groups. There was a correlation between distance and velocity of eye lid movement in both groups, which implies that the duration of close eye movement was constant. In addition, duration from the beginning to the end of upward movement of eye ball was not different between two groups. Therefore, the difference of upward movement of eye balls could result from the difference of eye movement velocity. Author (NASDA)

N94-27521# Nagoya Univ. (Japan). Research Inst. of Environmental Medicine.

HYPERALGESIA TO COLD IN PATIENTS WITH SUBACUTE MYELO-OPTICO-NEUROPATHY (SMON) (SUMON KANJA NO HIFU TSUKAKU KABIN: SAMO TESUTO NI YORU KENTO) YOSHIKI SUGIYAMA, SATOSHI IWASE, TADAAKI MANO, YASUO KOIKE, KIMIYA SUGIMURA, and AKIRA TAKAHASHI In its Annals of the Research Inst. of Environmental Medicine, Nagoya Univ., Volume 44 p 292-294 25 Mar. 1993 In JAPANESE Avail: CASI HC A01/MF A04

In previous studies, it was demonstrated that hyperalgesia was manifested by ischemic block in the brachium. Blocking for 2 minutes causes spontaneous discharge of myelinated thick-fibers, resulting in tingling pain, and in case of blocking more than 10 minutes, dull pain hypersensitive to coldness occurred at the level of less than the threshold stimulus probably due to excitation of unmyelinated fibers, both of which are similar to the pain in a patient with Subacute Myelo-Optico-Neuropathy (SMON). The functional disorder of myelinated thick-fibers and afferent thin-fibers

in hyperalgesia observed in SMON were examined. The subjects were 17 patients with SMON, to whom caloric stimulus and vibration were given. As a result, hyperalgesia by vibration was observed in seven cases, and thermoparesthesia was eight cases in the hand and nine cases in the thigh. What is interesting was abnormal sensitivity to coldness was observed in 11 cases. The threshold of these stimuli was within the non-pain range, and the response has a property of secondary pain with sense of ardor. These results suggest that hyperalgesia in SMON may be mediated by unmyelinated fibers.

N94-27522# Nagoya Univ. (Japan). Research Inst. of Environmental Medicine.

CONTRIBUTION OF MUSCLE SPINDLE AFFERENT ACTIVITY TO TRANSIENT PAUSE IN EMG DURING VOLUNTARY TONIC CONTRACTION (JIZOKUSEI KIN SHUSHUKUCHU NI MIRARERU KIN HODEN NO KYUSHI NI KAKAWARU KIN BOSUI KYUSHINSEI HASSHA KATSUDO)

REIKO TSUKAHARA, HISASHI AOKI (Institute for Developmental Research, Kasugai, Japan.), KYONOSUKE YABE, and TADAAKI MANO In its Annals of the Research Inst. of Environmental Medicine, Nagoya Univ., Volume 44 p 295-298 25 Mar. 1993 In JAPANESE

Avail: CASI HC A01/MF A04

The purpose of this study is to examine how discharge of afferent fibers contributes to the pause emerging incidently in electromyogram (EMG) during voluntary tonic contraction. The subjects were five healthy adults, who lied in the prone position with isometric plantar flexion, and EMG and electroneurogram were recorded to identify afferent discharge of muscle spindle and Golgi tendon organ. As a result, the afferent discharge of muscle spindle was paused or grouped before muscle discharge paused. The muscle spindle afferent discharge was not relevant to restart of muscle discharge, at least through spinal reflex pathway. In addition, although discharge of muscle spindle tended to group before pauses of muscle discharge, the tendency disappeared after the pauses. The EMG of Golgi tendon organ revealed that discharge was decreased during muscle discharge pause as well as before restart of muscle discharge. This suggests that decrease of inhibitory stimulus from Golgi tendon organ may contribute to muscle discharge after the restart. Author (NASDA)

N94-27524# Nagoya Univ. (Japan). Research Inst. of Environmental Medicine. EFFECT OF PROSTAGLANDIN E1 ON THE RELATIONSHIP BETWEEN SKIN SYMPATHETIC NERVE ACTIVITY AND REDUCTION IN SKIN BLOOD FLOW [PUROSUTAGURANJIN E1 GA HIFU KOKAN SHINKEI KATSUDO TO HIFU KETSURYURYO TONO KANKEI NI ATAERU EIKYO] SATOSHI IWASE, YOSHIKI SUGIYAMA, TOSHIYOSHI MATSUKAWA, CHIHIRO MIWA, SHIGEO TAKEUCHI, and TADAAKI MANO In its Annals of the Research Inst. of Environmental Medicine, Nagoya Univ., Volume 44 p 304-308 25

Mar. 1993 In JAPANESE Avail: CASI HC A01/MF A04

It is known that skin sympathetic nerve activity causes vasoconstriction and decrease of skin blood flow. This study examined the effect of a peripheral vasodilator, Prostaglandin E1 (PGE1), on the skin sympathetic nerve activity. The subjects were five healthy male adults to whom skin sympathetic nerve activity burst was induced by several stimuli with or without PGE1, and the nerve activity and skin blood flow were recorded. It had been proved that there is a positive correlation between the intensity of the nerve activity and decrease of skin blood flow. In this study, it was demonstrated that PGE1 does not change the blood flow in resting condition, while it inhibites vasoconstriction in a dose-dependent manner under such stimuli as to cause burst activity in skin sympathetic nerve. These results suggest that it may be useful to test sympathetic nerve activity pharmacologically for examination of the vasoconstrictive action of drugs.

Author (NASDA)

N94-27525# Nagoya Univ. (Japan). Research Inst. of Environmental Medicine.

DIFFERENCE IN SKIN BLOOD FLOW REDUCTION
DEPENDING ON ACTIVATING MANEUVER OF SKIN
SYMPATHETIC NERVE ACTIVITY (KAKUSHU HIFU KOKAN
SHINKEI KATSUDO FUKATSUKAHO GA MASSHO HIFU
KETSURYURYO GENSHO NI OYOBOS EIKYO)

SATOSHI IWASE, YOSHIKI SUGIYAMA, TOSHIYOSHI MATSUKAWA, CHIHIRO MIWA, and TADAAKI MANO *in its* Annals of the Research Inst. of Environmental Medicine, Nagoya Univ., Volume 44 p 309-313 25 Mar. 1993 In JAPANESE

Avail: CASI HC A01/MF A04

It is known that activity burst can be induced in skin sympathetic nerve by various stimuli. This study examined the change of skin blood flow during occurrence of the activity burst to reveal the participation of activity burst in vasoconstrictive and sweating effect of sympathetic nerve. The subjects were four healthy male adults, to whom activity burst was induced by mental arithmetic, acoustic stimulus, electric stimulus, and sudden and deep inspiration, while skin nerve activity, skin blood flow, and sweating were measured. As a result, linear relation was observed between skin sympathetic nerve activity and reduction of blood flow, when activity burst was induced by mental arithmetic, acoustic stimulus, electric stimulus, or in resting condition. Under activity burst by deep breathing, reduction of blood flow was larger than other stimuli. The stimuli, such as acoustic or electric stimulus, can activate the sympathetic nerve system via the cerebral cortex, while inspiratory stimulus activates afferent vagus nerve directly through Hering-Breuer reflex. These results indicate that the decrease of skin blood flow was larger when the response was mediated by afferent vagus nerve via Hering-Breuer reflex than mediated through cerebral cortex. Therefore, the activation via afferent vagus nerve may stimulate vasoconstrictive activity more vividly during skin sympathetic nerve Author (NASDA) activity.

N94-27526# Nagoya Univ. (Japan). Research Inst. of Environmental Medicine.

EFFECT OF L-DOPA ON HEMODYNAMIC FUNCTIONS IN HUMANS (L-DOPA GA HITO NO JUNKAN DOTAL NI OYOBOSU EIKYO)

SHIGEO TAKEUCHI, YOSHIKI SUGIYAMA, SATOSHI IWASE, TADAAKI MANO, TOSHIYOSHI MATSUKAWA, and REIKO TSUKAHARA *In its* Annals of the Research Inst. of Environmental Medicine, Nagoya Univ., Volume 44 p 314-320 25 Mar. 1993 In JAPANESE

Avail: CASI HC A02/MF A04

L-dopa often causes orthostatic hypotension in patients with Parkinson's disease. This study examined the effect of L-dopa on human circulatory system to clarify the mechanism of this adverse reaction. The subjects were eight healthy adults, who lied in supine position on a tilting bed which was inclined 20, 40, and 60 degrees for head-up tilt before and after administration of L-dopa. To evaluate cardiovascular functions, the associated cardiovascular parameters and sympathetic nerve activity were measured. As a result, burst activity of muscle sympathetic nerve was increased significantly in every tilt by L-dopa administration, so that the effect of L-dopa may result from inhibition of sympathetic nerve activity at the peripheral level. This is supported by the fact that the increase of muscle sympathetic nerve activity was lowered by L-dopa as flow resistance in the leg was increased during tilting. Therefore, L-dopa may cause vasodilation or inhibit vasoconstriction at the peripheral level. Flow resistance was significantly decreased at 60 degrees tilt after L-dopa administration, probably because decrease of blood pressure by peripheral vasodilation surpasses central sympathetic nerve Author (NASDA)

N94-27527# Toyota Coll. of Technology (Japan). Dept. of Applied

SYMPATHETIC NERVE ACTIVITY DURING DYNAMIC LEG EXERCISE (DOTEKI KYAKU UNDOJI NO KOKAN SHINKEI KATSUDO)

MITSURU SAITO and TADAAKI MANO (Nagoya Univ., Japan.)

In Nagoya Univ., Annals of the Research Inst. of Environmental Medicine, Nagoya Univ., Volume 44 p 321-324 25 Mar. 1993 In JAPANESE

Avail: CASI HC A01/MF A04

It has been suggested that sympathetic nerve activity may be affected by the muscles that participate in the motive activity and by exercise patterns. The purpose of this study is to observe sympathetic nerve activity during dynamic leg exercise that increased oxygen consumption up to 70 percent of the maximum oxygen consumption. The subjects were five healthy male adults, 22 to 27 years old, who were loaded with an ergometer by four stages; i.e., Wanning-up stage (W-Up), load less than anaerobic metabolic threshold, load corresponding to anaerobic metabolic threshold, and load more than anaerobic metabolic threshold, and sympathetic nerve activity, heart rate, blood pressure, and electromyogram (EMG) of femur muscle surface were recorded. As a result, the heart rate, EMG, and blood pressure were all increased as the load increased. As an index of sympathetic nerve activity, discharge burst rate (BR) was determined by the number of peak bursts from the analysis of muscle sympathetic nerve activity, which indicated that BR was once decreased in W-Up, then increased linearly as the exercise load was increased. In other words, sympathetic nerve activity was increased in heavy exercise, although it was suppressed in light exercise.

Author (NASDA)

N94-27528# Nagoya Univ. (Japan). Research Inst. of Environmental Medicine.

ANALYSIS ON ONE MINUTE WAVE IN BODY FLUID VOLUME AND MUSCLE PUMPING REFERRED TO BODY PARTS GENERATING THE ONE MINUTE WAVE DURING HUMAN ACTIVE STANDING (HITO NO NODOTEKI SEISHI RITSUI NI OKERU TAIEKIRYO HENDO ICHI FUNHA NO HASSEI BUI OYOBI SONO ICHI FUNHA TO KIN PONPU SAYO TONO KANKEI)

KINSAKU INAMURA, TADAAKI MANO, and SATOSHI IWASE In its Annals of the Research Inst. of Environmental Medicine, Nagoya Univ., Volume 44 p 325-330 25 Mar. 1993 In JAPANESE Avail: CASI HC A02/MF A04

It is known that muscle pumping and sympathetic nerve response can regulate one-minute waves that are generated by automatic vasoconstriction in venous blood congestive sites in order to circulate congestive blood. The purpose of this study is to reveal the generating site and propagation of one-minute waves in active standing by measuring body fluid volume and surface electromyography in detail, and to reveal the relationship between muscle pumping and one-minute waves in body fluid volume. The subjects were 14 healthy adults, 18 to 20 years old, who maintained active standing for 40 minutes, and circumferences of each body parts, electromyograms, and foot pressure centers were measured. As a result, it was revealed that the one-minute waves in body fluid volume were generated not only in the lower thigh but also in the abdomen and upper thigh and propagated upwards. The one-minute waves were generated at one site each in the lower thigh, upper thigh, and upper body, and they were usually observed in the soleus muscle, central calf, upper thigh, and navel and stomach level of the abdomen. In addition, as soon as muscle constriction occurred, one-minute waves were observed on this site, and the wave was coupled with one-minute wave of foot pressure center resulting from body sway in active standing. This implies that the muscle pumping caused by body sway may circulate blood by one-minute waves in body fluid volume.

Author (NASDA)

N94-27529# Aichi Medical Univ., Nagakute (Japan). Dept. of

AN ATTEMPT OF INTRANEURAL STIMULATION BY
MICROELECTRODE INSERTED IN SKIN SYMPATHETIC
NERVE FASCICLE (BISHO DENKYOKU NI YORU HIFU KOKAN

SHINKEINAI SHIGEKI NO KOKOROMI]
JUNICHI SUGENOYA, SATOSHI IWASE (Nagoya Univ., Japan.),
YOSHIKI SUGIYAMA (Nagoya Univ., Japan.), and TADAAKI MANO
(Nagoya Univ., Japan.) In Nagoya Univ., Annals of the Research

Inst. of Environmental Medicine, Nagoya Univ., Volume 44 p 331-334 25 Mar. 1993 in JAPANESE Avail: CASI HC A01/MF A04

Recently, microelectrode techniques have enabled selective stimulation of a nerve by inserting a stimulating electrode into the target nerve fascicle percutaneously. In this study, a new technique was attempted using a microelectrode to stimulate skin sympathetic nerve selectively. The subjects were four healthy male adults, to whom a microelectrode was inserted into the tibial nerve percutaneously, and skin sympathetic nerve activity (SSNA) was recorded. Sweating and skin blood flow were also recorded in the soles which have effecters of the tibial nerve. Before insertion, the nerve was blocked by lidocaine at 5 cm proximal from the insertion site, and stimulated with various strengths of current, duration, and stimulating patterns. Although the nerve was not blocked completely, the latency of sweating response was shortened by 1.5 seconds when stimulated, which indicates that the electrode directly stimulated the sweat controlling nerve. This response was increased by repetitive stimuli. In addition, the more the current strength was, the more the sweating responses became. Even when the stimulus was so weak that sweating response did not occur, it tended to occur by repetitive stimuli with more frequent cycle. The latency tended to be shortened when large response occurred by strong stimulus. However, no change was observed in skin blood flow. Author (NASDA)

N94-27531# Nagoya Univ. (Japan). Research Inst. of Environmental Medicine.

MUSCLE SYMPATHETIC NERVE ACTIVITY IN PATIENTS
WITH HYPER-AND HYPOTHYROIDISM: A
MICRONEUROGRAPHIC STUDY [KOJOSEN KINO KOSHINSHO
OYOBI TEIKASHO KANJA NI OKERU KIN KOKAN SHINKEI
KATSUDO: MAIKURONYUROGURAFI O MOCHIITA KENKYU]
TOSHIYOSHI MATSUKAWA and TADAAKI MANO In its Annals
of the Research Inst. of Environmental Medicine, Nagoya Univ.,
Volume 44 p 340-342 25 Mar. 1993 In JAPANESE
Avail: CASI HC A01/MF A04

Clinical manifestations of hyper- and hypothyroidism are similar to those of hyper- and hypoactivity of sympathetic nerves. In order to clarify the relation between muscle sympathetic nerve activity (MSNA) and thyroid function, action potential of sympathetic nerve was measured directly using microneurography, and the data were compared with control and patients with hyper- and hypothyroidism. The subjects were eight healthy persons, six patients with hyperthyroidism, and six patients with hypothyroidism. Blood pressure, cardiac rate, and MSNA were measured and at the same time free triiodothyronine (F-T3), free thyroxine (F-T4), and thyroid-stimulating hormone (TSH) in venous blood were determined. As a result, it was revealed that sympathetic nerve was hyperactive in patients with hypothyroidism, while it was hypoactive in patients with hyperthroidism. In addition, there was a negative correlation between thyroid hormone concentration and MSNA, probably because thyrotropin releasing hormone (TRH) that can activate MSNA may be lowered in hyperthyroidism, and increased in hypothyroidism. Moreover, this negative relation may be relevant to beta-receptor which can be increased in number and affinity by thyroid hormone. Author (NASDA)

N94-27532# Aichi Medical Univ., Nagakute (Japan).
ENHANCEMENT OF SKIN SYMPATHETIC NERVE ACTIVITY IN
AMYOTROPHIC LATERAL SCLEROSIS [KIN ISHUKUSEI
SOKUSAKU KOKASHO NI OKERU HIFU KOKAN SHINKEI
KATSUDO NO KENTO]

KOJI YAMAMOTO, GEN SOBUE, SATOSHI IWASE (Nagoya Univ., Japan.), TETSUYA OKAMOTO (Nagoya Univ., Japan.), TADAAKI MANO (Nagoya Univ., Japan.), and TERUNORI MITSUMA In Nagoya Univ., Annals of the Research Inst. of Environmental Medicine, Nagoya Univ., Volume 44 p 343-347 25 Mar. 1993 In JAPANESE

Avail: CASI HC A01/MF A04

Amyotrophic lateral sclerosis (ALS) is a disease that degenerates motor neurons systematically. Several studies suggest that sympathetic nerve activity may be activated in ALS patients.

The purpose of this study is to examine the skin sympathetic nerve activity (SSNA) in ALS using microneurography. The subjects were five patients with ALS and 10 healthy adults, to whom a microelectrode was inserted into the efferent sympathetic nerve, tibial nerve, and SSNA was determined using burst activity as an index. Blood flow and sweating were measured in the sole, an effector of the efferent nerve, during rest and sympathetic nerve stimulation. As a result, SSNA was higher in patients with ALS than the control group in rest. However, under stimulation, SSNA was not changed in ALS patients, whereas it was activated in the control group. This implies that the sympathetic nerve was hyperactivated in ALS patients. There were individual differences in SSNA among ALS patients. Whether these differences may be associated with individual severity or stages of the disease cannot be determined because only a few subjects participated in this Author (NASDA)

N94-27533# Red Cross Hospital, Nagoya (Japan).
TREATMENT OF ORTHOSTATIC HYPOTENSION BY NASAL ADMINISTRATION OF VASOPRESSIN (BASOPURESHIN SEIZAI TENBI TOYO NI YORU KIRITSUSEI TEIKETSUATSU NO CHIRYO KOKA

SHIGETAKA HAKUSUI, YOSHIKI SUGIYAMA (Nagoya Univ., Japan.), SATOSHI IWASE (Nagoya Univ., Japan.), and TADAAKI MANO (Nagoya Univ., Japan.) In Nagoya Univ., Annals of the Research Inst. of Environmental Medicine, Nagoya Univ., Volume 44 p 348-350 25 Mar. 1993 In JAPANESE

Avail: CASI HC A01/MF A04

Orthostatic hypotension (OH) is an important symptom in patients with autonomic disorder; however, definitive treatment has not established yet. The purpose of this study is to examine the effect of two drugs, arginine vasopressin (AVP) and lysine vasopressin (LVP), on OH. The subject was a 41 year-old male patient with multisystemic atrophy presenting marked OH, to whom orthostatic load was applied by a tilting bed, and the blood pressure and heart rate were measured before and after the loading. The load was also applied after nasal administration of AVP and LVP. In resting, blood pressure was significantly increased by AVP and LVP. Under orthostatic load, the subject complained of the symptoms of OH at the incline of 70 degrees without AVP or LVP, whereas such symptoms did not appear after administration of AVP or LVP, and blood pressure was improved in each incline. Unpublished data revealed that AVP increased the blood pressure in patients with OH or post-prandial hypotension, although it did not affect the blood pressure of healthy subjects. These results suggest that patients with autonomic disorder may be supersensitive to vasopressin, which may be a reason for effectiveness of AVP on OH. Author (NASDA)

N94-27534# Tokyo Univ. (Japan). Inst. for Brain Research of Biochemistry

ACTIVATION BY G PROTEIN BETA GAMMA SUBUNITS OF G PROTEIN-COUPLED RECEPTOR KINASE (G TANPAKUSHITSU KYOEKI JUYOTAI KINAZE NO G TANPAKUSHITSU BETA GANMA SABUYUNITTO NI YORU KASSEIKA)

TATSUYA HAGA, KAZUKO HAGA, KIMIHIKO KAMEYAMA, and HIROKO NAKATA In Nagoya Univ., Annals of the Research Inst. of Environmental Medicine, Nagoya Univ., Volume 44 p 352-354 25 Mar. 1993 In JAPANESE Presented at the 13th Symposium on Environmental Medicine, Aichi, Japan, 11 Nov. 1992; sponsored by Research Inst. of Environmental Medicine Avail: CASI HC A01/MF A04

This study examined the regulation of G protein-coupled receptor kinase by G protein. Musucarinic acetylcholine receptor (mAChR) kinase purified from swine brains was proved to be able to regulate phosphorylation of muscarinic receptors by G protein; i.e., the mAChR kinase was activated by alpha, beta, and gamma subunits of G protein, and inhibited by beta and gamma subunits. The beta and gamma subunits also activated the phosphorylation of rhodopsin and beta-AR (adrenergic receptor), although it did not affect the activity of rhodopsin kinase. Comparing the beta and gamma subunits of G protein with beta and gamma subunits of transducin, the former activated mAChR, rhodopsin, and beta-AR

in low concentration, while the latter showed low activation in high concentration. These results suggest that beta and gamma subunits of G protein may activate phosphorylation in general. The experiment to express cDNA (complementary deoxyribonucleic acid) of beta-AR kinase support that mAChR kinase may be identical with beta-AR kinase. Comparing the amino acid sequence between beta-AR and rhodopsin kinase, beta-AR was longer in the C-terminal with which beta and gamma subunits may interact. Therefore, it can be concluded that mAChR kinase could be an effector of G protein, and be activated by beta and gamma subunits. It is also suggested that beta and gamma subunits may promote desensitization of such a receptor kinase via phosphorylation. Author (NASDA)

N94-27535# Shizuoka Saiseikai General Hospital (Japan). Dept.

of Circulation.

POSTNATAL CHANGES IN THE AUTONOMIC MODULATION OF L-TYPE CA(EXP 2+) CURRENTS OF RABBIT VENTRICULAR CELLS (JIRITSU SINKEI NI YORU SHINKIN CA(2+) DENRYU SHUSHOKU KIKO NO SEIGO HENKA)

TOSHIYUKI OSAKA and RONALD W. JOYNER (Emory Univ., Atlanta, GA.) In Nagoya Univ., Annals of the Research Inst. of Environmental Medicine, Nagoya Univ., Volume 44 p 355-361 25 Mar. 1993 In JAPANESE Presented at the 13th Symposium on Environmental Medicine, Aichi, Japan, 11 Nov. 1992; sponsored by Research Inst. of Environmental Medicine

Avail: CASI HC A02/MF A04

This article presents findings on postnatal development of autonomic modulation of L type Ca(2+) current, I(sub ca). Firstly, participation of beta-adrenergic receptor and muscarinic acetylcholine (mACh) receptor was examined in a single myocyte of adult rabbit (AD) and newborn rabbit (NB) using beta-agonist (isoproterenol (ISO)) and musucarinic agonist (carbacol (CCh)). As a result, ISO increased I(sub ca) to similar extent in AD and NB, while CCh inhibited the ISO effect more remarkably in NB than AD. Secondly, the effect of adenylate cyclase (AC) activator, forskolin (FOR), was examined in AD and NB, and it was revealed that FOR increased I(sub ca) to similar extent in AD and NB, and this increase was slightly inhibited by CCh in AD, while it was completely inhibited in NB. Thirdly, FOR effect was examined with presence of GTP (guamosine 5'-tripnosphate) analog, 5'-guanulylimido diphosphate (GppNHp). As a result, FOR effect on I(sub ca) was slightly decreased by GppNHp in AD, while it was largely decreased in NB. Finally, pertussis toxin (PTX) that blocks interaction of mACh receptor and GTP binding protein, Gi, was used to examine the effect of both Gi activator, CCh and GppNHp, and Gi inactivator, PTX, on either ISO or FOR, and it was demonstrated that the effect was more remarkable in NB than AD. These results suggest that in immature hearts, AC is inhibited by parasympathetic nerve system via a tonic effect of Gi even when musucarinic agonist does not exist. Author (NASDA)

N94-27536# Yamagata Univ. (Japan). Dept. of Pharmacology. MECHANISM FOR REGULATION OF MYOCARDIAL CONTRACTILITY BY AUTONOMIC DRUGS: PATHOPHYSIOLOGICAL RELEVANCE IN CONGESTIVE HEART FAILURE [JIRITSU SHINKEI SADO BUSSHITSU NI YORU SHINKIN SAIBO SHUSHUKU NO SEIGYO KIKO: SHINFUZEN NI OKERU BYOTAI SEIRIGAKUTEKI IGI)

MASAO ENDO In Nagoya Univ., Annals of the Research Inst. of Environmental Medicine, Nagoya Univ., Volume 44 p 362-366 25 Mar. 1993 In JAPANESE Presented at the 13th Symposium on Environmental Medicine, Aichi, Japan, 11 Nov. 1992; sponsored by Research Inst. of Environmental Medicine

Avail: CASI HC A01/MF A04

This article outlines second messengers that regulates cardiac myocyte function via alpha and beta receptors, and the pathophysiological relevance to congestive heart failure. In respect to beta receptors, the mechanism to regulate cardiac function and relevance to heart failure has been considerably understood. Beta receptors which consist of beta 1 receptor and beta 2 receptor couple with G protein, Gs, and activate catalytic subunits (CS). The CS promotes cardiac function via second messenger, cAMP

(adenosine 3', 5'-cyclic monophosphate). In patients with congestive heart failure, receptor down-regulation (R-DO) occurs by exposure to high level of catecholamine in blood, and lessen the number of beta-receptors on myocyte surfaces so that cardiac function is degraded. Beta receptor blockers can recover the number of beta receptors. In addition to R-DO, heart failure results from insufficient coupling with Gs, against which phospho diesterase-3 (PDE-3) inhibitor is used to increase intracellular cAMP. However, some reports recently presented data that such inhibitors increased mortality of severe heart failure patients. In respect to alpha receptors, the mechanism to regulate cardiac function seems so complicated that the relevance to congestive heart failure has not been understood well. It was revealed that cardiac alpha receptor may increase Ca(2+)(sub i) and sensitivity to Ca(2+) by prolongation of action potential due to decrease of transient outward current and activation of Na(+)/H(+) exchangers.

Author (NASDA)

N94-27538# Nagoya Univ. (Japan). Dept. of Autonomic and Behavioral Neurosciences.

MUSCLE SYMPATHETIC NERVE ACTIVITY IN HUMANS (KIN KOKAN SHINKEI KATSUDO)

TOSHIYOSHI MATSUKAWA In its Annals of the Research Inst. of Environmental Medicine, Nagoya Univ., Volume 44 p 370-372 25 Mar. 1993 In JAPANESE Presented at the 13th Symposium on Environmental Medicine, Aichi, Japan, 11 Nov. 1992 Avail: CASI HC A01/MF A04

This article describes regulation of muscle sympathetic nerve activity by endogenous reflex, especially on measuring method of reflex function, and its relevance to essential hypertension. The endogenous reflex includes arterial baroreceptor reflex, cardiopulmonary baroreceptor reflex, arterial chemoreceptor reflex, and skeletal muscle chemoreceptor reflex. These reflexes sense changes of blood pressure, CO2 or O2 partial pressure, or pH by baroreceptors or chemoreceptors, and regulate them by negative feedback via sympathetic nerve activity. These reflexes are modified in patients with essential hypertension. From measurements of muscle sympathetic nerve activity (MSNA), it was revealed that occurrence and development of essential hypertension may be relevant to activation of MSNA. In young boundary hypertension patients, the arterial baroreceptor reflex was decreased, while cardiopulmonary baroreceptor reflex was increased. These contradictory results imply that the two reflexes compensate each other. In addition, arterial chemoreceptor reflex was increased probably due to decrease of arterial baroreceptor reflex. Author (NASDA)

N94-27540# Tokyo Woman's Medical Coll. (Japan). Dept. of Internal Medicine.

AUTONOMIC NERVOUS SYSTEM AND CARDIOVASCULAR CONTROL: CLINICAL IMPLICATIONS OF THE 1/F FLUCTUATIONS OF HEART RATE [JIRITSU SHINKEI NI YORU SHINZO CHOSETSU]

KUNIAKI OTSUKA and HARUO WATANABE In Nagoya Univ., Annals of the Research Inst. of Environmental Medicine, Nagoya Univ., Volume 44 p 375-379 25 Mar. 1993 In JAPANESE Presented at the 13th Symposium on Environmental Medicine, Aichi, Japan, 11 Nov. 1992; sponsored by Research Inst. of Environmental Medicine

Avail: CASI HC A01/MF A04

The 1/I fluctuation is observed extensively in nature, from the rhythm of music or vibration of vehicles to magnetic field of the galactic system. This article presents findings concerning the 1/I fluctuation of autonomic nerve activity. To examine the relation between heart rate and 1/I fluctuation, electrocardiograms were recorded and analyzed in healthy volunteers. Natural fluctuation includes 1/I fluctuation, white fluctuation, and 1/I(exp 2) fluctuation, which can be identified by incline of linear regression line of power spectral density against frequency. As a result, circadian rhythm was observed in 1/I fluctuation of healthy subjects, and the 1/I fluctuation gradually shifted to white fluctuation when subjects got older or in patients with Parkinson's disease. The same tendency was also observed in a patient with severe pseudo aldosteronism,

in whom white fluctuation shifted to 1/f fluctuation as the patient recovered. These results support the notion that 1/f fluctuation may be a basic fluctuation of organisms.

Author (NASDA)

N94-27541# Osaka Univ. (Japan). Dept. of Internal Medicine. THE ROLE OF BETA-ADRENOCEPTOR STIMULATION IN THE PROGRESSION OF CHRONIC HEART FAILURE (SHINFUZEN NO SHINTEN NI OKERU KOKAN SHINKEI BETA JUYOTAI SHIGEKI NO IGI)

MASATSUGU HORI, HIDEYUKI SATO, HIROSHI SATO, and TAKENOBU KAMADA In Nagoya Univ., Annals of the Research Inst. of Environmental Medicine, Nagoya Univ., Volume 44 p 380-383 25 Mar. 1993 In JAPANESE Presented at the 13th Symposium on Environmental Medicine, Aichi, Japan, 11 Nov. 1992; sponsored by Research Inst. of Environmental Medicine Avail: CASI HC A01/MF A04

In heart failure, sympathetic nerve activity is activated in proportion to severity of the disease. This activation may be a compensatory mechanism in order to increase blood supply to muscles in motion by stimulating cardiac muscles. Norepinephrine released in sympathetic nerve activation stimulates beta-receptors to increase heart rate, stroke volume, and cardiac output, as well as alpha-receptor to increase blood pressure and blood supply. However, alpha-receptor stimulation also decreases renal blood flow, and beta-receptor stimulation activates renin, angiotensin, and aldosterone, which contradicts with cardiac alpha-receptor response in vasoconstriction. These excess sympathetic nerve activations may exacerbate heart failure by down-regulation of beta-receptor and destruction of microtubules. For these patients, beta blocker is chronically administered to protect cardiac muscles from excess catecholamine effects. In administration, it is important to start with a low dose and increase it little by little.

Author (NASDA)

N94-27556\*# National Aeronautics and Space Administration, Washington, DC.

SPACE RADIATION HEALTH RESEARCH, 1991-1992

M. H. JABLIN, comp., C. BROOKS, comp., G. FERRARO, comp., K. J. DICKSON, comp. (George Washington Univ., Washington, DC.), J. V. POWERS, comp. (George Washington Univ., Washington, DC.), J. WALLACE-ROBINSON, comp. (George Washington Univ., Washington, DC.), and B. ZAFREN, comp. (George Washington Univ., Washington, DC.) Washington Oct. 1993 149 p Prepared in cooperation with Lockheed Engineering and Sciences Co., Washington, DC

(NASA-TM-109721; NAS 1.15:109721) Avail: CASI HC A07/MF

A02

The present volume is a collection of 227 abstracts of radiation research sponsored by the NASA Space Radiation Health Program for the period 1991-1992. Each abstract has been categorized within one of three discipline areas: Physics, Biology and Risk Assessment. Topic areas within each discipline have been assigned as follows: Physics - Atomic Physics, Theory, Cosmic Ray and Astrophysics, Experimental, Environments and Environmental Models, Solar Activity and Prediction, Experiments, Radiation Transport and Shielding, Theory and Model Development, Experimental Studies, and Instrumentation. Biology - Biology, Molecular Biology, Cellular Radiation Biology, Transformation, Mutation, Lethality, Survival, DNA Damage and Repair, Tissue, Organs, and Organisms, In Vivo/In Vitro Systems, Carcinogenesis and Life Shortening, Cataractogenesis, Genetics/Developmental, Radioprotectants, Plants, and Other Effects. Risk Assessment Risk Assessment, Radiation Health and Epidemiology, Space Flight Radiation Health Physics, Inter- and Intraspecies Extrapolation and Radiation Limits and Standards. Section I contains refereed journals; Section II contains reports/meetings. Keywords and author indices are provided. A collection of abstracts spanning the period 1986-1990 was previously issued as NASA Technical Memorandum Author

N94-27744# Los Alamos National Lab., NM.
TEMPORAL STOCHASTICITY LEADS TO NONDETERMINISTIC
CHAOS IN A MODEL FOR BLOOD CELL PRODUCTION

(Contract W-7405-ENG-36)

(DE94-003943; LA-UR-93-4088; CONF-9309185-5) Avail: CASI HC A03/MF A01

All types of blood cells are formed by differentiation from a small population of pluripotent stem cells in the bone marrow. This population should maintain the balance between self-renewal and differentiation, even under severe perturbations, e.g. the massive cell death caused by chemotherapy or irradiation. The authors constructed a cellular-automata model for bone marrow dynamics, which retrieves its homeostatic capabilities even under periodic perturbations with constant or random amplitude. However, temporally stochastic perturbations result in a chaotic-like behavior. Several methods of analysis failed to distinguish between the time series in this case and a chaotic time series, although the chaotic-like behavior has no deterministic source.

N94-27942# Japanese Air Self-Defense Force, Tokyo. Aeromedical Lab.

THE REPORTS OF AEROMEDICAL LABORATORY, VOLUME 33, NUMBER 4 [KOKU IGAKU JIKKENTAI HOKOKU, DAI 33 KAN DAI 4 GO]

AKIO NAKAMURA, MIYAKO OKAUE, HIDEO TARUI, AKIHIKO ONOZAWA, SHOICHI TACHIBANA et al. 1 Dec. 1992 73 p In JAPANESE

(ISSN 0023-2858)

(JTN-94-80586) Avail: CASI HC A04/MF A01

The following topics were discussed: aircraft pilots, pilot training, flight training, flight control, aircraft control, attitude control, pilot performance, experience, flight simulators, roll, pitch, high acceleration, acceleration effect, gravitational effect, blood flow, blood circulation, blood flow rate, hemoglobin, near infrared spectroscopy, low atmospheric pressure, high altitude pressure, low oxygen pressure, consciousness, hypoxia, symptoms, and physiological effects.

Author (NASDA)

N94-27944# Japanese Air Self-Defense Force, Tokyo. Aeromedical Lab.

EVALUATION OF NEAR-INFRARED SPECTROPHOTOMETRIC METHOD FOR INDIVIDUAL TOLERANCE TO +GZ ACCELERATION [KIN SEKIGAI BUNKOHO NI YORU TAI JISEI HYOKA]

YOSHINORI MIYAMOTO, CHIEKO MIZUMOTO, KEN SHIMIZU, ASAO KOBAYASHI, AKIO NAKAMURA, and SHIGEYUKI YAGURA In its The Reports of Aeromedical Laboratory, Volume 33, Number 4 p 103-109 1 Dec. 1992 In JAPANESE Avail: CASI HC A02/MF A01

A technique for measurement of cerebral oxygen status was evaluated on volunteer subjects in the Aeromedical Laboratory centrifuge. Eight males were exposed to a 0.1 G sec(exp -1) onset rate profile until grayout. By using near infrared oxygenation monitor, this instrumentation is capable of measuring the concentrations in the brain of oxygenated Hemoglobin (HbO2), reduced Hemoglobin (Hb), oxidized cytochrome aa(sub 3)-reduced Cytochrome aa(sub 3) (CtO2) and total Hemoglobin (BV, HbO2+Hb). Results showed changes within the brain, as generally expected, during increased Gz with reductions in HbO2 and BV. Hb and CtO2 measurements were inconclusive. There were high correlations (R = -0.95 + /-0.02, n = 18) between the change of the cerebral HbO2 concentration and the +Gz value. This correlation may be used as a criterion of individual subject +Gz tolerance. Author (NASDA)

N94-27945# Japanese Air Self-Defense Force, Tokyo. Aeromedical Lab.

SYMPTOMS OF HYPOXIA AT SIMULATED ALTITUDE OF 25,000 FEET [KODO 25,000 FITO NI OKERU TEI SANSOSHO NO SHOJO NI TSUITE]

NOBUYUKI FUJITA, HIDEKI SONODA, MAKOTO KOMIZU, KIYOAKI FUJII, SHOICHI TACHIBANA, and AKIO NAKAMURA

In its The Reports of Aeromedical Laboratory, Volume 33, Number 4 p 111-138 1 Dec. 1992 In JAPANESE Avail: CASI HC A03/MF A01

The signs and symptoms experienced by the 500 trainees who took the chamber flight training in 1990 at Tachikawa were reviewed. The trainees were asked to answer the questionnaire of 14 items and evaluate their hypoxic conditions into five grades of seriousness by themselves after hypoxia experience (maximum duration of 5 minutes). These data were evaluated in terms of the duties and ages of the trainees. The time during the trainee was without his oxygen mask was recorded as 'Time of Useful Consciousness (T.U.C.).' Occurrence of hypoxic signs and symptoms showed similar tendency regardless of their duties or ages. Each individual experienced more than four symptoms out of 12 items. The most common symptom was burning sensation (or hot flashes) that was complained by 85.8 percent of all trainees. This symptom is considered to be one of the important alarming signs for hypoxia since it appears in early stage. Judgment impairment was observed in 79.4 percent and visual disturbance was complained by 58.9 percent. Both of these problems are critical for controlling the aircraft. Average TUC was 2 minutes and 53 seconds. TUC of inexperienced trainees was approximately 1 minute longer than that of experienced trainees. This proves the effectiveness of repeating chamber training.

Author (NASDA)

N94-28208\* National Aeronautics and Space Administration, Washington, DC.

AEROSPACE MEDICINE AND BIOLOGY: A CONTINUING BIBLIOGRAPHY WITH INDEXES (SUPPLEMENT 386)

Mar. 1994 56 p

(NASA-SP-7011(386); NAS 1.21:7011(386)) Avail: CASI HC A04 This bibliography lists 117 reports, articles and other documents introduced into the NASA Scientific and Technical Information System during Mar. 1994. Subject coverage includes: aerospace medicine and physiology, life support systems and man/system technology, protective clothing, exobiology and extraterrestrial life, planetary biology, and flight crew behavior and performance.

Derived from text

N94-28213\* National Aeronautics and Space Administration, Washington, DC.

AEROSPACE MEDICINE AND BIOLOGY: A CONTINUING BIBLIOGRAPHY WITH INDEXES (SUPPLEMENT 387) Apr. 1994 33 p

(NASA-SP-7011(387); NAS 1.21:7011(387)) Avail: CASI HC A03
This bibliography lists 60 reports, articles and other documents introduced into the NASA Scientific and Technical Information System during Apr. 1994. Subject coverage includes: aerospace medicine and physiology, life support systems and man/system technology, protective clothing, exobiology and extraterrestrial life, planetary biology, and flight crew behavior and performance.

Derived from text

N94-28219\* National Aeronautics and Space Administration, Washington, DC.

AEROSPACE MEDICINE AND BIOLOGY: A CUMULATIVE INDEX TO A CONTINUING BIBLIOGRAPHY (SUPPLEMENT 384)

Jan. 1994 245 p

(NASA-SP-7011(384); NAS 1.21:7011(384)) Avail: CASI HC A11

This publication is a cumulative index to the abstracts contained in Supplements 372 through 383 of Aerospace Medicine and Biology: A Continuing Bibliography. It includes seven indexes: subject, personal author, corporate source, foreign technology, contract number, report number, and accession number.

Author (revised)

N94-28361°# National Aeronautics and Space Administration. Lyndon B. Johnson Space Center, Houston, TX. WORKSHOP ON COUNTERING SPACE ADAPTATION WITH

EXERCISE: CURRENT ISSUES

BERNARD A. HARRIS, ed. and STEVEN F. SICONOLFI, ed. Feb.

1994 234 p Workshop held in Houston, TX, 1989 Sponsored by NASA, Washington (NASA-CP-3252; S-755; NAS 1.55:3252) Avail: CASI HC

(NASA-CP-3252; S-755; NAS 1.55:3252) Avail: CASI HC A11/MF A03

The proceedings represent an update to the problems associated with living and working in space and the possible impact exercise would have on helping reduce risk. The meeting provided a forum for discussions and debates on contemporary issues in exercise science and medicine as they relate to manned space flight with outside investigators. This meeting also afforded an opportunity to introduce the current status of the Exercise Countermeasures Project (ECP) science investigations and inflight hardware and software development. In addition, techniques for physiological monitoring and the development of various microgravity countermeasures were discussed.

# N94-28362\*# Ariel Dynamics. MUSCULAR ACTIVITY AND ITS RELATIONSHIP TO BIOMECHANICS AND HUMAN PERFORMANCE

GIDEON ARIEL In NASA. Johnson Space Center, Workshop on Countering Space Adaptation with Exercise: Current Issues p 1-97 Feb. 1994

Avail: CASI HC A05/MF A03

The purpose of this manuscript is to address the issue of muscular activity, human motion, fitness, and exercise. Human activity is reviewed from the historical perspective as well as from the basics of muscular contraction, nervous system controls, mechanics, and biomechanical considerations. In addition, attention has been given to some of the principles involved in developing muscular adaptations through strength development. Brief descriptions and findings from a few studies are included. These experiments were conducted in order to investigate muscular adaptation to various exercise regimens. Different theories of strength development were studied and correlated to daily human movements. All measurement tools used represent state of the art exercise equipment and movement analysis. The information presented here is only a small attempt to understand the effects of exercise and conditioning on Earth with the objective of leading to greater knowledge concerning human responses during spaceflight. What makes life from nonliving objects is movement which is generated and controlled by biochemical substances. In mammals, the controlled activators are skeletal muscles and this muscular action is an integral process composed of mechanical, chemical, and neurological processes resulting in voluntary and involuntary motions. The scope of this discussion is limited to voluntary motion. Derived from text

N94-28363\*# Massachusetts Univ., Amherst. Dept. of Exercise

### ECCENTRIC EXERCISE TESTING AND TRAINING

PRISCILLA M. CLARKSON In NASA. Johnson Space Center, Workshop on Countering Space Adaptation with Exercise: Current Issues p 99-110 Feb. 1994
Avail: CASI HC A03/MF A03

Some researchers and practitioners have touted the benefits of including eccentric exercise in strength training programs. However, others have challenged its use because they believe that eccentric actions are dangerous and lead to injuries. Much of the controversy may be based on a lack of understanding of the physiology of eccentric actions. This review will present data concerning eccentric exercise in strength training, the physiological characteristics of eccentric exercise, and the possible stimulus for strength development. Also a discussion of strength needs for extended exposure to microgravity will be presented. Not only is the use of eccentric exercise controversial, but the name itself is fraught with problems. The correct pronunciation is with a hard 'c' so that the word sounds like ekscentric. The confusion in pronunciation may have been prevented if the spelling that Asmussen used in 1953, excentric, had been adopted. Another problem concerns the expressions used to describe eccentric exercise. Commonly used expressions are negatives, eccentric contractions, lengthening contractions, resisted muscle lengthenings, muscle lengthening actions, and eccentric actions.

Some of these terms are cumbersome (i.e., resisted muscle lengthenings), one is slang (negatives), and another is an oxymoron (lengthening contractions). Only eccentric action is appropriate and adoption of this term has been recommended by Cavanagh. Despite the controversy that surrounds eccentric exercise, it is important to note that these types of actions play an integral role in normal daily activities. Eccentric actions are used during most forms of movement, for example, in walking when the foot touches the ground and the center of mass is decelerated and in lowering objects, such as placing a bag of groceries in the car.

Author (revised)

N94-28364\*# Texas Univ., Austin. Dept. of Kinesiology and Health.

EXERCISE DETRAINING: APPLICABILITY TO MICROGRAVITY EDWARD F. COYLE In NASA. Johnson Space Center, Workshop on Countering Space Adaptation with Exercise: Current Issues p 111-118 Feb. 1994

Avail: CASI HC A02/MF A03

Physical training exposes the various systems of the body to potent physiologic stimuli. These stimuli induce specific adaptations that enhance an individual's tolerance for the type of exercise encountered in training. The level of adaptation and the magnitude of improvement in exercise tolerance is proportional to the potency of the physical training stimuli. Likewise, our bodies are stimulated by gravity, which promotes adaptations of both the cardiovascular and skeletal muscles. Exposure to microgravity removes normal stimuli to these systems, and the body adapts to these reduced demands. In many respects the cessation of physical training in athletes and the transition from normal gravity to microgravity represent similar paradigms. Inherent to these situations is the concept of the reversibility of the adaptations induced by training or by exposure to normal gravity. The reversibility concept holds that when physical training is stopped (i.e., detraining) or reduced, or a person goes from normal gravity to microgravity, the bodily systems readjust in accordance with the diminished physiologic stimuli. The focus of this chapter is on the time course of loss of the adaptations to endurance training as well as on the possibility that certain adaptations persist, to some extent, when training is stopped. Because endurance exercise training generally improves cardiovascular function and promotes metabolic adaptations within the exercising skeletal musculature, the reversibility of these specific adaptations is considered. These observations have some applicability to the transition from normal to microgravity.

Author (revised)

N94-28365\*# Medical Coll. of Wisconsin, Milwaukee. Dept. of Anesthesiology and Physiology

Anesthesiology and Physiology.
AEROBIC FITNESS AND ORTHOSTATIC TOLERANCE:
EVIDENCE AGAINST AN ASSOCIATION

THOMAS J. EBERT In NASA. Johnson Space Center, Workshop on Countering Space Adaptation with Exercise: Current Issues p 121-128 Feb. 1994

Avail: CASI HC A02/MF A03

This presentation will focus on only one side of the debate as to whether high levels of aerobic fitness have a deleterious effect on tolerance to gravitational stress. This issue was raised in the early 1970's as a result of two research publications. The first work investigated the carotid sinus baroreflex of humans with an airtight chamber that surrounded the head and neck. The steady-state reflex changes in blood pressure that were recorded 3 minutes after application of the head and neck stimuli, were attenuated in an athletic group compared to a sedentary group of volunteers. A second report in the NASA literature indicated that five endurance-trained runners were less tolerant to LBNP than five nonrunners. These early research findings have stimulated a considerable amount of interest that has lead to a growing number of research efforts seeking an association between aerobic fitness and orthostatic tolerance in humans. I will briefly review some of the more pertinent published research information which suggests that there is no relationship between aerobic fitness and orthostatic tolerance in humans. Author (revised) N94-28366\*# Texas Coll. of Osteopathic Medicine, Fort Worth.

DOES TRAINING-INDUCED ORTHOSTATIC HYPOTENSION RESULT FROM REDUCED CAROTID BAROREFLEX RESPONSIVENESS?

JAMES A. PAWELCZYK and PETER B. RAVEN In NASA. Johnson Space Center, Workshop on Countering Space Adaptation with Exercise: Current Issues p 129-140 Feb. 1994
Avail: CASI HC A03/MF A03

As manned space travel has steadily increased in duration and sophistication, the answer to a simple, relevant question remains elusive. Does endurance exercise training - high intensity rhythmic activity, performed regularly for extended periods of time alter the disposition to, or severity of, postflight orthostatic hypotension? Research results continue to provide different views; however, data are difficult to compare because of the following factors that vary between investigations: the type of orthostatic stress imposed (+Gz, lower body negative pressure (LBNP), head-up tilt); pretest perturbations used (exercise, heat exposure, head-down tilting, bed rest, water immersion, hypohydration, pharmacologically-induced diuresis); the length of the training program used in longitudinal investigations (days versus weeks versus months); the criteria used to define fitness; and the criteria used to define orthostatic tolerance. Generally, research results indicate that individuals engaged in aerobic exercise activities for a period of years have been reported to have reduced orthostatic tolerance compared to untrained control subjects, while the results of shorter term longitudinal studies remain equivocal. Such conclusions suggest that chronic athletic training programs reduce orthostatic tolerance, whereas relatively brief (days to weeks) training programs do not affect orthostatic tolerance to any significant degree (increase or decrease). A primary objective was established to identify the alterations in blood pressure control that contribute to training-induced orthostatic hypotension (TIOH). Although any aspect of blood pressure regulation is suspect, current research has been focused on the baroreceptor system. Reductions in carotid baroreflex responsiveness have been documented in exercise-trained rabbits, reportedly due to an inhibitory influence from cardiac afferent, presumably vagal, nerve fibers that is abolished with intrapericardiac denervation. The purpose of this investigation was to attempt to determine if similar relationships existed in men with varied leve's of fitness, using maximal aerobic power, VO2 max, as the marker of fitness. Derived from text

N94-28367\*# Minnesota Univ., Minneapolis. Dept. of Physical Medicine and Rehabilitation.

CARDIAC OUTPUT AND CARDIAC CONTRACTILITY BY IMPEDANCE CARDIOGRAPHY DURING EXERCISE OF RUNNERS

W. G. KUBICEK and R. A. TRACY In NASA. Johnson Space Center, Workshop on Countering Space Adaptation with Exercise: Current Issues p 141-149 Feb. 1994 Avail: CASI HC A02/MF A03

Most of the solid state electronic engineering of the system now generally known as the Minnesota Impedance Cardiograph was performed with the support of a five-year contract, NAS9-4500, with the NASA Lyndon B. Johnson Space Center, Houston, Texas. This contract ran from 1965 to 1970. In addition to the engineering design and development of the hardware, the contract called for testing on both animals and human subjects. This project also provided funds to construct twenty impedance cardiographs and place them in selected research and clinical facilities for further evaluation. This, then, led to the First Symposium on Impedance Cardiography, held at the NASA Lyndon B. Johnson Space Center, Houston, Texas, 2-4 June 1969. Twenty-four excellent papers were presented.

N94-28368\*# Boston Univ., MA. School of Medicine.
WEIGHTLESSNESS AND THE HUMAN SKELETON: A NEW
PERSPECTIVE

MICHAEL F. HOLICK In NASA. Johnson Space Center, Workshop on Countering Space Adaptation with Exercise: Current Issues p

153-168 Feb. 1994 Avail: CASI HC A03/MF A03

It is now clear after more than two decades of space exploration that one of the major short- and long-term effects of microgravity on the human body is the loss of bone. The purpose of this presentation will be to review the data regarding the impact of microgravity and bed rest on calcium and bone metabolism. The author takes the position in this Socratic debate that the effect of microgravity on bone metabolism can be either reversed or mitigated. As we begins to contemplate long-duration space flight and habitation of Space Station Freedom and the moon, one of the issues that needs to be addressed is whether humans need to maintain a skeleton that has been adapted for the one-g force on earth. Clearly, in the foreseeable future, a healthy and structurally sound skeleton will be required for astronauts to shuttle back and forth from earth to the moon, space station, and Mars. Based on most available data from bed-rest studies and the shortand long-duration microgravity experiences by astronauts and cosmonauts, bone loss is a fact of life in this environment. With the rapid advances in understanding of bone physiology it is now possible to contemplate measures that can prevent or mitigate microgravity-induced bone loss. Will the new therapeutic approaches for enhancing bone mineralization be useful for preventing significant bone loss during long-term space flight? Are there other approaches such as exercise and electrical stimulation that can be used to mitigate the impact of microgravity on the skeleton? A recent study that evaluated the effect of microgravity on bone modeling in developing chick embryos may perhaps provide a new perspective about the impact of microgravity on Derived from text bone metabolism.

N94-28369\*# Ford (Henry) Hospital, Detroit, Ml. Bone and Mineral Research Lab.

IRREVERSIBILITY OF ADVANCED OSTEOPOROSIS: LIMITED ROLE FOR PHARMACOLOGIC INTERVENTION

A. M. PARFITT In NASA. Johnson Space Center, Workshop on Countering Space Adaptation with Exercise: Current Issues p 169-174 Feb. 1994

Avail: CASI HC A02/MF A03

Osteoporosis is of medical interest only because it increases bone fragility and risk of fracture, and except for relief of symptoms, preventing fracture is the only purpose of intervention. To prevent the first fracture, adequate bone density must be accumulated and conserved, but to prevent subsequent fracture, bone density must be augmented so that the supportive function of the skeleton can be restored. Almost 50 years after the recognition of post menopausal osteoporosis as a clinical entity, not one of the many treatments that have been used has been demonstrated to be efficacious in reducing subsequent fracture risk. My purpose is not to recite this chronicle of disappointment, but to account for it in terms of bone biology, to consider some possible exceptions, and to reiterate the importance of preventing damage to the skeleton rather than belatedly attempting its repair.

Author

N94-28370\*# California Univ., San Francisco. Dept. of Radiology.

EXERCISE AND OSTEOPOROSIS: METHODOLOGICAL AND PRACTICAL CONSIDERATIONS

JON E. BLOCK, ANNE L. FRIEDLANDER, PETER STEIGER, and HARRY K. GENANT In NASA. Johnson Space Center, Workshop on Countering Space Adaptation with Exercise: Current Issues p 175-180 Feb. 1994

Avail: CASI HC A02/MF A03

Physical activity may have important implications for enhancing bone density prior to the initiation of space flight, for preserving bone density during zero gravity, and for rehabilitating the skeleton upon return to Earth. Nevertheless, the beneficial effects of exercise upon the skeleton have not been proven by controlled trials and no consensus exists regarding the type, duration, and intensity of exercise necessary to make significant alterations to the skeleton. The following sections review our current understanding of exercise and osteoporosis, examine some of the methodological

shortcomings of these investigations, and make research recommendations for future clinical trials. Author

N94-28371\*# Massachusetts Univ., Amherst. Dept. of Exercise Science

**ELECTRICAL STIMULATION IN EXERCISE TRAINING** 

WALTER KROLL In NASA. Johnson Space Center, Workshop on Countering Space Adaptation with Exercise: Current Issues p 183-186 Feb. 1994

Avail: CASI HC A02/MF A03

Electrical stimulation has a long history of use in medicine dating back to 46 A.D. when the Roman physician Largus found the electrical discharge of torpedo fishes useful in the treatment of pain produced by headache and gout. A rival Greek physician, Dioscorides, discounted the value of the torpedo fish for headache relief but did recommend its use in the treatment of hemorrhoids. In 1745, the Levden jar and various sized electrostatic generators were used to treat angina pectoris, epilepsy, hemiplegia, kidney stones, and sciatica. Benjamin Franklin used an electrical device to treat successfully a young woman suffering from convulsive fits. In the late 1800's battery powered hydroelectric baths were used to treat chronic inflammation of the uterus while electrified athletic supporters were advertised for the treatment of male problems. Fortunately, such an amusing early history of the simple beginnings of electrical stimulation did not prevent eventual development of a variety of useful therapeutic and rehabilitative applications of electrical stimulation. Over the centuries electrical stimulation has survived as a modality in the treatment of various medical disorders with its primary application being in the rehabilitation area. Recently, a surge of new interest in electrical stimulation has been kindled by the work of a Russian sport scientist who reported remarkable muscle strength and endurance improvements in elite athletes. Yakov Kots reported his research on electric stimulation and strength improvements in 1977 at a Canadian-Soviet Exchange Symposium held at Concordia University in Montreal. Since then an explosion of new studies has been seen in both sport science and in medicine. Based upon the reported works of Kots and the present surge of new investigations, one could be misled as to the origin of electrical stimulation as a technique to increase muscle strength. As a matter of fact, electric stimulation has been used as a technique to improve muscle strength for over a century. Bigelow reported in 1894, for example, the use of electrical stimulation on a young man for the purpose of increasing muscle strength. Employing a rapidly alternating sinusoidal induced current and a dynamometer for strength testing, Bigelow reported that the total lifting capacity of a patient increased from 4328 pounds to 4639 pounds after only 25 minutes of stimulation. In 1965, Massey et al. reported on the use of an Isotron electrical stimulator that emitted a high frequency current. Interestingly enough, the frequencies used by Massey et al. and the frequencies used by Bigelow in 1894 were in the same range of frequencies reported by Kots as being the most effective in strength development. It would seem the Russian secret of high frequency electrical stimulation for strength development, then, is not a modern development at all. Author

Kentucky Univ., Lexington. Dept. of Physical N94-28372"# Therapy

THE VALUE OF ELECTRICAL STIMULATION AS AN **EXERCISE TRAINING MODALITY** 

DEAN P. CURRIER, J. MICHAEL RAY, JOHN NYLAND, and TIM NOTEBOOM In NASA. Johnson Space Center, Workshop on Countering Space Adaptation with Exercise: Current Issues p 187-191 Feb. 1994

Avail: CASI HC A01/MF A03

Voluntary exercise is the traditional way of improving performance of the human body in both the healthy and unhealthy states. Physiological responses to voluntary exercise are well documented. It benefits the functions of bone, joints, connective tissue, and muscle. In recent years, research has shown that neuromuscular electrical stimulation (NMES) simulates voluntary exercise in many ways. Generically, NMES can perform three major functions: suppression of pain, improve healing of soft tissues,

and produce muscle contractions. Low frequency NMES may gate or disrupt the sensory input to the central nervous system which results in masking or control of pain. At the same time NMES may contribute to the activation of endorphins, serotonin, vasoactive intestinal polypeptides, and ACTH which control pain and may even cause improved athletic performances. Soft tissue conditions such as wounds and inflammations have responded very favorably to NMES. NMES of various amplitudes can induce muscle contractions ranging from weak to intense levels. NMES seems to have made its greatest gains in rehabilitation where directed muscle contractions may improve joint ranges of motion correct joint contractures that result from shortening muscles; control abnormal movements through facilitating recruitment or excitation into the alpha motoneuron in orthopedically, neurologically, or healthy subjects with intense sensory, kinesthetic, and proprioceptive information; provide a conservative approach to management of spasticity in neurological patients; by stimulation of the antagonist muscle to a spastic muscle stimulation of the agonist muscle, and sensory habituation; serve as an orthotic substitute to conventional bracing used with stroke patients in lieu of dorsiflexor muscles in preventing step page gait and for shoulder muscles to maintain glenohumeral alignment to prevent subluxation; and of course NMES is used in maintaining or improving the performance or torque producing capability of muscle. NMES in exercise training is our major concern. Author (revised)

N94-28373\*# California Univ., Los Angeles. Human Biomechanics Lab.

THE USE OF BIOMECHANICS IN THE STUDY OF MOVEMENT IN MICROGRAVITY

R. J. GREGOR, J. P. BROKER, and M. M. RYAN In NASA. Johnson Space Center, Workshop on Countering Space Adaptation with Exercise: Current Issues p 195-201 Feb. 1994

Avail: CASI HC A02/MF A03 As biomechanists interested in the adaptability of the human body to microgravity conditions, it appears that our job is not only to make sure that the astronauts can function adequately in space

but also that they can function upon their return to Earth. This is especially significant since many of the projects now being designed at NASA concern themselves with humans performing for up to 3 years in microgravity. While the Extended Duration Orbiter flights may last 30 to 60 days, future flights to Mars using current propulsion technology may last from 2 to 3 years. It is for this range of time that the adaptation process must be studied. Specifically, biomechanists interested in space travel realize that human performance capabilities will change as a result of exposure to microgravity. The role of the biomechanist then is to first understand the nature of the changes realized by the body. These changes include adaptation by the musculoskeletal system, the nervous system, cardiorespiratory system, and the cardiovascular system. As biomechanists, it is also our role to take part in the development of countermeasure programs that involve some form of regular exercise. Exercise countermeasure programs should include a variety of modalities with full knowledge of the loads imposed on the body by these modalities. Any exercise programs that are to be conducted by the astronauts during space travel must consider the fact that the musculoskeletal and neuromuscular systems degrade as a function of flight duration. Additionally, it must be understood that the central nervous system modifies its output in the control of the human body during space flight and most importantly, we must prepare the astronauts for their return to one a. Author (revised)

N94-28374\*# North Carolina Univ., Chapel Hill. Exercise Physiology Lab.
PSYCHOPHYSIOLOGY IN MICROGRAVITY AND THE ROLE OF

EXERCISE

J. M. SHAW and A. C. HACKNEY In NASA, Johnson Space Center, Workshop on Countering Space Adaptation with Exercise: Current Issues p 205-213 Feb. 1994 Avail: CASI HC A02/MF A03

The Space Transportation-Shuttle (STS) Program has greatly expanded our capabilities in space by allowing for missions to be

flown more frequently, less expensively, and to encompass a greater range of goals than ever before. However, the scope of the United State's role and involvement in space is currently at the edge of a new and exciting era. The National Aeronautics and Space Administration (NASA) has plans for placing an orbiting space station (Space Station Freedom) into operation before the year 2000. Space Station Freedom promises to redefine the extent of our involvement in space even further than the STS program. Space Station crewmembers will be expected to spend extended periods of time (approximately 30 to 180 days) in space exposed to an extremely diverse and adverse environment (e.g., the major adversity being the chronic microgravity condition). Consequently, the detrimental effects of exposure to the microgravity environment is of primary importance to the biomedical community responsible for the health and well-being of the crewmembers. Space flight and microgravity exposure present a unique set of stressors for the crewmember; weightlessness, danger, isolation/confinement, irregular work-rest cycles, separation from family/friends, and mission/ground crew interrelationships. A great deal is beginning to be known about the physiological changes associated with microgravity exposure, however, limited objective psychological findings exist. Examination of this latter area will become of critical concern as NASA prepares to place crewmembers on the longer space missions that will be required on Space Station Freedom. Psychological factors, such as interpersonal relations will become increasingly important issues, especially as crews become more heterogeneous in the way of experience, professional background, and assigned duties. In an attempt to minimize the detrimental physiological effects of prolonged space flight and microgravity exposure, the United States and Russian space agencies have taken steps to implement various countermeasure programs. One of the principle countermeasures used by both nations is exercise during space flight. The purpose is to present a brief overview of the major research findings examining the psychophysiological changes associated with microgravity exposure, and to address the potential role of exercise as a countermeasure in affecting these psychophysiological changes. Author (revised)

N94-28392# Research Inst. of National Defence, Stockholm (Sweden). Huvudadelning foer Maensklig Prestation och Funktion.

VISIT TO CERMA: CENTRE D'ETUDES ET DE RECHERCHES DE MEDECINE AEROSPATIALE, CENTRE FOR STUDIES AND RESEARCH IN AVIATION AND SPACE MEDICINE, BRETIGNY SUR ORGE, FRANCE, NOVEMBER 16-18, 1992 (BESOEK VID CERMA-CENTRE D'ETUDES ET DE RECHERCHES DE MEDECINE AEROSPATIALE, CENTRUM FOER STUDIER OCH FORSKNING I FLYG- OCH RYMDMEDICIN, BREGTIGNY SUR ORGE, FRANKRIKE, 1992-11-16-18)

G. DEREFELDT and B. SCHANTZ Nov. 1993 38 p In SWEDISH

(PB94-132990; FOA-A-50019-5.5) Avail: CASI HC A03/MF A01 A visit to CERMA is reported. The purpose of the journey was to visit the division for space and aviation ergonomics at CERMA to discuss cooperation between FOA and CERMA within the agreements now being established between FOA and DRET concerning co-operation within defense research. DRET is the organization for defense research in France and is the equivalent to FOA in Sweden. There are four research themes: (1) effects of variations in gravitation (acceleration, space) on the cardiovascular and musculoskeletal systems; (2) man-machine interfaces (MMI) in complex systems; (3) perturbations in vigilance; and (4) nutrition. At the division for space and aviation ergonomics, research is carried out on the following themes: (1) vision, (2) man-machine dialog, and (3) applied neurophysiology. The main result of the journey was a proposal to co-operate in visual information retrieval, color perception, and colorcoding. NTIS

N94-28421# Robert Gordon's Inst. of Tech., Aberdeen (Scotland).

MEDICAL SUPPORT FOR BRITISH OPERATIONS IN THE

ANTARCTIC
S. R. K. COLESHAW and J. N. NORMAN In AGARD, The

Support of Air Operations under Extreme Hot and Cold Weather Conditions 5 p Oct. 1993

Copyright Avail: CASI HC A01/MF A03

This paper presents an overview of the work undertaken and support given to members of the British Antarctic Survey, discussing some of the environmental hazards to which the personnel are exposed.

Derived from text

N94-28423# Royal ... Force, Farnburough (England). Inst. of Aviation Medicine.

PREDICTION OF \$ 100 AVAL TIMES ON LAND IN A COLD CLIMATE

G. MAIDMENT In AGARD, The Support of Air Operations under Extreme Hot and Cold Weather Conditions 12 p Oct. 1993
Cepyright Avail: CASI HC A03/MF A03

Eight subjects were exposed to three different combinations of air temperature and wind speed for two hours in a climatic chamber. Changes in core temperature, surface temperatures and heat flux, and metabolic rate were recorded during the exposure. The results obtained were compared with the predictions derived from a sophisticated computer model of human thermoregulation and heat exchange. Conclusions about the factors responsible for the rate of body cooling in air and the causes of the wide range of variability observed are discussed. The problems of predicting survival times on land for a diverse population are considered, and possible solutions are suggested.

Author (revised)

N94-28425# Survival Systems Ltd., Dartmouth (Nova Scotia). EFFECT OF SEASICKNESS ON AIRCREW STUDENT SURVIVOR ABILITY AFTER DITCHING IN COLD WATER

SURVIVOR ABILITY AFTER DITCHING IN COLD WATER
ALBERT BOHEMIER In AGARD, The Support of Air Operations under Extreme Hot and Cold Weather Conditions 7 p Oct. 1993

Copyright Avail: CASI HC A02/MF A03

It is suggested that immediate, effective biochemical seasickness treatment for ditched aircrew does not exist, in addition to the fact that the severity of the problem in cold water survival is not currently documented, and therefore not sufficiently recognized.

Author (revised)

N94-28426# Defence and Civil Inst. of Environmental Medicine, North York (Ontario). Environmental Physiology Section.
FUELLING SHIVERING IN HUMANS DURING COLD WATER IMMERSION

I. JACOBS In AGARD, The Support of Air Operations under Extreme Hot and Cold Weather Conditions 3 p Oct. 1993 Copyright Avail: CASI HC A01/MF A03

Military cold survival research has traditionally concentrated on ways of conserving body heat. In contrast, this paper will describe recent investigations of metabolic heat production during cold exposure. In humans, increased heat production in the cold is achieved by increased shivering, i.e. involuntary intermittent skeletal muscle contractions, which must be fuelled. This research has focused on the thermoregulatory effects of manipulating the availability of specific fuel substrates to the shivering musculature. Using procedures such as muscle biopsies to quantify intramuscular substrate utilization, venous blood sampling to quantify circulating substrates, and continuous monitoring of metabolic rates and rectal temperatures during cold exposure, the importance of skeletal muscle carbohydrates stores has been demonstrated for the ability to maintain heat production and delay the onset of hypothermia during cold water immersions. Acute reductions in muscle carbohydrate stores were associated with significant reductions in heat production by the body during shivering, and a more rapid decrease in rectal temperature. In contrast, another series of studies induced acute reductions in circulating fat stores, but there was no effect on body temperature regulation. The availability of sufficient carbohydrate stores to the shivering musculature seems to be critical for the body's ability to delay hypothermia during acute cold stress. Author (revised)

N94-28427# Defence and Civil Inst. of Environmental Medicine, North York (Ontario). Environmental Physiology Section. BIOCHEMICAL ENHANCEMENT OF COLD TOLERANCE

A. L. VALLERAND In AGARD, The Support of Air Operations under Extreme Hot and Cold Weather Conditions 8 p

Copyright Avail: CASI HC A02/MF A03

It is well established that humans have a poor resistance to cold. Once the insulation provided by the microclimate and by peripheral vasoconstriction has been maximized, the last line of defense against the colu resides in an increase in metabolic heat production (M-dot). Several techniques have been used to further enhance M-dot in the cold, but it is a pharmacological approach that has received the most support. To that effect, recent experiments in cold-exposed subjects have shown that the ingestion of ephedrine (E: a decongestant) and caffeine (C; a methylxanthine) improves M-dot, heat debt (body heat deficit), and the drop in body core (rectal) temperature T(sub re), (P less than 0.05). The ingestion of an E, C, and theophylline (T; a bronchodilator) capsule produced about the same beneficial effect (P less than 0.05). Although some authors have reported that T alone reduces the drop in T(sub re) (i.e. warmer T(sub re)), these improvements require further clarification since M-dot and mean skin temperature T(sub sk)-bar practically did not change. A theobromine-based (another xanthine) Recreation and Sports bar (Cold Buster) is purported to reduce the drop in T(sub re) and thus delay the onset of hypothermia. However, such claims could not be confirmed in two different studies performed in our lab. Despite an increase in M-dot in some studies, C alone did not alter T(sub re) in the cold. It is concluded that ephedrine/xanthine mixtures represent at the moment, one of the best and safe pharmacological agents to enhance heat production and cold

N94-28428# Manitoba Univ., Winnipeg. Lab. for Exercise and Environmental Medicine.

TREATMENT OF MILD IMMERSION HYPOTHERMIA BY BODY-TO-BODY AND FORCED-AIR WARMING

GORDON G. GIESBRECHT, IGOR B. MEKJAVIC (Simon Fraser Univ., Burnaby, British Columbia.), DANIEL I. SESSLER (California Univ., San Francisco.), MARC SCHROEDER (California Univ., San Francisco.), and GERALD K. BRISTOW In AGARD, The Support of Air Operations under Extreme Hot and Cold Weather Conditions 2 p Oct. 1993

Copyright Avail: CASI HC A01/MF A03

The purpose of these studies was to test two methods (one traditional, one recent) for treating mild immersion hypothermia.

Derived from text

N94-28429# Army Research Inst. of Environmental Medicine, Natick, MA. Military Health Div.

NUTRITION AND HYDRATION STATUS OF AIRCREW MEMBERS CONSUMING AN IMPROVED SURVIVAL RATION DURING A SIMULATED SURVIVAL SCENARIO

TANYA E. JONES, SUSAN H. MUTTER, JUDY M. AYLWARD, and ELDON W. ASKEW In AGARD, The Support of Air Operations under Extreme Hot and Cold Weather Conditions 14 p Prepared in cooperation with Army Natick Research and **Development Command** 

Copyright Avail: CASI HC A03/MF A03

Adequate nutrition and hydration can be crucial to the survival of downed aircrews. To determine the nutritional adequacy and palatability of an improved, all-purpose, all-environment survival packet (GP-I) compared to the old survival packet (GP), a field test was conducted using combat survival school students. During a five day survival exercise, 41 aircrew members ate the GP-I and 57 ate the GP. Nutrition/hydration status were assessed from food/fluid intake records as well as changes in body weight. Water turnover was measured in a subset of subjects (n=30) using deuterium oxide. Pre- and post-test hemoglobin, hematocrit, plasma osmolality, urine specific gravity (SG) and ketones were also measured. Acceptability of the two rations was evaluated. Subjects eating the GP-I consumed more calories; GP-I 774 + /- 436 versus GP 642 +/- 408 kcal/d. Carbohydrate and protein consumption were similar but the GP-I group ate significantly more fat, 35 +/-21 versus 24 +/- 18 g/d. Mean fluid intake was similar for both groups (GP-I 4.3 +/- 1.7, GP 4.4 +/- 1.9 L/d). Sodium intakes were 1.1 g/d. Weight decreased significantly for the GP-I and GP groups (2.9 +/- 1.4, 3.4 +/- 1.7 kg, respectively); changes were similar between groups. Water turnover data indicated subjects maintained adequate hydration as did hemoglobin, hematocrit, and plasma osmolality. Mean post-test urine SG was 1.024 +/- 0.007 and moderate amounts of ketones were detected in urine. Both rations received favorable ratings, but the greater variety of the GP-I ration resulted in higher acceptability ratings. Either ration is adequate; however, the GP-I is more desirable and palatable than

N94-28434# Institute for Perception RVO-TNO. Soesterberg (Netherlands)

DETERIORATION OF MANUAL PERFORMANCE IN COLD AND WINDY CLIMATES

H. A. M. DAANEN In AGARD, The Support of Air Operations under Extreme Hot and Cold Weather Conditions 10 p 1993

Copyright Avail: CASI HC A02/MF A03

Manual performance during work in cold and windy climates is severely hampered by decreased dexterity. In this study, the quantitative performance decrease is investigated as a function of climatic factors. The decrease in finger and hand dexterity and grip force was quantified for nine combinations of ambient temperature (-20, -10, and 0 C) and wind speeds (0.2, 4, and 8 ms(exp -1)), controlled in a climatic chamber. Finger dexterity was determined by the Purdue pegboard test, hand dexterity by the Minnesota manual dexterity test, and grip force by a hand dynamometer. Twelve subjects with average to low fat percentage were exposed to cold air for one hour with and without extra insulation by a parka. The subjects were clothed in standard work clothing of the Royal Netherlands Air Force for cold conditions. Extra insulation did affect cold sensation but not manual performance. The deterioration (in percent) in performance is strongly dependent upon Wind Chill Equivalent Temperature (C), and exposure time (min). In a computer program, the performance decreases and freezing risk is indicated for variable climatic conditions. Derived from text

N94-28438# Royal Danish Navy, Gentofte. Health Services. THERMOREGULATION IN THE EXTREME COLD ENVIRONMENT

LEIF VANGGAARD In AGARD, The Support of Air Operations under Extreme Hot and Cold Weather Conditions 5 p

Copyright Avail: CASI HC A01/MF A03

Thermoregulation is normally viewed as the physiological responses aimed towards keeping the deep body temperature constant and high. For this work, this viewpoint is changed, and the human thermoregulation is viewed as those physiological mechanisms that keep the body at an optimal functional state. Here, the extremities and their thermal state is of the highest importance. In the extremities, the arteriovenous anastomoses (AVA's) determine the local temperatures, and by their action also define the thermoregulatory state of the body. The AVA's are centrally regulated, they determine the heat exchange with the environment, and they are the main determinants of the average skin temperature. By following their reactions, man's thermoregulatory state can be ascertained. In the treatment of hyperthermia and hypothermia, these functions are highly relevant. The role of the AVA's place them as a specific thermoregulatory organ responsible for the maintenance of optimal extremity temperatures. Derived from text

N94-28440# Institute of Aviation Medicine, Fuerstenfeldbruck (Germany)

AEROPATHOLOGICAL DIAGNOSIS OF LETHAL HYPOTHERMIA

M. KRAEMER In AGARD, The Support of Air Operations under Extreme Hot and Cold Weather Conditions 6 p Oct. 1993

Copyright Avail: CASI HC A02/MF A03

The decrease of central body temperature by warmth withdrawal leads in most cases to pathological changes of signal devices as the energy metabolism. The central body temperature may be lowered to 26 to 26 C without irreversible disturbances of life functions occurring. Not earlier as below 26 C rectal temperature life sustaining becomes critical. With continued exposure to cold and missing therapy, hypothermia passes several phases. Below 26 C rectal temperature in a phase of paralysis death occurs with cardiac disturbances like cardiac oscillation and disorders of atrio-ventricular conduction. Findings on the corpses of persons dying by cold exposure are discussed. Findings of a crew member dying after ejection and immersion in cold water are demonstrated and weighted by means of differential diagnosis.

Author (revised)

N94-28441# Naval Health Research Center, San Diego, CA. REWARMING METHODOLOGIES IN THE FIELD

R. S. POZOS, R. L. HESSLINK, J. READING, P. KINCAID, and S. FEITH In AGARD, The Support of Air Operations under Extreme Hot and Cold Weather Conditions 8 p Oct. 1993

Copyright Avail: CASI HC A02/MF A03

Hypothermia may occur with prolonged exposure to cold air or water. Recovery from hypothermia involves removing the individual from the cold environment and utilizing a rewarming strategy. Three major rewarming strategies include the following: passive rewarming, active external heating, and active internal heating. Controversy continues regarding the best rewarming procedure for use in the field. Author (revised)

N94-28442# Royal Naval Hospital, Haslar (England). Dept. of

Accident and Emergency Medicine.

A COMPARISON OF FOUR METHODS OF REWARMING INDIVIDUALS COOLED BY IMMERSION IN COLD WATER

C. J. CAHILL, P. J. BALMI (Surrey Univ., Guildford, England.), and M. J. TIPTON (Institute of Naval Medicine, Alverstoke, England.) In AGARD, The Support of Air Operations under Extreme Hot and Cold Weather Conditions 8 p Oct. 1993

Copyright Avail: CASI HC A02/MF A03

It has been suggested that hypothermia individuals could be actively rewarmed in the field by immersion of only the extremities (hands and feet) in hot water. If successful this technique would have enormous potential in the pre-hospital and hospital care of the victims of accidental hypothermia. The theory is that local heat to the extremities results in opening of the arteriovenous anastomoses with return of warmed blood directly to the core, via the superficial veins bypassing the intervening cold peripheral tissues. A comparison of four techniques for rewarming subjects with lowered core temperatures has been undertaken. The techniques examined were: immersion to the neck in water at 40 C; immersion of one hand in water at 40 C; immersion of two hands plus forearms in water at 42 C; and passive rewarming. During rewarming, core and skin temperatures, heart rate, blood pressure, oxygen consumption, and peripheral blood flow were measured at frequent intervals. No significant difference, in the ability to raise the core temperature, was found among the techniques. It is concluded that hand rewarming, although theoretically attractive, does not work in practice and may even be detrimental in some circumstances, by suppressing intrinsic heat production. Author (revised)

N94-28448# Naval Aerospace Medical Research Lab., Pensacola,

FL. Environmental Physiology Div.
EFFECTS OF THREE HYDRATION BEVERAGES ON **EXERCISE PERFORMANCE DURING 60 HOURS OF** SIMULATED DESERT EXPOSURE

L. G. MEYER, D. J. HORRIGAN, JR., H. M. NEISLER, and W. G. LOTZ In AGARD, The Support of Air Operations under Extreme Hot and Cold Weather Conditions 10 p Oct. 1993 Copyright Avail: CASI HC A02/MF A03

Without adequate hydration, profound heat stress and

dehydration can occur in military forces operating in hot environments. The purpose was to evaluate the effectiveness of three beverages on temperature regulation, cardiovascular response, and work performance during prolonged heat exposure. Nine male subjects, attired in standard military combat uniforms, lived in a climatic chamber for 3 days (60 h) in simulated desert conditions varying from 25 to 45 C, 20 percent relative humidity. Three submaximal treadmill exercise bouts (40 min at 4.8 km/h, 0 percent grade) were performed at 4-h intervals each day. Subjects randomly consumed three beverages: a water placebo of water, citric acid, and aspartame (WP); a 5 percent carbohydrate drink containing water, citric acid, sucrose, fructose, and electrolytes (CE); and a 4 percent carbohydrate drink containing water, citric acid, sucrose, glucose, electrolytes, pyruvate, and 1 percent glyceroi (CEG). Subjects drank only one of the three beverages ad libitum during the 60 h but were encouraged to drink every 15 min during exercise. Each subject tested all three beverages in a double blind, repeated-measures experimental design. Sweat rato (SR), core (rectal) temperature (Tre), average skin temperature (Tsk), heart rate (HR), oxygen consumption (VO2), and subjective ratings of perceived exertion (RPE) were recorded during exercise. Body temperatures and metabolic parameters remained within expected physiologic limits during 60 h of simulated desert conditions. During exercise, RPE and HR were similar for all beverages, but VO2, Tre, Tsk, and SR differed among beverages. During the 3rd exercise session on all days, VO2 was higher for CE than CEG and WP; CEG tests had the lowest VO2 on the 2nd and 3rd days. Rectal temperature was lower with CE and CEG than with WP on the 2nd and 3rd exercise periods of each day. Skin temperatures were different during the second exercise period on all three days. Exercise sessions with CEG produced the highest SR. It was concluded that carbohydrate-electrolyte beverages, preferably with a small amount of glycerol, may provide beneficial physiological responses during exercise in hot-dry conditions during the first 24 h of exposure. However, water alone appears to provide adequate hydration for working in desert conditions over extended periods of time. Author (revised)

N94-28449# Defence and Civil Inst. of Environmental Medicine. North York (Ontario).

ALLEVIATION OF THERMAL STRAIN IN THE CF: KEEPING OUR COOL DURING THE GULF CONFLICT

J. FRIM, L. L. BOSSI, K. C. GLASS, and M. J. BALLANTYNE In AGARD, The Support of Air Operations under Extreme Hot and Cold Weather Conditions 10 p Oct. 1993

Copyright Avail: CASI HC A02/MF A03

Thermal stress can be a serious problem for military personnel. This is largely because the measures employed to reduce such stress under normal working conditions are impractical under operational circumstances. For example, the specialized clothing worn by soldiers cannot generally be removed to reduce insulation and facilitate cooling. Similarly, operations are often conducted in hostile environments where ambient conditions, even inside vehicles, cannot be altered substantially. While reductions in work rate are feasible during peacetime, they have little place in combat as they compromise objectives and may still not be adequate to reduce thermal strain to acceptable levels. When operationally feasible, the provision of personal cooling can assist the body with heat dissipation and thermoregulation, often to the point that work can be continued at a near-normal rate with only slight to moderate thermal strain. An overview of personal cooling technology studies conducted at DCIEM within the last decade is presented. It outlines the problems of thermal stress in operations and its effects on performance, examines various solutions to the problem, and summarizes the R&D efforts that culminated in the integration of personal cooling into the CH124 Sea King helicopters during Op Friction. This was to our knowledge the world's first use of air crew personal cooling garments during combat and it enabled the Canadian Forces (CF) to conduct their Sea King helicopter operations without being time-limited due to thermal physiological strain. Author

N94-28450# Laboratoire de Medecine Aerospatiale, Bretigny-sur-Orge (France). Centre d'Essais en Vol. EXPERIMENTAL EVALUATION OF TWO SYSTEMS OF INDIVIDUAL AIR-CONDITIONING (EVALUATION EXPERIMENTALE DE DEUX SYSTEMES DE CLIMATISATION INDIVIDUELLE)

D. LEJEUNE, J. M. CLERE, M. BEAUMONT, and M. LONCLE In AGARD, The Support of Air Operations under Extreme Hot and Cold Weather Conditions 8 p Oct. 1993 In FRENCH

Copyright Avail: CASI HC A02/MF A03

The thermal stress in military aeronautics can involve a drop in physical and psychomotor performances; in particular the tolerance for accelerations is decreased. The use of a system of individual air-conditioning is likely to decrease the storage of heat and to thus allow the prolongation of missions. Two techniques are possible: a circulation of cooled fluid in contact with the body or a ventilation of cooled air inside the suit. Two systems were tested, one using a cooled water circulation, the other a circulation of air saturated with 20 C water vapor. The fluid, air, or water circulating in contact with the body is cooled using thermoelectric modules. The tests carried out on voluntary human subjects, in a hot environment going from 40 to 50 C, made it possible to highlight a clear improvement in thermal comfort. Each system has advantages and disadvantages. They must undergo technological improvements in order to allow their use on board combat aircraft.

N94-28495# Japan Society of Aerospace and Environmental Medicine, Tokyo.

JAPANESE JOURNAL OF AEROSPACE AND ENVIRONMENTAL MEDICINE, VOL. 30, NO. 3 (UCHU KOKU KANKYO IGAKU DAI 30 KAN DAI 3 GO]

MAKOTO MASUDA, MASAMITSU OSHIMA, KENICHI TAKAGI, SAKAE YOKOBORI, MITSUO SASAKI, ICHIRO ASUKATA, SACHIO IKAWA, YUKIKO KAKIMOTO, HIROSHI KANSAKU, TADAAKI MANO et al. Sep. 1993 45 p in JAPANESE (ISSN 0387-0723)

(JTN-94-80606) Avail: CASI HC A03/MF A01

The following topics were discussed: hypobaric hypoxia. electrolyte metabolism, endocrine responses, physical exercise effects, low oxygen, high altitude environments, heat rate, urination, Antidiuretic Hormone (ADH), Adrenocorticotropic Hormone (ACTH), Aldosterone (Aldo), Plasma Renin Activity (PRA), Atrial Natriuretic Peptide (ANP), space foods, space flight, feeding, eating, taste, astronauts, aerospace environment, microgravity, Head Down Tilt (HDT), gravitational effects, physiological effects, psychological effects, stress, and nutritional requirements.

Author (NASDA)

N94-28496# Tsukuba Univ., Ibaraki (Japan). Lab. of Exercise

STUDIES ON WATER ELECTROLYTE METABOLISM AND ENDOCRINE RESPONSES AT REST AND DURING SUBMAXIMAL EXERCISE AT 6,000 M SIMULATED ALTITUDE 6,000 M SOTO KOTO NI OKERU ANSEI OYOBI SAIDAIKA UNDOJI NO MIZU/DENKAISHITSU TAISHA TO NAIBUNPI OTO

ISAO SUGANUMA, KOH MIZUNO, YASUHITO KUMAZAKI (Tokyo Metropolitan Health Promotion Foundation, Japan.), and KATSUMI In Japan Society of Aerospace and Environmental Medicine, Japanese Journal of Aerospace and Environmental Medicine, Vol. 30, No. 3 p 109-116 Sep. 1993 In JAPANESE See also A94-12178

Avail: CASI HC A02/MF A01

Five healthy male climbers were investigated in a hypobaric simulator to elucidate the effect of hypobaric exposure on water-electrolyte metabolism and endocrine responses at rest and during exercise. After urination, the subjects drank water and rested for 30 minutes. Then blood and urine were taken and the simulator was decompressed to a simulated altitude of 6,000 m. They drank water again on arrival to 6,000 m, and blood and urine were taken after 30 minutes rest, and they conducted pedaling exercise. Heart Rate (HR) was monitored every 5 minutes during the exercise. After exercise, blood and urine were collected. Control experiment was done on another day by the same protocol at sea level. HR during exercise was about 120 beats/min at the simulated altitude, while the value at sea level was about 90 beats/min. A significant increase in blood cortisol and increasing tendencies in blood adrenocorticotropic hormone, aldosterone, etc. were observed after exercise at the simulated altitude, while blood atrial natriuretic peptide and urine volume did not show remarkable change. Because the subjects had experienced climbing above 6,000 m, it seemed that the endocrine responses of stress, sodium retention and antidiuresis were relatively mild. Urine and endocrine responses after exercise at 6,000 m became highly variant among the subjects. Endocrine responses of stress, sodium retention and antidiuresis after exercise at 6,000 m would be suggested to correlate with vulnerability to acute motion sickness during actual Author (NASDA) mountaineering.

N94-28497# Tsukuba Univ., Ibaraki (Japan). Lab. of Exercise Physiology.

EFFECTS OF TRAINING AT SIMULATED ALTITUDE OF 6,000 M ON ENDOCRINE RESPONSES AT REST AND DURING EXERCISE AT THE SAME ALTITUDE (6,000 M SOTO KOSHO JUNNO TORENINGU NO TOKOSHO NI OKERU ANSEI OYOBI UNDOJI NAIBUNPITSU OTO NI OYOBOSU EIKYO)

KOH MIZUNO, ISAO SUGANUMA, YASUHITO KUMAZAKI (Tokyo Metropolitan Health Promotion Foundation, Japan.), and KATSUMI in Japan Society of Aerospace and Environmental Medicine, Japanese Journal of Aerospace and Environmental Medicine, Vol. 30, No. 3 p 117-125 1 Sep. 1993 In JAPANESE See also A94-12179

Avail: CASI HC A02/MF A01

A study was conducted to elucidate the effect of intermittent hypobaric training on response of endocrine at rest and during exercise under hypobaric hypoxia at a simulated altitude of 6,000 m. Two male subjects; elite climber aged 35 years who had arrived over 7,000 m altitude (Testee 1), and beginner climber aged 27 years who had climbed only in comparatively low altitude mountains (Testee 2), trained in the hypobaric simulator for 8 times during 3.5 months. Simulated altitude, temperature, and relative humidity in the simulator were 6,000 m (354 Torr), 20 C, and 60 percent respectively. Training intensity was 30 minutes pedaling exercise under normoxia. At the first, fifth, and last training session, blood samples were taken before and after exercise at the 6,000 m simulated altitude. Heart Rate (HR) during exercise was monitored at all training sessions. Testee 2 showed remarkable increase of blood Adrenocorticotropic Hormone (ACTH), Antidiuresis Hormone (ADH), aldosterone, and Plasma Resin Activity (PRA) after exercise at the first training session, which tended to decrease as training progressed. Testee 1 showed almost no change of these hormones after exercise during all training sessions. Testee 2 showed about 20 to 30 beats/min decrease of HR during exercise with training progress. It might be concluded that intermittent hypobaric training cause the attenuation of stress and antidiuretic responses during exercise under hypobaric hypoxia for beginner climber and that elite climber should acquire attenuated responses of those hormones as a result of experience of severe hypoxia during actual mountaineering. Author (NASDA)

N94-28756# Naval Aerospace Medical Research Lab., Pensacola,

NAVAL AVIATION VISION STANDARDS RESEARCH AT THE NAVAL AEROSPACE MEDICAL RESEARCH LABORATORY: THE LONG VIEW Special Report

LEONARD A. TEMME Apr. 1993 20 p

(AD-A275885; NAMRL-SR-93-2) Avail: CASI HC A03/MF A01 The Naval Aerospace Medical Research Laboratory (NAMRL) has been pursuing a research program to develop easily administered tests of vision skills that are valid, practical tools for the selection of personnel likely to be successful in the naval aviation arena. From 1980 to 1985, NAMRL maintained a data collection effort measuring the vision of U.S. Navy fighter pilots assigned to the air-to-air combat training range (NAS Oceana, VA). Both operational performance and vision test data were collected from the pilots. This report presents (1) the underlying theoretical orientation that guided that research effort, (2) a summary of the research results to date, and (3) the ideas guiding the design of the research strategy projected for the future. For convenience, abstracts of the principle publications describing this work are assembled in the appendix.

N94-28757# Army Aeromedical Research Lab., Fort Rucker,

AVIATION EPIDEMIOLOGY DATA REGISTER: AGE DISTRIBUTION OF U.S. ARMY AVIATORS STRATIFIED BY GENDER AND COMPONENT OF SERVICE Final Report

KEVIN T. MASON and S. G. SHANNON Jan. 1994 26 p. (Contract DA PROJ. 3M1-62787-A-879)

(AD-A275901; USAARL-94-4) Avail: CASI HC A03/MF A01 The U.S. Army Aviation Epidemiology Data Register (AEDR) contains information on the history and physical parameters of Army aircrew members. As a reference for AEDR users and customers, the age distribution of Army aviators was extracted. The data were tabulated by age, gender, and component of service for calendar years 1986 through 1992. AEDR researchers can use the tables to calculate annual incidence rates, annual period prevalence rates, and other rates based on aviator-years of occupational exposure stratified by age, gender, and/or component. Aeromedical resource, policy and standards managers can use the tables for planning and funding aviator health care programs.

N94-28797# Navy Personnel Research and Development Center,

MARKOV CHAINS FOR RANDOM URINALYSIS 3: DAILY MODEL AND DRUG KINETICS Final Report, Oct. 1992 - Sep.

THEODORE J. THOMPSON and JAMES P. BOYLE Jan. 1994 20 p

(AD-A275540; NPRDC-TN-94-12) Avail: CASI HC A03/MF A01 This is the third in a series of reports on the use of Markov chains for the analysis of random urinalysis programs. A Markov model for random drug urinalysis testing that allows for daily variations in testing probabilities was developed. The formulation allows for any fixed length cycle (e.g., week, month). Drug kinetics and drug user gaming are incorporated into the Markov model via conditional probabilities. The Markov chain provides estimates of the distribution of time to detection and mean time to detection. The analyses have shown that time to detection varies dramatically with varying (observed) daily testing rates. Unequal daily testing rates provide opportunities for gaming drug users to extend the mean time to detection. Gaming is not possible with equal

N94-28810# Air Force Inst. of Tech., Wright-Patterson AFB,

DIGITAL TRACKING AND CONTROL OF RETINAL IMAGES M.S. Thesis

probabilities of testing across days.

STEVEN F. BARRETT 1993 17 p (AD-A275469; AFIT/CI/CIA-93-28D) Avail: CASI HC A03/MF A01

Laser induced retinal lesions are used to treat a variety of eye diseases such as diabetic retinopathy and retinal tears or breaks. Both the location and size of the retinal lesions are critical for effective treatment and minimal complications. Currently, once an irradiation is begun, no attempt is made to alter the laser beam location on the retina. However, adjustments are desirable to correct for patient eye movements. Lesions form in much less than one second and typical treatment for a disease such as diabetic retinopathy requires as many as 2000 lesions per eye. This type of tedious task is ideally suited for computer implementation. A system has been developed to track a specific lesion coordinate on the retinal surface and provide corrective signals to maintain laser position on the coordinate. Six distinct retinal landmarks are tracked on a high contrast retinal image using two-dimensional blood vessel templates. Use of therapeutic lesions as tracking algorithm landmarks is also investigated. An x

and y laser correction signal is derived from the landmark tracking information and provided to a pair of galvanometer steered mirrors to maintain the laser on a prescribed location. Once the laser position has been corrected, a function checks the terminal laser position for minor corrections. A development speed tracking algorithm has been implemented and tested using both vessel and lesion templates. Closed loop feedback control of laser position is demonstrated with calibrated retinal velocities and in vivo testing of the development system. Trade-off analysis of parameters affecting tracking system performance is used to specify requirements and implementation details for a real time system.

#### 53

### **BEHAVIORAL SCIENCES**

Includes psychological factors; individual and group behavior; crew training and evaluation; and psychiatric research.

N94-26346# Naval Aerospace Medical Research Lab., Pensacola,

A COMPARISON OF TWO HARDWARE IMPLEMENTATIONS OF A CREW SELECTION SYSTEM Special Report T. NONTASAK and K. T. HELTON Oct. 1993 16 p

(AD-A274913; NAMRL-SR-93-3) Avail: CASI HC A03/MF A01

A number of disadvantages existed within the Apple IIe version of the Landing Craft Air Cushion vehicle Crew Selection System (LCSS). These disadvantages included slow processing speed, memory constraints, and cumbersome test administration. The system was also less conducive to future test development. The LCSS was upgraded to an IBM PC compatible Zenith 248 system. A comparison of 48 single and composite subtest scores between like measures of the two systems yielded significant positive correlations (p less than .0001). The majority of the correlations ranged from .60 to .89. A small percentage of the associations were less robust. Overall, however, the Apple IIe and Zenith 248 versions of the LCSS proved to be comparable testing systems.

N94-26430# Naval Health Research Center, San Diego, CA PERFORMANCE ASSESSMENT IN SUSTAINED OPERATIONS USING A COMPUTER-BASED SYNTHETIC WORK TASK

TIMOTHY F. ELSMORE, PAUL NAITOH, and STEVEN LINNVILLE 1993 32 p (Contract DA PROJ. M00-96; DA PROJ. MM3-P-30) (AD-A274707; NHRC-92-30) Avail: CASI HC A03/MF A01

Prediction of the effects of stressors on military performance from laboratory tests frequently involves use of procedures simulating critical functional aspects of military jobs. This paper presents a computerized 'Synthetic Work' test, SYNWORKI, as a prototypical alternative to traditional Performance Assessment Batteries. This test simulates complex operational environments by requiring subjects to work on four simultaneous tasks, and assigns explicit consequences for work on each component task. As illustrations of the utility of this technique, data are presented from three applications of SYNWORK1, a laboratory study of sleep deprivation, a test of extended exposure to a simulated sonar 'ping', and the use of the same task during army operations in Operation Desert Storm.

N94-26600# Federal Aviation Administration, Oklahoma City, OK. Civil Aeromedical inst.

VALIDATION OF THE FEDERAL AVIATION ADMINISTRATION AIR TRAFFIC CONTROL SPECIALIST PRE-TRAINING SCREEN

DANA BROACH and JAN BRECHT-CLARK (Federal Aviation Administration, Washington, DC.) Feb. 1994 15 p (DOT/FAA/AM-94/4) Avail: CASI HC A03/MF A01

Two formal validation studies of the Air Traffic Control Specialist

Pre-Training Screen (ATCS/PTS), a 5-day computer-administered test battery, are described. The ATCS/PTS was designed to replace the 9-week U.S. Federal Aviation Administration (FAA) Academy ATCS Nonradar Screen program that served as the second major test in the ATCS selection system. Review of ATCS job analyses suggested that predictor tests should assess cognitive constructs such as spatial reasoning and short-term memory, and require dynamic, concurrent performance. A proposed test battery was developed, consisting of 2 computer-administered information processing tests and a simplified radar-based air traffic control work sample. In study 1, predictive, criterion-related validation (N = 438) found that the proposed test battery explained additional variability in scores earned in the 9-week FAA Academy program, after taking into account student aptitude. In study 2, criterion-related validation (N = 297) demonstrated that the proposed test battery was as valid as the 9-week FAA Academy ATCS Nonradar Screen for predicting progress in field training. Preliminary data from a third study conducted after validation of the ATCS/PTS seem to suggest that the abilities assessed by the new computerized tests reflect the abilities required on the job. However, implementation of the ATCS/PTS for actual employment decision-making in June 1992 was based on results obtained in the second concurrent, criterion-related validation study. The U.S. controller selection system since June 1992 consisted of the 4-hour written ATCS aptitude test battery followed by, for those applicants earning a qualifying score and dependent upon agency manpower requirements, second-level screening on the ATCS/PTS. Additional research requirements as part of an aviation program are described. Author (revised)

N94-26683# Medical Research Council, Cambridge (England).

Applied Psychology Unit.
THE CENTRAL EXECUTIVE COMPONENT OF WORKING

MEMORY Final Report, 1 Sep. 1990 - 31 Aug. 1993 A. BADDELEY, J. DUNCAN, and H. EMSLIE 31 47 p

(Contract AF-AFOSR-0343-90)

(AD-A274295; AFOSR-93-0896TR) Avail: CASI HC A03/MF A01 distinction between voluntary/controlled stimulus-driven/automatic behavior has been separately applied to the effects of frontal lobe lesions, individual differences in general intelligence or Spearman's g, and interference between dissimilar, concurrent tasks. We suggest that these three problems are indeed closely linked, all concerning a process of selection between alternative goals or abstract requirements on behavior, especially under conditions of novelty and /or weak environmental cues to action. Among our findings are: (1) Executive deficits following frontal lesions are specifically associated with losses in fluid intelligence; (2) Conventional frontal tests have little in common besides g. (3) Across a wide range of spatial and verbal tasks, dual task interference is closely related to both g correlations and frontal lobe involvement. This may only be true, however, when the secondary task is random sequence generation, designed to avoid stereotype. (4) Frontal patients and people from the lower part of the g distribution share a tendency to goal neglect, or disregard of a task requirement even though that requirement has been understood. Neglect is confined to novel behavior, eliminated by verbal prompts, and sensitive to the number of concurrent goals. (5) In speeded stimulus classification, switching classification rules produces high g correlations. Correlations rapidly decrease, however, with practice on a fixed rule. The results begin to clarify the role of executive control in the organization of behavior.

Army Command and General Staff Coll., Fort N94-26749# Leavenworth, KS.

FEMALE COMBAT HELICOPTER PILOT SELECTION CRITERIA M.S. Theels

WENDY R. MULLINS 4 Jun. 1993 112 p (AD-A273935) Avail: CASI HC A06/MF A02

This study investigates selection criteris for selecting female aviators for training in combat helicopters (AH-64, AH-1, OH-58D, and RAH-86). Selection for such training would occur as either a part of the multitrack program of instruction used in the current Initial Entry Rotary Wing flight training course, or as transition training for already qualified aviators. Analysis included a review of: current Army regulations governing prerequisites for combat helicopter training and combat helicopter maintenance test pilot training; Initial Entry Rotary Wing selection criteria for combat helicopter tracks (AH-1 and OH-58); Aviation Branch personnel manager interviews; combat helicopter manprint/anthropometric restrictions; standards of medical fitness; anthropometric standards; and previous reports on female performance in Initial Entry Rotary Wing training. Conclusion supports selecting females for combat helicopter training using the same selection criteria currently used for choosing males for such training. Study recommends additional research in aircraft accommodation measurements, social-psychological aspects, and physical body strength requirements.

N94-26873 Groningen Rijksuniv. (Netherlands). Dept. of Computing Science

INTERACTING CORTICAL FILTERS FOR OBJECT RECOGNITION

19 p N. PETKOV and T. LOURENS 1994 See also PB94-125366 Sponsored by Nederlandse Organisatie voor Wetenschappelijk Onderzoek, The Hague Limited Reproducibility: More than 20% of this document may be affected by microfiche quality

(PB94-125374; CS-9303) Avail: Issuing Activity (National

Technical Information Service (NTIS))

It is shown how cortical filters can be used for image analysis and object recognition. Similarly to previous work in this area, we compute functional inner products of a two-dimensional input signal (image) with a set of two-dimensional Gabor functions which fit the receptive fields of simple cells in the primary visual cortex of mammals. We propose a method in which these inner products become the subject of thresholding, orientation competition and lateral inhibition. Each of the resulting cortical images contains only edge lines of a particular orientation and a particular light-to-dark transition direction. In this way, the information which is present in the original image is split in different channels and we show how this splitting can be used for object recognition. Each cortical image is reduced to a single number so that a set of cortical images that emanate from the same input image is reduced to a set of descriptors of the input image which are robust for translations of an object in the visual field. Multi-scale resolution and dynamic programming are used to compensate for size variations, rotations and non-topologic form differences. The method discriminates between simple geometrical figures, e.g. polygons with different numbers of edges, with reliability of 100% and a recognition rate of 99% has been achieved when the method was applied to a large database of face images.

Arizona State Univ., Tempe. Dept. of Industrial Management Systems Engineering.
BENEFITS ESTIMATION FOR SIMULATION SYSTEMS USED

FOR AIRCREW TRAINING IN A MULTISHIP ENVIRONMENT Final Report, Jul. - Oct. 1992

WILLIAM C. MOOR and DEE H. ANDREWS Nov. 1993 44 p. (AD-A274313; AL/HR-TR-1993-0158) Avail: CASI HC A03/MF A01

A general model for the benefit evaluation of multiship training simulation systems is presented. The benefit measures derived are oriented toward allowing benefit-cost evaluations of proposed alternative simulation systems. The model is based on empirical data drawn from evaluation studies of simulators as well as analytical approaches. The focus of the approach using this model is selecting the most appropriate and economic simulators for use at the operational level. The model does not attempt to compare, or justify the comparison of, the training value of a specific simulator versus a specific aircraft. The model allows for full sensitivity analysis and variation of all important parameters. A set of LOTUS 1-2-3 spreadsheets are presented which facilitate the use of the model. The model is demonstrated by means of an application which is based on actual data. DTIC N94-27001# Groningen Rijksuniv. (Netherlands). Dept. of Computing Science

**ORIENTATION COMPETITION IN CORTICAL FILTERS** 

N. PETKOV, T. LOURENS, and P. KRUIZINGA 15 p See also PB94-125374

(PB94-125366; CS-9302) Avail: CASI HC A03/MF A01

This work presents explorations in the microstructure of natural vision systems based on large scale computer simulations. Similarly to previous work in this area, we compute the functional inner products of a two-dimensional input signal (image) with a set of two-dimensional Gabor functions which have been shown to fit the receptive fields of simple cells in the primary visual cortex of mammals. These inner products are then considered as net inputs to the cortical cells and used to compute the cell activations as non-linear functions. A previously used model is extended with a pixel-wise winner-takes-all competition between different Gabor filters which is introduced in order to increase the orientation sensitivity of computed cortical cell responses. The effect of this competition is qualitatively estimated by visualization of computed cortical images and quantitatively evaluated by applying the model to a face recognition problem. Recognition rate of 97% was achieved on a database of 205 face images of 30 persons vs 94% achieved with a previously used model.

N94-27012# Stanford Univ., CA. Dept. of Psychology. INDUCED PICTORIAL REPRESENTATIONS Final Technical Report, 1 Nov. 1988 - 30 Nov. 1993 EARBARA G. TVERSKY 30 Nov. 1993 31 p

(Contract AF-AFOSR-0076-89)

(AD-A274251; AFOSR-93-0887TR) Avail: CASI HC A03/MF A01 Language is often used to describe environments or to give directions. This project investigated how spatial language describing large and small the environments is comprehended and produced. The research on large scale environments, such as a town, has shown that in descriptions, people adopt either a route or a survey perspective or a mixture of both. In comprehension of such descriptions, people form spatial mental models that are more abstract than either perspective. The research on small scale environments investigated people's mental models of the objects surrounding them. People are faster to access objects at some directions from their bodies than others. Accessibility depends on enduring characteristics of the perceptual world and the relation of the body to it. Several variations and extensions of each project are described. The research has implications for spatial cognition as well as language comprehension and production.

N94-27056# Walter Reed Army Inst. of Research, Washington,

**HUMAN DIMENSIONS RESEARCH TEAM, OPERATION** RESTORE HOPE Report, 26 Jan. - 5 Mar. 1993

ROBERT K. GIFFORD, JAMES N. JACKSON, and KATHLEEN B. DESHAZO 5 Mar. 1993 14 p

(AD-A274340) Avail: CASI HC A03/MF A01

The purpose of this investigation was to assess soldier coping and adaptation to the stresses of operation Restore Hope. Interviews, observations, and command consultation generated the data necessary to delineate key themes. Perhaps the most important of the investigation's findings was that current Army doctrine and practices provided the support necessary for the deployed force to successfully adapt to the unique challenges of operation Restore Hope. The Human Dimensions Research Team detected no problems that were severe enough to threaten/comprise the Army's ability to perform its mission, or that would portend significant future mental health problems (e.g., post-traumatic stress disorder). While there were numerous, identifiable stressors (e.g., redeployment uncertainty, mission ambiguity, restrictive rules of engagement, slow mail, limited phone access), none were unexcepted, and more importantly, none were beyond the soldiers' or units' capacity to cope.

N94-27072# Massachusetts Inst. of Tech., Cambridge. Dept. of Brain and Cognitive Sciences

TOP DOWN INFLUENCES ON BOTTOM-UP PROCESSING

Final Report, Sep. 1989 - Sep. 1993 WHITMAN RICHARDS 27 Oct. 1993 34 p

(Contract AF-AFOSR-0504-89)

(AD-A274220; AFOSR-93-0893TR) Avail: CASI HC A03/MF A01 Although integrated computational and psychophysical studies have considerably advanced our understanding of early visual processing (up to Marr's 2 1/2 D Sketch), much less research, by comparison, is being conducted on intermediate and higher-level vision. One reason for the scarcity is that high-level vision includes goal-directed, context-sensitive, top-down knowledge. However, little is known about these aspects of vision and how they are organized in the visual knowledge base (for example, how default preferences and categorical states are organized and related). Hence, plausible, detailed computational models can't be formulated. These studies begin to reveal the structure of some aspects of cognitive visual knowledge.

N94-27094# State Univ. of New York, Stony Brook. Dept. of Psychology.

SIGNAL- AND LISTENER-BASED FACTORS IN COMPLEX AUDITORY PATTERN PERCEPTION Annual Technical Report, 15 Sep. 1992 - 15 Sep. 1993

ARTHUR G. SAMUEL 9 Nov. 1993 13 p

(Contract AF-AFOSR-0378-91)

(AD-A274148; AFOSR-93-0906TR) Avail: CASI HC A03/MF A01 The research conducted during the second year of AFOSR grant 91-0378 investigated fundamental issues in the early processing of speech and similarly complex acoustic signals. The research pursued the information processing goal of specifying the levels of analysis that occur between the initial sensory coding of the signal and the recognition of the phonetic sequence it conveys. Five experiments provided evidence for the existence of at least three qualitatively different levels of perceptual analysis. The data help to specify the properties of each level, including a locus (peripheral versus central), a stimulus domain, and the mechanisms affected by repeated stimulation. The convergence across several different approaches used to determine levels of

N94-27138 Institute for Perception RVO-TNO, Soesterberg (Netherlands).

DTIC

ON THE DEVELOPMENT OF MOTOR CHUNKS AND CONCURRENT PROCESSING IN A STRUCTURED CONTINUOUS KEYPRESSING TASK Final Report

analysis supports the three-level model.

W. B. VERWEY and Y. DRONKERT Jun. 1993 26 p Limited Reproducibility: More than 20% of this document may be affected by microfiche quality

(AD-A274153; IZF-1993-B-6; TDCK-93-1348) Avail: Issuing Activity (Defense Technical Information Center (DTIC))

This report describes an experiment designed to assess the effects of practice in performing a structured sequence of keypresses. The task consisted of pressing a sequence of nine keys with nine fingers, each in response to a corresponding stimulus. Each response was followed by a response-stimulus interval (RSI), which sometimes was zero ms, before the next stimulus was presented. Upon completion of one sequence, production of the identical sequence was immediately repeated. One group of 18 subjects - the 333 group - practiced with three regularly spaced, non-negligible RSI's while the remaining RSI's were zero. This divided the sequence into three groups of three keypresses each. Another group of 18 subjects - the 45 group practiced with two non-negligible RSI's partitioning the sequence into a four- and a five-key group. These conditions were coined structured conditions. On occasion all subjects carried out a condition in which all RSI's were zero. This was the unstructured condition. The results show that interkey times in this condition clearly reflected the position of the long RSI's in the structured condition. This suggests that motor chunks had developed in the structured condition which were also used in the unstructured condition. More detailed analyses suggest that preparing one chunk concurred with execution of the preceding chunk in the unstructured and probably also in the structured condition. Concurrent preparation of the next chunk slowed down execution of the preceding chunk in the unstructured condition. In the structured condition it concealed effects of chunk-size on initiating each chunk (i.e. the complexity effect).

N94-27141# Hahnemann Medical Coll. and Hospital, Philadelphia,

PA. Dept. of Physiology and Biophysics.
CORTICAL MECHANISMS OF ATTENTION, DISCRIMINATION, AND MOTOR RESPONSE TO SOMESTHETIC STIMULI Final

Report, 1 Apr. 1990 - 31 Mar. 1993 JOHN K. CHAPIN 31 Mar. 1993 9 p

(Contract AF-AFOSR-0266-90)

(AD-A274163; AFOSR-93-0897TR) Avail: CASI HC A02/MF A01 Work carried out on AFOSR 90-0266 made major progress in several areas: (1) development of technology for recording large numbers of single neurons (up to 64) simultaneously through microwires implanted at multiple levels of the somatosensory system in awake rats; (2) utilization of an operant conditioning paradigm for investigating the detection and processing of sensory cues which trigger an active motor response; (3) demonstration that neuronal responses in the SI and MI cortices to such sensory cues are increased when they are used to trigger a conditioned motor response; (4) demonstration that this conditioning increases the prevalence of functional connections between neurons in the SI and MI cortices; (5) used quantitative techniques to defined dynamic and distributed properties of receptive fields in the somatosensory cortex and thalamus; (6) developed the use of multivariate statistical techniques to define population coding within ensembles of recorded neurons; and (7) continued to define neuroanatomical substrates for processing within this system.

DTIC

Nagoya Univ. (Japan). Research Inst. of **Environmental Medicine** 

A STUDY OF PSYCHOLOGICAL FACTORS AFFECTING AN EXTREMELY ISOLATED ENVIRONMENT [HEISA KAKURI KANKYOKA NI OKERU SHINRI YOSO NO KENKYU)

MASAFUMI TANAKA In its Annals of the Research Inst. of Environmental Medicine, Nagoya Univ., Volume 44 p 276-278 25 Mar. 1993 In JAPANESE

Avail: CASI HU A01/MF A04 This study was performed as a part of a three-year project of international comparison of human behavior and psychology under extremely isolated environment, advocated by the Scientific Committee on Antarctic Research (SCAR) to Canada, Italy, Australia, France, and Japan. The subjects were 31 Japanese male members of the 32nd Antarctic wintering party, consisting of 16 observation members and 15 construction members. The age was ranging from 25 to 45, and the average age was 33.9. The duration was from November 1990 to March 1992. This test can be divided into two phases. The first phase was the test using questionnaires that was delivered to each members who were told to answer it within one week. Although this test was not compulsive, the recovery rate was as high as 1.3 percent. Another test was observation of particular members in some opportunities where every member was present at one time, such as meetings or dinner. In this test, the behavior, conversation, and others were recorded. These data are being analyzed now, and are scheduled to be compared at the international working group next year. What was interesting in this test was apparent contrast between observation members and construction members. Construction members answered to try external self-control rather than internal self-control when self-control was required, and included many Author (NASDA) inadaptable members.

Nagoya Univ. (Japan). Research Inst. of **Environmental Medicine** INTERHEMISPHERIC PHASE RELATIONSHIP OF ALPHA WAVES AND CEREBRAL DOMINANCE [ARUFAHA NO HANKYUKAN ISO RENKAN TO HANKYU YUISEI] TAKAKO KAWAGUCHI, HIROYASU JIJIWA (Institute for Developmental Research, Kasugai, Japan.), and SATORU WATANABE In its Annals of the Research Inst. of Environmental Medicine, Nagoya Univ., Volume 44 p 279-281 25 Mar. 1993 In JAPANESE

Avail: CASI HC A01/MF A04

In previous studies, phase of alpha wave was compared between the right and left hemispheres during loading mental work. Whether the interhemispheric difference could be changed by linguistic load and acoustic load was examined. The subjects were healthy 20 students. They sat relaxed with closed eyes, and brain waves were recorded, during the following two mental loadings; one is 10 questions on proverbs previously recorded by a cassette tape recorder, and another was to sing or follow seven musics in mind. The music included three children's songs with words and four melodies without words. As a result, the phase of alpha waves were significantly increased in temporal and frontal regions under linguistic loads and in temporal regions under acoustic loads, compared with those during closed-eyed relaxation. The time ratio of preceding phase in the left hemisphere to the right hemisphere was significantly larger in the temporal, frontal and central regions under linguistic loading, whereas it was not changed during acoustic loading and relaxation. This suggests that the left hemisphere of the brain may have a function of the linguistic process. No significant interhemispheric difference was observed between the music with and without words. Author (NASDA)

N94-27523# Tokyo Univ. (Japan). Dept. of Psycholog FUNCTION OF SELECTIVE ATTENTION INTRINSIC TO THE SACCADE SYSTEM: DOES THE VOLUNTARY CONTROL OVERRIDE THE STIMULUS DRIVEN CONTROL? [SAKKADO SHISUTEMU NI NAIZAISURU SENTAKUTEKI CHUI KINO: ZUIITEKI SEIGYO WA SHIGEKI KUDO SEIGYO OSEISURUKA) HIROMI IMAI and KAZUO KOGA (Nagoya Univ., Japan.) Nagoya Univ., Annals of the Research Inst. of Environmental Medicine, Nagoya Univ., Volume 44 p 299-303 25 Mar. 1993 In JAPANESE

Avail: CASI HC A01/MF A04

From many studies on spatial attention, it was revealed that subjects can maintain selective attention to a particular target with ignoring distractors. However, the mechanism of this selective attention is not understood. The purpose of this study is to examine which is the dominant control, voluntary control or stimulus driven control, and, in the case that one control was dominant, whether the other control could affect the control or not. Three subjects were told to gaze at a target dot on a display and to ignore a distractor that appeared after a short interval, and the horizontal movement of the left eye was recorded. As a result, saccade to the targets was mainly observed, and the distractor scarcely caused saccade even in emergence immediately after the emergence of the target. This suggests that voluntary control may override stimulus driven control. However, because duration from emergence of target to occurrence of saccade was prolonged by a distractor, the presence of a distractor may interfere with saccade programming to some extent. Author (NASDA)

N94-27584# National Aerospace Lab., Tokyo (Japan). Computational Sciences Div.

AN ALGORITHM FOR STEREO CORRESPONDENCE PROBLEMS ON THE ANALOGY OF HUMAN VISION (HITO NO SHIKAKU NI MANANDA BIDEO KAMERA NO SHISEN SEIGYO NIYORU TAIOTEN TANSAKU]

HIROMI GOMI Nov. 1992 32 p In JAPANESE (ISSN 0389-4010)

(NAL-TR-1185; JTN-94-80614) Avail: CASI HC A03/MF A01

An approach for solving stereo correspondence problems that imitates human vision is proposed and verified by directing two cameras to the same point in experiments. The algorithm is based on the fact that the illuminance difference between images on left and right human retinal foveae is minimized when both eyes look at the same point. This is due to the fact that the difference between the images is smaller than the resolution. The algorithm is robust against camera discrepancies and has an operating range similar to that of human vision. The algorithm is an area-based method using 256 x 256 picture elements, which is greater than ordinary template matchings, and is not affected by the relative illuminance of the lens because of convergence control of the cameras.

Author (NASDA)

N94-27901\*# Old Dominion Univ., Nortolk, VA. Dept. of Psychology.

BRAIN WAVE CORRELATES OF ATTENTIONAL STATES: EVENT RELATED POTENTIALS AND QUANTITATIVE EEG ANALYSIS DURING PERFORMANCE OF COGNITIVE AND PERCEPTUAL TASKS

PERCEPTUAL TASKS
FREDERICK G. FREEMAN In its The 1993 NASA-ODU American Society for Engineering Education (ASEE) Summer Faculty Fellowship Program p 85-88 Dec. 1993
Avail: CASI HC A01/MF A03

The increased use of automation in the cockpits of commercial planes has dramatically decreased the workload requirements of pilots, enabling them to function more efficiently and with a higher degree of safety. Unfortunately, advances in technology have led to an unexpected problem: the decreased demands on pilots have increased the probability of inducing 'hazardous states of awareness.' A hazardous state of awareness is defined as a decreased level of alertness or arousal which makes an individual less capable of reacting to unique or emergency types of situations. These states tend to be induced when an individual is not actively processing information. Under such conditions a person is likely to let his/her mind wander, either to internal states or to irrelevant external conditions. As a result, they are less capable of reacting quickly to emergency situations. Since emergencies are relatively rare, and since the high automated cockpit requires progressively decreasing levels of engagement, the probability of being seduced into a lowered state of awareness is increasing. This further decreases the readiness of the pilot to react to unique circumstances such as system failures. The HEM Lab at NASA-Langley Research Center has been studying how these states of awareness are induced and what the physiological correlates of these different states are. Specifically, they have been interested in studying electroencephalographic (EEG) measures of different states of alertnoss to determine if such states can be identified and, hopefully, avoided. The project worked on this summer involved analyzing the EEG and the event related potentials (ERP) data collected while subjects performed under two conditions. Each condition required subjects to perform a relatively boring vigilance task. The purpose of using these tasks was to induce a decreased state of awareness while still requiring the subject to process information. Each task involved identifying an infrequently presented target stimulus. In addition to the task requirements, irrelevant tones were presented in the background. Research has shown that even though these stimuli are not attended, ERP's to them can still be elicited. The amplitude of the ERP waves has been shown to change as a function of a person's level of alertness. ERP's were also collected and analyzed for the target stimuli for each task. Brain maps were produced based on the ERP voltages for the different stimuli. In addition to the ERP's, a quantitative EEG (QEEG) was performed on the data using a fast Fourier technique to produce a power spectral analysis of the EEG. This analysis was conducted on the continuous EEG while the subjects were performing the tasks. Finally, a QEEG was performed on periods during the task when subjects indicated that they were in an altered state of awareness. During the tasks, subjects were asked to indicate by pressing a button when they realized their level of task awareness had changed. EEG epochs were collected for times just before and just after subjects made this reponse. The purpose of this final analysis was to determine whether or not subjective indices of level of awareness could be correlated with different patterns of EEG. Derived from text

N94-28754# Naval Aerospace Medical Research Lab., Pensacola,

AN EVALUATION OF PERSONALITY TESTING AND THE FIVE-FACTOR MODEL IN THE SELECTION OF LANDING CRAFT AIR CUSHION VEHICLE CREW MEMBERS D. R. STREET, JR., K. T. HELTON, and T. NONTASAK 30 Jul. 1993 21 p

(AD-A275869; NAMRL-1385) Avail: CASI HC A03/MF A01

The purpose of our investigation was to determine if personality testing and a five-factor model could improve the selection of Landing Craft Air Cushion (LCAC) vehicle crew members. Vehicle crew members for the LCAC are currently selected on the basis of their performance on a computer-based psychomotor selection system. The various psychomotor tests in the selection system have demonstrated predictive validity in LCAC crew training. Certain personality characteristics may also be involved in the LCAC vehicle crew training success. In fact, various researchers have found that personality testing may improve the selection of Navy/Marine Corps aviators. There is increasing evidence that a five-factor model may be useful in describing the personality characteristics involved in training success. We believe that a five-factor model may improve the selection system used for LCAC vehicle crew members. A principal component analysis with varimax rotation was conducted to determine the underlying structure of the Adult Personality Inventory (API) with 168 LCAC crew candidates. The resulting factor scores were then analyzed using advanced statistical techniques to determine the relation of the personality factor scores and the performance-based test to an underway grade in training criterion. The results indicated that one personality factor, openness, significantly improved predictions of the criterion (p less than 0.05). Based on these results, we believe that personality testing would improve the selection of LCAC vehicle crew members.

#### 54

### MAN/SYSTEM TECHNOLOGY AND LIFE SUPPORT

Includes human engineering; biotechnology; and space suits and protective clothing.

N94-26339# Naval Air Warfare Center, Warminster, PA. Air Vehicle and Crew Systems Technology Dept.

A CRITICAL ANALYSIS OF WORKLOAD PREDICTIONS

A CRITICAL ANALYSIS OF WORKLOAD PREDICTIONS GENERATED BY MULTIPLE RESOURCE THEORY DURING EARLY CREWSTATION DESIGN Final Report

DAVID COHEN, ROBERT J. WHERRY, JR., and FLOYD GLENN 1 Jun. 1993 35 p

(AD-A274804; NAWCADWAR-TN-93043-60) Avail: CASI HC

Subjective workload ratings based on multiple resource theory were independently collected from two highly experienced pilots for 225 different tasks of an anticipated mission for a future advanced strike aircraft. Factor analysis of their responses suggest that while such ratings could have little actual validity in and even high inter-rater reliabilities, the ratings have high face validity and even high inter-rater reliabilities, the ratings could have little actual validity in terms of efforts required to utilize the seven postulated resource channels (visual or auditory input, spatial, verbal, or analytical cognition, and manual or speech output). Ratings of efforts required for various postulated cognitive resource channels were particularly suspect. Four independent factors were identified for each pilot which accounted for virtually all of the intercorrelations among the seven resource channels. Three factors (visual-spatial, verbal communications, and manual and speech output) were identical for both pilots and accounted for most of their explainable variance.

N94-26555# Pacific Northwest Lab., Richland, WA.
EMERGING HUMAN-COMPUTER INTERFACE (HCI) DESIGN
GUIDELINES FOR GRAPHICAL USER INTERFACE (GUI)

S. E. BOWSER and S. M. ADAMS Oct. 1993 8 p Presented at the Human Factors and Ergonomics Society Meeting, Seattle, WA, 11-15 Oct. 1993

(Contract DE-AC06-76RL-01830) (DE94-004293; PNL-SA-22009; CONF-9310100-7) Avail: CASI HC A02/MF A01

The requirement to establish baseline style references for Graphical User Interfaces (GUI's) is recognized. The ability to obtain consensus among user communities was limited to nonexistent. The authors are part of a team that developed a generic baseline human-computer interface (HCI) style guide for the U.S. Department of Defense (DoD). The DoD HCI Style Guide has its origin in a style guide developed by the intelligence community and in human factors design guidelines developed for Army tactical command and control systems. The DoD HCI Style Guide is intended to be a baseline style reference for the design of HCI's within DoD. The needs of specific user communities were addressed by including addenda that expand on the baseline and address focus areas of interest. The conclusion is that an overall or general style guide should be adopted for GUI's with allowance for specialized user group requirements and additions. The anticipated results would be higher productivity and reduced training and development time.

N94-26788\*# Boeing Defense and Space Group, Huntsville, AL. SPACE STATION EVOLUTION STUDY OXYGEN LOOP **CLOSURE Final Report** 

M. G. WOOD and D. DELONG 17 Nov. 1993 40 p (Contract NAS8-38783)

(NASA-CR-193938; NAS 1.26:193938) Avail: CASI HC A03/MF

In the current Space Station Freedom (SSF) Permanently Manned Configuration (PMC), physical scars for closing the oxygen loop by the addition of oxygen generation and carbon dioxide reduction hardware are not included. During station restructuring, the capability for oxygen loop closure was deferred to the B-modules. As such, the ability to close the oxygen loop in the U.S. Laboratory module (LAB A) and the Habitation A module (HAB A) is contingent on the presence of the B modules. To base oxygen loop closure of SSF on the funding of the B-modules may not be desirable. Therefore, this study was requested to evaluate the necessary hooks and scars in the A-modules to facilitate closure of the oxygen loop at or subsequent to PMC. The study defines the scars for oxygen loop closure with impacts to cost, weight and volume and assesses the effects of byproduct venting. In addition, the recommended scenarios for closure with regard to topology and packaging are presented.

Author (revised)

N94-26964 National Academy of Sciences - National Research Council, Washington, DC. Committee on Human Factors. WORKLOAD TRANSITION: IMPLICATIONS FOR INDIVIDUAL AND TEAM PERFORMANCE

BEVERLY M. HUEY and CHRISTOPHER D. WICKENS 301 p Limited Reproducibility: More than 20% of this document may be affected by microfiche quality

(AD-A274538) Avail: Issuing Activity (Defense Technical Information Center (DTIC))

The work of this study was performed by a small group of experts from key areas in workload, training, vigilance, circadian rhythms and performance effects of sleep loss and fatigue, cognitive switching, situation awareness, and crew communication and coordination.

N94-26984# Kent State Univ., OH.

A MULTIVARIATE ANTHROPOMETRIC METHOD FOR CREW STATION DESIGN: ABRIDGED Interim Report, Jan. 1989 -Dec. 1992

GREGORY F. ZEHNER, RICHARD S. MEINDL. and JEFFREY A. HUDSON Apr. 1993 30 p (Contract F33615-85-C-0541)

(AD-A274588; AL-TR-1992-0164) Avail: CASI HC A03/MF A01

Body size accommodation in USAF cockpits is still a significant problem despite all the years of experience and the many aircraft designs that have been developed. Adequate reach to controls, body clearances (particularly during escape) and vision (internal

and external), are all functions of pilot body size and position in the cockpit. One of the roots of this problem is the way cockpit accommodation is specified and tested. For many years the percentile pilot has been used. This paper describes the errors inherent in the 'percentile man' approach, and presents a multivariate alternative for describing the body size variability existing in a given flying population. A number of body size representative cases are calculated which, when used properly in specifying, designing, and testing new aircraft, should ensure the desired level of accommodation. The approach can be adapted to provide anthropometric descriptions of body size variability for a great many designs or for computer models of the human body by altering the measurements of interest and/or selecting different data sets describing the anthropometry of a user population.

DTIC

N94-27089# South Dakota Univ., Vermillion. Human Factors Lab

CONTROL PANEL DIMENSIONS FOR GLOVED OPERATION STUDY 2: TOGGLE SWITCHES MINIMUM SPACING REQUIRED BETWEEN TOGGLE Final Report

MICHELLE MCCLEEREY, JAN BERKHOUT, GLEN ANDERSON, and MICHAEL GRANAAS Oct. 1993 102 p (Contract DAAA15-90-C-1025, DA PROJ. 1L1-62716-AH-70)

(AD-A274518; ARL-CR-122) Avail: CASI HC A06/MF A02 This study was to confirm the military specification of toggle switch spacing for gloved operators. An examination of toggle switch operations with five different glove types was conducted: a butyl and cotton glove assembly, a butyl and nomex glove assembly, a leather and wool glove assembly, a fire-fighting glove, and a vinyl glove. Subjects were required to operate a sequence of four switches in a 3 by 3 array. Three switch spacings were investigated: 15 mm, 20 mm, and 25 mm. Half the subjects operated toggle switches located directly in front of them, and the other half operated switches located behind them, in a position where the switches could not be seen. Subjects were required to activate the toggle switches in specific sequences as quickly and as accurately as possible. The task was machine-paced, and the time allowed for operation of a sequence of switches became progressively shorter as the subject was able to continue correct operation. Each subject performed the task both gloved and

N94-27114# Department of the Navy, Washington, DC. HELMET HEAD TRACKING MOUNTING DEVICE Patent

CHRISTINE HORVAT, inventor (to Navy), GARY F. BRADLEY, inventor (to Navy), and CARROLL L. RHODES, inventor (to Navy) 23 Feb. 1993 14 p (AD-D016048; US-PATENT-APPL-SN-021388) Avail: CASI HC

A03/MF A01

A unified, low-profile, lightweight, and strong component mounting system for an aircrew member's helmet is disclosed. The system includes a substantially rectangular mounting bracket that carries necessary power, communications, and optical inputs to the components, mounting hardware and specially designed interface pieces for each component. The system is designed to securely and easily snap-lock onto the helmet and is positioned to stay balanced while attached to eliminate crewmember discomfort. DTIC

N94-27155 National Defence Research Establishment, Stockholm

TASK DEMAND, WORKLOAD, AND PERFORMANCE

B. BERGSTROEM Jul. 1993 31 p (PB94-123627; FOA-A-50016-5.2) Avail: Issuing Activity (National Technical Information Service (NTIS))

The measurement of mental workload has become increasingly important as systems have become more complex and sophisticated. In this report workload and related concepts are discussed. Three dimensions of workload are recognized: task demand, operator workload (OWL), and performance. In order to measure OWL, the concepts capacity, resource, and effort must be defined and also related to a cognitive model of the brain. Four regions of workload operation are described: underload, resource dependent, maximum capacity, and overload. Satisfactory system function can only take place in the underload and resource dependent regions. It is finally concluded that to yield meaningful workload results the experimenter must control and measure task demand, OWL, and performance at the same time.

N94-27320# Air Force Inst. of Tech., Wright-Patterson AFB, OH. School of Logistics and Acquisition Management.
AN INVESTIGATION OF INTEGRATED PRODUCT DEVELOPMENT IMPLEMENTATION ISSUES: A CASE STUDY OF BOSMA MACHINE AND TOOL CORP. M.S. Thesis F. P. KHURI and HOWARD M. PLEVYAK, JR. Sep. 1993 108 p (AD-A273917; AFIT/GSM/LAS/93S-11) Avail: CASI HC A06/MF A02

This thesis investigated integrated product development (IPD) implementation issues. Research emphasis focused on teams used in IPD, particularly self-directed work teams (SDWT's). The areas addressed in the study were: work environment, team organization, training and education, group dynamics and communication, motivation, rewards and incentives, measurements, and contracts. Data was collected using interviews and presented as a case study. The most significant findings on work environment were that the organization's leadership should commit to the teaming idea and sell it to the organization's members. Teams should be organized by choosing members carefully and defining all roles. Personnel should be trained in technical skills and human relations. Group interaction should be ensured by establishing open communication in a non-attribution setting. The greatest motivator of personnel is pride of ownership. A measurement baseline should be established at the outset against which productivity, efficiency, and morale may be measured. Finally, team members should be allowed to provide inputs to any contract which involves them.

Author (revised)

N94-27374\*# Brubaker Group, Los Angeles, CA.
A WIDELY ADAPTABLE HABITAT CONSTRUCTION SYSTEM
UTILIZING SPACE RESOURCES

HARRY B. WYKES In NASA. Lewis Research Center, Vision 21: Interdisciplinary Science and Engineering in the Era of Cyberspace p 231-240 Dec. 1993

Avail: CASI HC A02/MF A03

This study suggests that the cost of providing accommodations for various manned activities in space may be reduced by the extensive use of resources that are commonly found throughout the solar system. Several concepts are proposed for converting these resources into simple products with many uses. Concrete is already being considered as a possible moonbase material. Manufacturing equipment should be as small and simple as possible, which leads to the idea of molding it into miniature modules that can be produced and assembled in large numbers to create any conceivable shape. Automated equipment could build up complex structures by laying down layer after layer in a process resembling stereolithography. These tiny concrete blocks handle compression loads and provide a barrier to harmful radiation. They are joined by a web of tension members that could be made of wire or fiber-reinforced plastic. The finished structure becomes air-tight with the addition of a flexible liner. Wire can be made from the iron modules found in lunar soil. In addition to its structural role, a relatively simple apparatus can bend and weld it into countless products like chairs and shelving that would otherwise need to be supplied from Earth. Wire woven into a loose blanket could be an effective micrometeoroid shield, tiny wire compression beams could be assembled into larger beams which in turn form larger beams to create very large space-frame structures. A technology developed with lunar materials could be applied to the moons of Mars or the asteroids. To illustrate its usefulness several designs for free-flying habitats are presented. They begin with a minimal self-contained living unit called the Cubicle. It may be multiplied into clusters called Condos. These are shown in a rotating tether configuration that provides a substitute for gravity. The

miniature block proposal is compared with an alternate design based on larger triangular components and a tetrahedral geometry. The overall concept may be expanded to envision city-sized self-sufficient environments where humans could confortably live their entire lives. One such proposal is the Hive. It is configured around a unique sunlight collection system that could provide all its energy needs and that could be scaled up to compensate for the reduced solar intensity at greater distances from the sun. Its outer perimeter consists of a cylindrical section mated to two conical end walls that taper inwards toward a small aperture at the center of rotation. Light collected by two huge mirrors of unusual design enters the aperture and is redirected to the inside of the cylinder. The conical end walls are shielded from direct sunlight and are designed to radiate heat into space. They are lined with air ducts that passively recirculate the atmosphere while extracting moisture by condensation. Although there is no immediate demand for spacecraft on this scale, their consideration can influence even the earliest stages of the development process.

N94-27376\*# Carnegie-Mellon Univ., Pittsburgh, PA. Robotics Inst.

PIGS IN CYBERSPACE

HANS MORAVEC In NASA. Lewis Research Center, Vision 21: Interdisciplinary Science and Engineering in the Era of Cyberspace p 259-264 Dec. 1993

Avail: CASI HC A02/MF A03

Exploration and colonization of the universe awaits, but Earth-adapted biological humans are ill-equipped to respond to the challenge. Machines have gone farther and seen more, limited though they presently are by insect-like behavior inflexibility. As they become smarter over the coming decades, space will be theirs. Organizations of robots of ever increasing intelligence and sensory and motor ability will expand and transform what they occupy, working with matter, space and time. As they grow, a smaller and smaller fraction of their territory will be undeveloped frontier. Competitive success will depend more and more on using already available matter and space in ever more refined and useful forms. The process, analogous to the miniaturization that makes today's computers a trillion times more powerful than the mechanical calculators of the past, will gradually transform all activity from grossly physical homesteading of raw nature, to minimum-energy quantum transactions of computation. The final frontier will be urbanized, ultimately into an arena where every bit of activity is a meaningful computation: the inhabited portion of the universe will be transformed into a cyberspace. Because it will use resources more efficiently, a mature cyberspace of the distant future will be effectively much bigger than the present physical universe. While only an infinitesimal fraction of existing matter and space is doing interesting work, in a well developed cyberspace every bit will be part of a relevant computation or storing a useful datum. Over time, more compact and faster ways of using space and matter will be invented, and used to restructure the cyberspace, effectively increasing the amount of computational spacetime per unit of physical spacetime. Computational speed-ups will affect the subjective experience of entities in the cyberspace in a paradoxical way. At first glimpse, there is no subjective effect, because everything, inside and outside the individual, speeds up equally. But, more subtly, speed-up produces an expansion of the cyber universe, because, as thought accelerates, more subjective time passes during the fixed (probably lightspeed) physical transit time of a message between a given pair of locations - so those fixed locations seem to grow farther apart. Also, as information storage is made continually more efficient through both denser utilization of matter and more efficient encodings, there will be increasingly more cyber-stuff between any two points. The effect may somewhat resemble the continuous-creation process in the old steady-state theory of the physical universe of Hoyle, Bondi and Gold, where hydrogen atoms appear just fast enough throughout the expanding cosmos to maintain a constant density.

Autho

N94-27410\*# Texas Univ., Dallas. Southwestern Medical Center.

SPACELAB LIFE SCIENCES 2 POST MISSION REPORT Final Report, 16 Jan. - 30 Nov. 1993

JAY C. BUCKEY 14 Jan. 1994 10 p

(Contract NAS9-18736)

(NASA-CR-195544; NAS 1.26:195544; REPT-1) Avail: CASI HC A02/MF A01

Jay C. Buckey, M.D., Assistant Professor of Medicine at The University of Texas Southwestern Medical Center at Dallas served as an alternate payload specialist astronaut for the Spacelab Life Sciences 2 Space Shuttle Mission from January 1992 through December 1993. This report summarizes his opinions on the mission and offers suggestions in the areas of selection, training, simulations, baseline data collection and mission operations. The report recognizes the contributions of the commander, payload commander and mission management team to the success of the mission. Dr. Buckey's main accomplishments during the mission are listed.

N94-27437\*# National Aeronautics and Space Administration.
Marshall Space Flight Center, Huntsville, AL.

DESIGNING FOR HUMAN PRESENCE IN SPACE: AN INTRODUCTION TO ENVIRONMENTAL CONTROL AND LIFE SUPPORT SYSTEMS

PAUL WIELAND Jan. 1994 355 p Sponsored by NASA, Washington

(NASA-RP-1324; M-735; NAS 1.61:1324) Avail: CASI HC A15/MF A03

Human exploration and utilization of space requires habitats to provide appropriate conditions for working and living. These conditions are provided by environmental control and life support systems (ECLSS) that ensure appropriate atmosphere composition, pressure, and temperature; manage and distribute water, process waste matter, provide fire detection and suppression; and other functions as necessary. The functions that are performed by ECLSS are described and basic information necessary to design an ECLSS is provided. Technical and programmatic aspects of designing and developing ECLSS for space habitats are described including descriptions of technologies, analysis methods, test requirements, program organization, documentation requirements, and the requirements imposed by medical, mission, safety, and system needs. The design and development process is described from initial trade studies through system-level analyses to support operation. ECLSS needs for future space habitats are also described. Extensive listings of references and related works provide sources for more detailed information on each aspect of ECLSS design and development.

N94-27446# Nagoya Univ. (Japan). Research Inst. of Environmental Medicine.

STUDY ON POSTURE CONTROL AND ADAPTION
MECHANISM UNDER WEIGHTLESSNESS: RESULTS OF
SECOND REHEARSAL FOR SPACE EXPERIMENT USING
CARP Progress Report No. 45 (MUJURYOKU KANKYO KA
NO UNDO SEIGYO TO SONO JUNNO NI KANSURU KENKYU:
KOI NO UCHU JIKKEN, DAINIKAI RIHASARU SEIKA
HOKOKU]

SHIGEO MORI, SADAHARU TAKAGI, SATORU WATANABE, AKIRA TAKABAYASHI (Fujita Health Univ., Toyohashi, Japan.), and SHIRO USUI *In its* Annals of the Research Inst. of Environmental Medicine, Nagoya Univ., Volume 44 p 18-21 25 Mar. 1993 In JAPANESE

Avail: CASI HC A01/MF A04

The 2nd rehearsal of the space experiment on posture control and adaption mechanism under weightless condition using carp was performed in April to May 1992, in order to simulate and practice the ground operation of the experiment. This rehearsal included transportation and breeding of carp in the pool of Kennedy Space Center (KSC) and examination of conductivity of implanted electrodes for brain wave. As a result, many carp died from encephalic infection after implantation of the electrode in KSC, especially in carp that had undergone statolithis extirpation in

Japan. For this reason, several countermeasures were proposed, such as improvement of statolithis extirpation, prompt transportation system, suitable breeding procedure in KSC, selection of adaptable carp to a experimental unit, preparation for carp implantation, and supply system of carp. Above all, sufficient duration seems to be important for carp to recover from stress of operation or transportation. Therefore, a time table was prepared on the basis of these findings.

Author (NASDA)

N94-27447# Nagoya Univ. (Japan). Research Inst. of Environmental Medicine.

STUDY ON POSTURE CONTROL AND ADAPTATION MECHANISM UNDER WEIGHTLESSNESS: SUMMARY REPORT OF GROUND OPERATIONS PERFORMED FOR CARP EXPERIMENT (FMPT/L-2) IN SPACE SHUTTLE MISSION Report No. 46 [MUJURYOKU KANKYO KA NO UNDO SEIGYO TO SONO JUNNO NI KANSURU KENKYU: SUPESUSHATORU RIYO NI YORU KOI NO UCHU JIKKEN (FMPT/L-2) JISSHI KEIKA HOKOKU]

SHIGEO MORI, SADAHARU TAKAGI, SATORU WATANABE, AKIRA TAKABAYASHI (Fujita Health Univ., Toyohashi, Japan.), SHIRO USUI (Toyohashi Univ. of Technology, Aichi, Japan.), and GENYO MITARAI (Chukyo Univ., Toyota, Japan.) In its Annals of the Research Inst. of Environmental Medicine, Nagoya Univ., Volume 44 p 22-26 25 Mar. 1993 In JAPANESE

Avail: CASI HC A01/MF A04

An experiment on posture control and adaptation mechanism under weightless condition using carp was performed in Space Shuttle, Endeavor, in aviation of September 12-20, 1992 (FMPT (First Material Processing Test)/L-2). Although unexpected troubles occurred in ground operation, preparation could be completed thanks to the support system organized for this mission and the time schedule based on the results of two rehearsals that suggested importance of time margin for rest and adaption of carp. During aviation, there were several accidents such as entanglement of cables, but the experiment was completed and brain wave of carp could be recorded. The post-aviation test was also performed on the carp used in the space experiment that seemed healthy when returned from space travel, but at the end of all these experiments, the carp were demonstrated to be anoxia from analysis of water in the tank. As the data recorded during aviation were not obtained at this time, this report describes mainly preparation and process of experiment performed in the Space Author (NASDA) Shuttle and post-aviation.

N94-27448# Fujita Health Univ., Toyohashi (Japan). School of Hygiene.
STUDY ON POSTURE CONTROL AND ADAPTION MECHANISM UNDER WEIGHTLESSNESS: DIFFERENCES IN WEIGHT AND SHAPE OF UTRICULAR OTOLITH OF CARP Report No. 47 [MUJURYOKU KANKYO KA NO UNDO SEIGYO TO SONO JUNNO NI KANSURU KENKYU: KOI NO RANKEINO JISEKI NO JURYO TO KEITAI NI OKERU SA NI TSUITE] AKIRA TAKABAYASHI, SADAHARU TAKAGI (Nagoya Univ., Japan.), SHIGEO MORI (Nagoya Univ., Japan.), and SATORU WATANABE (Nagoya Univ., Japan.) In Nagoya Univ., Annals of the Research Inst. of Environmental Medicine, Nagoya Univ., Volume 44 p 27-29 25 Mar. 1993 In JAPANESE

Avail: CASI HC A01/MF A04

The Space Adaptation Syndrome (SAS) is one functional abnormality in a weightless state which leads to autonomic disorder. The cause of SAS is considered to be disorder of sensory coordination. Not only human beings but also other animals show abnormal behavior in a weightless state. Both of them can control movement and posture by three senses; i.e. sight, vestibule and somatesthesia. Among these senses, vestibule seems to be most affected under weightless condition, especially by disappearance of stimulation of statoliths. Therefore, it can be considered that SAS may result from sensory disorder by unbalance between the right and left vestibule senses. To review this possibility, right and left statolithses extirpated from carp in preparation of the Space Shuttle experiment were compared in respect to the shape and weight. As a result, right and left statoliths was similar in shape

and weight, so that sensory disorder might not be caused by the difference between the weight of right and left statolithses.

Author (NASDA)

N94-27455# Nagoya Univ. (Japan). Research Inst. of Environmental Medicine.

FREQUENCY ANALYSIS OF BODY SWAY INDUCED BY OPTOKINETIC STIMULATION [SHIUNDO SHIGEKI YUHATSUSEI SHINTAI DOYO NO SHUHASU KAISEKI]

MASUMI ICHIKAWA, HIROYASU JIJIWA (Institute for Developmental Research, Kasugai, Japan.), TAKAKO KAWAGUCHI, and SATORU WATANABE In its Annals of the Research Inst. of Environmental Medicine, Nagoya Univ., Volume 44 p 55-58 25 Mar. 1993 In JAPANESE

Avail: CASI HC A01/MF A04

It is known that optokinetic stimulation of extensive field causes body sway and inclination, probably because regulatory system works for the change of posture. In this study, body sway caused by optokinetic stimulation and inclining board was examined using frequency analysis. For optokinetic stimulation, random dot patterns was projected on the screen, moving downwards, and the body sway was recorded as the displacement of the center of the gravity. The locus of longitudal sway was analyzed by frequency analysis. As a result, power spectrum during the optokinetic stimulation was increased in the frequency from 0.2 to 0.7 Hz, while power spectrum variation was not varied markedly in this range by intentional inclining on the tilt board. Because previous studies revealed that the displacement of center of gravity was increased in the frequency of less than 0.1 Hz when eyes closed, the increase of frequency in 0.2 to 0.7 Hz may reflect the direct intervention of sight into the regulation of orthostatic position. In addition, it was suggested that the increase of power spectrum in the frequency of 3 to 4 Hz was in response to the posture regulation mainly caused by stretch reflex of the crural muscles. Author (NASDA) N94-27461# Osaka Prefecture Univ., Sakai (Japan). Coll. of Integrated Arts and Sciences.

THE EFFECT OF BODY ORIENTATION ON THE PERCEPTION OF VERTICAL AND HORIZONTAL DISTANCE IN AN OUTDOOR SETTING [HIKENSHA NO SHISEI TO YAGAI NI OKERU SUICHOKU-SUIHEI KYORI NO CHIKAKU]

ATSUKI HIGASHIYAMA and KAZUO KOGA (Nagoya Univ., Japan.) In Nagoya Univ., Annals of the Research Inst. of Environmental Medicine, Nagoya Univ., Volume 44 p 84-87 25 Mar. 1993 In JAPANESE

Avail: CASI HC A01/MF A04

It is known that vertical distance appears longer than horizontal distance although they are the same length. The purpose of this study was to examine whether this effect depends on a subject's postures. 28 subjects were classified into upright-position group and lie-down position group, and three-story white building was used as a vertical scale. Subjects were told to move where they thought the distance from the building to the subject (horizontal distance) matched that from a mark on the side of the building to the ground (vertical distance). As a result, the longer the actual distance was, the longer the visual vertical distance appeared. Generally, vertical distance appeared longer in upright-position, whereas difference between visual vertical and horizontal distance was not observed in lie-down position as far as the actual distance was less than 6 m, and, even in the case that the actual distance is longer than 6 m, the differences between visual vertical and horizontal distance was not so much as those of upright-position. The most important finding was that the posture of subjects affected only the sense of vertical distance, rather than that of horizontal distance. Author (NASDA)

N94-27456# Nagoya City Univ. (Japan). Dept. of Othorhinolaryngology.

EFFECTS OF IMAGINARY TARGET ON INDUCED EYE MOVEMENTS BY LINEAR ACCELERATION (CHOKUSEN KASOKUDO NI YORI YUHATSU SARERU GANKYU UNDO NI TAISURU KASO KOSHITEN NO EIKYO)

MOTOYUKI HASHIBA, HIROTAKA WATABE, TORU MATSUOKA, SHUNKICHI BABA, SATORU WATANABE (Nagoya Univ., Japan.), YOSHIRO WADA (Nagoya Univ. Japan.), HIROYUKI SUZUKI (Nagoya Univ., Japan.), CHIHARU SEKIGUCHI (National Space Development Agency, Tokyo, Japan.), SEI YUMIKURA (National Space Development Agency, Tokyo, Japan.), and K. HOFSTETTER-DEGEN (Mainz Univ., Germany.) In Nagoya Univ., Annals of the Research Inst. of Environmental Medicine, Nagoya Univ., Volume 44 p 59-63 25 Mar. 1993 In JAPANESE Avail: CASI HC A01/MF A04

Under microgravity, the gravity does not effect on the vestibular organ, especially on vestibulo-ocular reflex that senses the change of acceleration, which could be a dominant cause of space sickness. In vestibulo-ocular reflex system, the vertical acceleration (Y-axis) can elicit eye movement most effectively, while head position also plays an important role; i.e. prone position induces eye movement more than supine position. This can be explained by the effect of gazing at an imaginary target, because it has been reported that an imaginary target near to the head increased the reflex. In this report, the effect of imaginary fixed targets on vestibulo-ocular reflex was examined using a linear accelerator. Subjects imagined either body fixed target or space fixed target in prone position or supine position. The results revealed that imaginary target had remarkable effect on vestibulo-ocular reflex system. Especially, space fixed targets increased the reflex largely, probably because of non-visual smooth eye movement by senses other than sight, that is, acceleration or sound by the accelerator. Therefore, the body fixed target seems more appropriate to evaluate vestibulo-ocular reflex. Author (NASDA) N94-27462# Kanazawa Univ. (Japan). Dept. of Psychology. EYE-HEAD COORDINATION AND SWINGING OF THE VISUAL SCENE WHEN WEARING VISUALLY UP-DOWN REVERSING MIRROR FOR 14 DAYS [JOGEHANTENKYO CHAKUYOCHU NO GANKYU-TOBU UNDO TO SHIYA NO DOYO]

HIROKAZU YOSHIMURA and KAZUO KOGA (Nagoya Univ., Japan.) In Nagoya Univ., Annals of the Research Inst. of Environmental Medicine, Nagoya Univ., Volume 44 p 88-92 25 Mar. 1993 In JAPANESE

(Contract NOE-03551003) Avail: CASL HC A01/MF A04

In this siudy, one subject wore a visually up-down reversing mirror for 14 days and recorded the subjective impression. During the period, eye-head movement and swinging of the visual scene were measured every three days. For eye-head movement, eye position and head position were recorded while the subject shook the head every one second. This experiment was performed in a dark room under the following two conditions: one is not to intend to fix the head or eyes in a particular position, the other is to intend to fix eyes at an imaginary point. As a result, on the second day, the eye movement traced in a reverse phase with the head movement, probably due to compensating the head movement, in both conditions. However, this tendency became decreased, and spikes of saccade began to be observed in the trace of eye movement. On the 15th day, the decrease of amplitude was obvious even in a trace under the condition of no intention, and, in condition of intention to fixate an imaginary point, the eye movement that showed saccade instead of pursuit movement coordinated with the phase of the head movement. For the swinging of the scene, critical fusion frequency of on-and-off light was measured under head-fixed condition and head-movement condition that shook the head every one second. As a result, the critical frequency did not change remarkably under the head-fixed condition, whereas it was increased once, then, after the 12th day, decreased under the head-movement condition. Author (NASDA) N94-27463# Nagoya Univ. (Japan). Research Inst. of Environmental Medicine.

COMPARATIVE MEASUREMENT OF VISUAL STABILITY IN COSMIC SPACE: ONBOARD EXPERIMENT AND PRE-FLIGHT ACTIVITIES Quick Report (UCHU KUKAN NI OKERU SHIKAKU ANTEISEI NO KENKYU: JIKKEN UNYO TO UNYO NI ITARU SHOKATEI)

KAZUO KOGA, TADAAKI MANO, MITSURO KIDA, YOSHIHIRO OTA, KEIICHIRO TSUJI, TAKUO GOTO, and RYOJI OSAKA (Aichigakuin Univ., Nisshin, Japan.) In its Annals of the Research Inst. of Environmental Medicine, Nagoya Univ., Volume 44 p 93-96 25 Mar. 1993 In JAPANESE

Avail: CASI HC A01/MF A04 It is expected that visual recognition and coordination of eye-hand or eye-head movement would be somewhat different in cosmic space. To examine the human behavior in space, a study was planned and operated as a part of the First Material Processing Test (FMPT) in the Space Shuttle Endeavor. In this study, saccadic eye movement and anti-gravity muscle activity of a Payload Specialist (PS) was recorded. This article reports the process and operation of this experiment. For the mission operation, staff training was started in 1991, in order to master general operation of the control facilities, technical terms used in flight control, and the downlink display, etc. In 1992, several simulation training were performed using the facilities of NASA. During the flight, three experiments were scheduled to operate, with support of downlink image data. Communication with PS was also capable; however, the number of circuit was limited so that it was permitted only when necessary. The experiment was completed almost as scheduled, although several changes were added.

Author (NASDA)

N94-27683 Defence and Civil Inst. of Environmental Medicine, Downsview (Ontario). Human Factors Div.

ONE FROM MANY: SELECTING AN APPROPRIATE HUMAN

PERFORMANCE MODEL
MARY MARGARET SCHUCK 1993 8 p
(DCIEM-93-25; DSIS-94-00071; CTN-94-61117) Avail: CASI HC A02/MF A01

A wide variety of approaches exist for representing human behavior within an overall model of system performance. In modelling human performance, a model must be selected which not only answers the human performance problem identified, but which is also compatible with the overall system model. Blanchard and Fabrycky have suggested a six-step framework for selecting models for systems engineering studies. The first four steps of this framework are critical, and modifications are suggested to make them appropriate for models of human performance which are incorporated into an overall systems model. These steps are problem definition, identification of alternatives, selection of evaluation criteria, and application of modelling techniques. It is proposed to classify models according to their complexity, flexibility and generality, and to whether they have been validated successfully. This classification relies on a tradeoff between complexity and the model's ability to be generalized into any system. This classification system, and the other modifications proposed, allow designers of human performance models to apply an existing engineering framework to the unique problems inherent in selecting human performance models. Author (CISTI)

N94-27934\*# Jet Propulsion Lab., California Inst. of Tech.,

LUNAR BASE HABITAT DESIGNS: CHARACTERIZING THE ENVIRONMENT, AND SELECTING HABITAT DESIGNS FOR FUTURE TRADE-OFFS

GANI B. GANAPATHI, JOSEPH FERRALL, and P. K. SESHAN May 1993 78 p

(Contract NAS7-918; RTOP 506-49-21-00)

(NASA-CR-195687; JPL-PUBL-93-20; NAS 1.26:195687) Avail: CASI HC A05/MF A01

A survey of distinct conceptual lunar habitat designs covering the pre- and post-Apollo era is presented. The impact of the significant lunar environmental challenges such as temperature, atmosphere, radiation, soil properties, meteorites, and seismic activity on the habitat design parameters are outlined. Over twenty habitat designs were identified and classified according to mission type, crew size; total duration of stay, modularity, environmental protection measures, and emplacement. Simple selection criteria of (1) post-Apollo design, (2) uniqueness of the habitat design, (3) level of thoroughness in design layout, (4) habitat dimensions are provided, and (5) materials of construction for the habitat shell are specified, are used to select five habitats for future trade studies. Habitat emplacement scenarios are created to examine the possible impact of emplacement of the habitat in different locations, such as lunar poles vs. equatorial, above ground vs. below ground, etc.

N94-27943# Japanese Air Self-Defense Force, Tokyo. Aeromedical Lab.
COMPARISON OF PERFORMANCE IN SIMULATOR FLIGHT AMONG SUBJECTS WITH DIFFERENT SIMULATOR EXPERIENCES [FURAITO SHIMYURETA SOJU NI OKERU MIKEIKENSHA TO KEIKENSHA NO SOI NI TSUITE] MIYAKO OKAUE, ATSUSHI KADOO, SYUJI NISHI, KYOUICHI NAGATSUKA, and ZOUJIROU KATOH In its The Reports of Aeromedical Laboratory, Volume 33, Number 4 p 87-101 1 Dec. 1992 In JAPANESE Avail: CASI HC A03/MF A01

A comparison of flight simulator control was made among three subject groups: Japan Air Self Defence Force (JASDF) personnel in their 20's, who had not applied to become pilots and are currently engaged in non-flight duties (Group 1); flight students (in their 20's) with only 4 hours of flight experience (Group 2); and non-pilots ranging in age from 28 to 48 (mean age, 38) (Group 3). The data-gathering flight patterns included seven segments. Each segment began from straight and level flight, proceeded to the aircraft maneuver in question, and ended in straight and level flight. The aircraft maneuvers were as follows: straight climb and descend for segment 1; right and left level turn for segment 2; left climbing turn for segment 3; right climbing turn for segment 4; left descending turn for Segment 5; right descending turn for Segment 6; and landing for Segment 7. As was expected, Group 3 performed the best overall. Author (NASDA)

N94-27952\*# National Aeronautics and Space Administration.
Marshall Space Flight Center, Huntsville, AL.
EXTRA-VEHICULAR ACTIVITY (EVA) GLOVE EVALUATION
TEST PROTOCOL

E. M. HINMAN-SWEENEY Mar. 1994 153 p (NASA-TM-108442; NAS 1.15:108442) Avail: CASI HC A08/MF

One of the most critical components of a space suit is the gloves, yet gloves have traditionally presented significant design challenges. We the committeed efforts at glove development, a method for evaluating and portormance is needed. This paper presents a pressure-glove symbol protocol. A description of this evaluation protocol, and its development is provided. The protocol allows comparison of one glove design to another, or any one design to bare-handed performance. Gloves for higher pressure suits may be evaluated at current and future design pressures to drive out differences in performance due to pressure effects. Using this protocol, gloves may be evaluated during design to drive out design problems and determine areas for improvement, or fully mature designs may be evaluated with respect to mission requirements. Several different test configurations are presented to handle these cases. This protocol was run on a prototype glove. The prototype was evaluated at two operating pressures and in the unpressurized state, with results compared to bare-handed performance. Results and analysis from this test series are provided, as is a description of the configuration used for this

N94-28406# Technical Research Centre of Finland, Tampere. Regional Inst. of Occupational Health. SIMULATION OF THE EFFECT OF WIND ON CLOTHING BY MEASUREMENTS AND CALCULATIONS HANNU ANTTONEN, ESA HILTUNEN, and RALF OESTERLUND 1993 49 p

(ISSN 1235-0621)

(PB94-132289; VTT/PUB-133; ISBN-951-38-4251-7) Copyright

Avail: CASI HC A03/MF A01

The conventional measuring methods of thermal resistance R(ct) and water vapor resistance R(et), do not give enough information about the function of winter clothing in different conditions. In the study, two self-constructed cylinders were used, with diameters of 300 and 200 mm, both 500 mm in height. The cylinder was placed in a wind-tunnel in the climatic chamber where ambient temperature (-15 to +5 C) and wind velocity (1 to 8 m/s) were adjustable. Skin temperature and sweating level of the cylinder were controlled by a computer. The development of measuring method, the theory, and the clothing models are under progress, but is is obvious that cylinder measurements are suitable especially in windy conditions.

#### N94-28422# Norwegian Transarctic Expedition, His. EVALUATION OF LIFE SUPPORT EQUIPMENT DURING AN UNSUPPORTED NORTH POLE EXPEDITION

W. GAUTVIK, J. O. OWE (Institute of Aviation Medicine, Oslo, Norway.), and T. A. OFTEDAL (Norwegian Defence Research Establishment, Kjeller.) In AGARD, The Support of Air Operations under Extreme Hot and Cold Weather Conditions 6 p

Copyright Avail: CASI HC A02/MF A03

This paper presents practical experience with the following life support equipment used during an unsupported North Pole expedition in 1992: clothing, sleeping bag with vapor barrier inner liner, a high efficiency cooking gear for melting water, and freeze dried food with 70 percent of the energy from fat.

Derived from text

### N94-28430# Guelph Univ. (Ontario). School of Engineering. THE POTENTIAL OF NEW TEXTILES IN IMPROVING SURVIVAL PROSPECTS

In AGARD, The Support of Air Operations under Extreme Hot and Cold Weather Conditions 13 p Oct. 1993

Copyright Avail: CASI HC A03/MF A03

The paper surveys briefly the role of textile materials in enhancing comfort and survival prospects, in both cold and hot climates, identifying the fiber, fabric and textile construction factors of critical importance. An examination of the interaction between these factors, showing how they enhance or interfere with one another, is also carried out in outline. Selected new textile fibers and fabric construction or finishing techniques are then analyzed to determine how their novel characteristics can improve their cold- or hot-weather performance, with a prediction in each case of how the advantages derived from their incorporation may potentially be of use in improving aircrew or ground support staff clothing applications. Derived from text

N94-28431# META Research, Inc., Richmond (British Columbia).

#### FIRE-RESISTANT WATER VAPOUR PERMEABLE BUOYANT INSULATION

WENDELL UGLENE and BRIAN FARNWORTH In AGARD, The Support of Air Operations under Extreme Hot and Cold Weather Conditions 8 p Oct. 1993 Sponsored by Mustang Survival and British Columbia Research Council

Copyright Avail: CASI HC A02/MF A03

Compared to closed cell foam, constant wear garments designed with this material provide added comfort due to increased heat losses during sweating, shortened drying times after sweating, and added flexibility. Although introducing water vapor permeability causes a degradation to the material's cold water immersion protection, the integrity of its fire protection and buoyancy remains unaltered. Author

N94-28432# Gore (W. L.) and Associates, Inc., Elkton, MD. DEVELOPMENT OF A NEW CHEMICAL WARFARE AGENT PROTECTIVE MATERIAL

S. NICHOLAS ALLEN, ROBERT J. BENDER, and TERRI L. KELLY In AGARD, The Support of Air Operations under Extreme Hot and Cold Weather Conditions 8 p Oct. 1993

Copyright Avail: CASI HC A02/MF A03

In 1976 W. L. Gore & Associates, Inc. invented GORE-TEX fabric utilizing expanded polytetra-fluoroethylene (ePTFE). This was the first truly waterproof and moisture vapor permeable fabric laminate. In 1980 the company began to develop products for military applications. Since that time, Gore has supplied GORE-TEX fabric for, and assisted in the development of, some of the military's most technically sophisticated apparel: the U.S. Army's Extended Cold Weather Clothing System (ECWCS), the U. S. Navy's Over Water Flight Suit (OWFS), and the U. S. Air Force's Security Police Jacket being but a few examples. All of these garments provide the user with increased levels of protection from harsh environments and have proved themselves to be very durable. GORE-TEX fabric laminate has consistently proven itself to be technically superior to any other material. This paper details the development by Gore of a new chemical warfare protective material based on proven ePTFE technology combined with a new highly activated polymer system (APS).

Alberta Univ., Edmonton. Dept. of Human N94-28433# Ecology

#### THERMAL PROTECTIVE PERFORMANCE AND INSTRUMENTED MANNEQUIN EVALUATION OF MULTI-LAYER GARMENT SYSTEMS

E. M. CROWN, M. Y. ACKERMAN, J. D. DALE, and K. B. RIGAKIS In AGARD, The Support of Air Operations under Extreme Hot and Cold Weather Conditions 8 p Oct. 1993 Sponsored by Canadian Petroleum Association and Defence Research Establishment

Copyright Avail: CASI HC A02/MF A03

The purpose of this research was to evaluate the relative effectiveness of different clothing systems in their contribution to protection against exposure to high heat flux flash fires. All systems were exposed to controlled simulated flash fires (80 or 84 kW/sq m) on a thermally instrumented manneguin. The percentage of the mannequin surface reaching second and third degree burn criteria was recorded. In addition, the multiple layers of fabrics which were used together in each of the garment systems were tested according to a standard thermal protective performance (TPP) test. The protection provided by multiple layered garment systems was significantly greater than would be expected from the additive effects of the layers used singly. The outer layer of a garment system must be flame retardant, however; wearing a flammable garment over a flame retardant one clearly negates the benefits of the FR layer. While it cannot be concluded for certain that undergarments must also be flame retardant, results demonstrate that FR undergarments offer more protection than non-FR ones, especially when worn under the relatively light-weight fabrics which may be used for military flightsuits. Only in one experiment with garment systems comprising all-FR layers did small-scale TPP tests indicate the relative protection provided by the systems. The TPP test did not indicate the potential hazard of systems in which the outer layer is non-FR. Nor did it differentiate among the three different flight suit fabrics or demonstrate the relative protective performance of different underwear materials.

Author (revised)

German Air Force, Fuerstenfeldbruk (Germany). Inst. of Aviation Medicine.

#### EFFECTIVENESS OF PROTECTION CLOTHING FOR COLD WEATHER CONDITIONS AFTER EJECTION OVER SEA: A CASE REPORT

B. MAYR and M. KRAEMER In AGARD, The Support of Air Operations under Extreme Hot and Cold Weather Conditions 8 p. Oct. 1993

Copyright Avail: CASI HC A02/MF A03

During a night formation mission including an approach without establishing a connection to the tanker aircraft a collision of both aircrafts, Typ PA 200 Tornado occurred. The four aircrew members performed an ejection. The site of the accident is located over the baltic sea in the Skagerrak region. At the time of accident, the air temperature was noted with 6 C, the water temperature with 11 C, and the sea with waves of 4 to 4.5 m height with a frequency of 8 waves per minute. The time of rescue ranged from 1 hour 28 minutes to 2 hours 14 minutes. This document reports on clothing and personal equipment, on the clinical findings, and on statements of the crew members. The crew member who was recovered after 2 hours and 14 minutes did not survive. This accident shows that with the ordered clothing, a survival under these conditions is supported, yet with incomplete equipment, it must be reckened with a fatal outcome. Further details are discussed.

## N94-28436# Shark Group of Companies, Morpeth (England). ADVANCED INTEGRATED COLD PROTECTION FOR

E. BRAMHAM and M. J. TIPTON (Surrey Univ., Guildford, England.) In AGARD, The Support of Air Operations under Extreme Hot and Cold Weather Conditions 8 p Oct. 1993
Copyright Avail: CASI HC A02/MF A03

In this paper, the concept of an Advanced Integrated Survival System is introduced and discussed in relation to the Helicopter Crew Member and Passengers, although the principles are equally applicable to many other types of user and circumstances requiring specialized protective clothing. The fundamental principles behind the concept are firstly that the wearer should be given protection against all of the hazardous responses associated with immersion in cold water and secondly, that the individual components which make up the integrated survival system (ISS) must be compatible and complementary. They may also be interdependent.

Derived from text

# N94-28437# Surrey Univ., Guildford (England). EMERGENCY UNDERWATER BREATHING AIDS FOR HELICOPTER PASSENGERS AND CREW

M. J. TIPTON (Institute of Naval Medicine, Alverstoke, England.), E. BRAMHAM (Shark Group of Companies, Morpeth, England.), and D. H. ELLIOTT In AGARD, The Support of Air Operations under Extreme Hot and Cold Weather Conditions 8 p Oct. 1993 Sponsored by Shell Research Ltd. and Esso Research Center

Copyright Avail: CASI HC A02/MF A03

In this paper, the rationale for the provision of some form of helicopter emergency underwater breathing aid (HEUBA) for helicopter passengers and crew is briefly discussed and the thoughts and work which resulted in the production of a new aid, 'Air Pocket', is reviewed.

Derived from text

N94-28443# Aerospace Medical Research Labs., Brooks AFB,

## AEROMEDICAL SUPPORT FOR CASUALTIES IN EXTREMELY HOT CLIMATES

S. A. NUNNELEY and R. U. BISSON In AGARD, The Support of Air Operations under Extreme Hot and Cold Weather Conditions 7 p. Oct. 1993

Copyright Avail: CASI HC A02/MF A03

Aeromedical support for operations in hot climates involves exposure to acute heat injury and chronic heat stress which are unfamiliar to many medical personnel in NATO nations. Preparation for deployment to a hot climate should include review of climatic data for the site, appropriate adjustment to supplies and equipment needed to handle predicted numbers of heat casualties, and education of all air base personnel regarding methods of preventing heat illness. Medical facilities at the remote site may include local buildings or air transportable units. Special care is required with respect to housekeeping and provision of safe food and water in hot climates. Casualties arriving from remote sites should be assumed to suffer from heat stress and dehydration; those with elevated temperatures or disturbed consciousness must be treated as heat stroke cases until proven otherwise. Oral rehydration mixtures should be used whenever possible, reserving intravenous fluids for severe cases. Plans for air evacuation of all patients

should attempt to minimize heat stress during loading and allow for continued rehydration in flight.

N94-28444# Spanish Air Force, Talavera AFB.
WORK CONDITIONS ASSESSMENT IN PILOTS AND GROUND
PERSONNEL UNDER HIGH WEATHER TEMPERATURES

J. L. GARCIAALCON and J. M. MORENOVAZQUEZ (Extremadura Univ., Badajoz, Spain.) In AGARD, The Support of Air Operations under Extreme Hot and Cold Weather Conditions 9 p Oct. 1993

Copyright Avail: CASI HC A02/MF A03

Humans and animals often exhibit a remarkable ability to adapt to harsh or rapidly changing environmental conditions. One obvious means of adaptation is to move to where the environmental stresses are less severe. The body also has a great physiological capacity for adaptation. There exists ample literature on adaptative mechanisms and processes. When a person becomes acclimatized, the hypothalamus and other body control organs and systems settle into cooperative equilibrium, with certain chemical or hormonal levels that are appropriate for that particular season. The present study, describes how simple dietary rules can prevent involuntary dehydration brought about by sweating.

Author (revised)

N94-28445# Royal Air Force, Farnborough (England). Inst. of Aviation Medicine.

#### THERMAL STRAIN GENERATED BY AN ENHANCED ANTI-G PROTECTION SYSTEM IN A HOT CLIMATE

P. J. SOWOOD and E. M. OCONNOR In AGARD, The Support of Air Operations under Extreme Hot and Cold Weather Conditions 13 p. Oct. 1993

Copyright Avail: CASI HC A03/MF A03

A flight trial was conducted at RAF Akrotiri to assess the level of thermal strain associated with, and the G protection provided by, the prototype European Fighter Aircraft (EFA) interim aircrew equipment assembly (AEA) in a warm climate. Six subjects flew a standardized sortie four times in the RAF IAM Hawk aircraft: two while wearing the EFA AEA, and two wearing standard Hawk Summer AEA. The sortie profile included simulated air combat and four high G turns. Cockpit temperatures, rectal and skin temperatures, heart rate, and sweat rate were recorded. Subjective thermal comfort, fatigue, and G tolerance were also assessed. Skin temperatures at the chest, back, and upper thigh sites and mean skin temperatures were greater in flight, and sweat rate was increased when the EFA AEA was worn. However, rectal temperature and heart rate did not differ significantly when the EFA AEA was worn indicating that homeostasis was maintained by thermoregulatory mechanisms. Superior G protection was provided by the EFA AEA. Taken as 8 whole, these findings suggest that wearing the EFA AEA in a warm climate is associated with an increased but not unacceptable level of thermal stress while offering greater G protection. These results may not generalize to conditions where ambient temperatures are higher or where more insulative protective clothing is required. Author (revised)

N94-28446# Royal Air Force, Farnborough (England). Inst. of Aviation Medicine.

## IMPLICATIONS OF CLIMATIC EXTREMES IN AIRCREW NBC OPERATIONS

A. J. F. MACMILLAN In AGARD, The Support of Air Operations under Extreme Hot and Cold Weather Conditions 6 p Oct. 1993

Copyright Avail: CASI HC A02/MF A03

The NBC protective equipment and facilities in service with UK forces must be used when an appropriate threat exists irrespective of climate. Modifications to the individual assemblies, including provision of heated ventilating air to the aircrew respirator and additional insulation in cold conditions together with means to increase loss of body heat in hot climates and combined with changes to procedures and adaptation of concepts of use, can minimize the impedance to effective air operations which may occur from the additive effects of wearing NBC protective equipment in climatic extremes.

Author (revised)

N94-28447# Army Research Inst. of Environmental Natick, MA. Military Performance and Neuroscience Div. Army Research Inst. of Environmental Medicine, THE ENVIRONMENTAL SYMPTOMS QUESTIONNAIRE:

ASSESSING REACTIONS TO ENVIRONMENTAL EXTREMES IN MILITARY OPERATIONS

JOHN L. KOBRICK, JAMES B. SAMPSON (Army Natick Research and Development Command, MA.), and RICHARD F. JOHNSON In AGARD, The Support of Air Operations under Extreme Hot and Cold Weather Conditions 8 p Oct. 1993

Copyright Avail: CASI HC A02/MF A03

The environmental symptoms questionnaire (ESQ) was developed to aid in the standardized assessment of symptoms experienced by individuals exposed to environmental extremes. It was used initially to delineate the symptoms of acute mountain sickness, but has since evolved into a more comprehensive tool for assessing subjective reactions to ambient heat and cold, to diet, physical exercise, and medications. The ESQ has also been made more reliable and user friendly by revision, addition and removal of certain items, and by compression of the initial scale values. Factor analysis of responses has identified several meaningful symptom clusters, and has provided a useful technique for scoring those clusters under both laboratory and field conditions. Studies utilizing the ESQ under various environmental extremes are summarized and reviewed. Current administration and scoring methods are presented. Author (revised)

N94-28451# Exotemp Systems, Inc., Stittsville (Ontario). RECENT CANADIAN ADVANCES IN ACTIVE THERMAL PROTECTION

P. A. BROWNE In AGARD, The Support of Air Operations under Extreme Hot and Cold Weather Conditions 9 p Oct. 1993

Copyright Avail: CASI HC A02/MF A03

The Gulf war created an unusual incentive to the rapid development and deployment of active cooling systems for defense personnel. One of the most successful efforts in this respect concerned a liquid-circulating system which departed from prior art in a number of significant ways. The system was deployed first by Canadian aircrew, and then by their British counterparts in the later stages of the conflict. The systems used by these forces are described, with an account of their physical and thermal characteristics, and an account of their performance in the field. Very recent developments in electrically powered cooling units for microclimate use are also described. These new devices offer very real advantages in terms of power and space consumption. The impact they will have on air operations in extreme heat is discussed. Author

N94-28452# Institute of Aviation Medicine, Manching (Germany)

TEST OF A NEW PROTECTION SUIT IN A CLIMATIC

H. PONGRATZ, M. HARRE, B. KARMANN, A. RIECK, and H. VAIC In AGARD, The Support of Air Operations under Extreme Hot and Cold Weather Conditions 4 p Oct. 1993

Copyright Avail: CASI HC A01/MF A03

Within the framework of the research and technology program, a whole-body protection suit with integrated helmet was developed by the Dornier Company. The thermophysiological capabilities of this suit were tested by Division IV Ergonomics of the German Air Force Institute of Aviation Medicine. Ambient temperatures higher than those normally to be expected in the cockpit were chosen intentionally. In spite of this fact, pulse rates remained below the limiting value and the average rise in core temperature was insignificant. Loss of weight through sweating amounted to approximately 1% of body weight. It proved possible to remove 82% of this sweat by means of ventilation. Based on the results of the questionnaires on subjective sensibility, no prejudice to well-being and no negative effects in respect of the capability to act were established with regard to the testing of the whole-body protection suit under laboratory conditions. Author (revised)

Army Aeromedical Research Lab., Fort Rucker, N94-28453#

THE USE OF LIQUID AND AIR MICROCLIMATE CONDITIONING SYSTEMS TO ALLEVIATE HEAT STRESS IN HELICOPTER NBC OPERATIONS

ROBERT THORNTON, J. LYNN CALDWELL, and FRANK GUARDIANI In AGARD, The Support of Air Operations under Extreme Hot and Cold Weather Conditions 23 p Oct. 1993

Copyright Avail: CASI HC A03/MF A03

The effects of microclimate cooling on aviator performance and physiology in Nuclear, Biological, and Chemical (NBC) Individual Protective Equipment (IPE) were evaluated in the USAARL UH-60 research flight simulator. Sixteen male aviators flew the simulator in two temperature conditions, 35 C and 41 C. both at 50% relative humidity (RH). Two thermoelectric conditioning units were used, one providing cooled blown air, the other cooled water to the aviators. At each temperature they flew for up to six hours in NBC IPE with no cooling, air cooling, and liquid cooling. Author (revised)

N94-28498# Kawasaki Heavy Industries Ltd., Tokyo (Japan). SOME ISSUES ON JAPAN'S SPACE FOOD DEVELOPMENT AND RELATING PRELIMINARY EXPERIMENTAL STUDY WAGAKUNI NO UCHUSHOKU KAIHATSU NI OKERU KADAI TO KISOTEKI JIKKEN)

SHUJI KANDA, SHIZUKO YAMAGUCHI (Ajinomoto Co., Inc., Kawasaki, Japan.), CHIHARU SEKIGUCHI, SEI YUMIKURA, MAKOTO DOI, MASAO ITO, AKIRA MIYAMOTO, and KAZUYOSHI In Japan Society of Aerospace and Environmental AMILAY Medicine, Japanese Journal of Aerospace and Environmental Medicine, Vol. 30, No. 3 p 127-133 1 Sep. 1993

JAPANESE See also A94-12180 Avail: CASI HC A02/MF A01

Space food is an important subject of the manned space technology and some kinds of space food have been developed in USA and Russia. Although they meet the basic requirements, such as nutrition and preservation, some problems still remain from the viewpoint of crew comfort like hedonic acceptability. In this report, some investigations are made on the necessity of Japan's space food concerning physiological and psychological issues. These investigations are based on the hypothesis that the food having good acceptability on the ground (1 G) might have also good acceptability under the microgravity condition of space. As the first step to verify the hypothesis, a taste sensitivity test was carried out under the bed rest condition of HDT (Head Down Tilt), as a simulated microgravity condition. From the test results, no significant change of taste sensitivity is found between upright and HDT conditions. Therefore, the aforementioned hypothesis is supported on the universality of the food acceptance of humans under 1 G gravity and microgravity conditions. Author (NASDA)

N94-28649# Federal Aviation Administration, Cambridge, MA. National Transportation Systems Center. KEY COGNITIVE ISSUES IN THE DESIGN OF ELECTRONIC DISPLAYS OF INSTRUMENT APPROACH PROCEDURE CHARTS Final Report, Nov. 1992 - Jul. 1993

MELANIE C. CLAY Nov. 1993 111 p (AD-A275647; DOT-VNTSC-FAA-93-18; DOT/FAA/RD-93/39) Avail: CASI HC A06/MF A02

This report provides a general introduction to the field of cognitive psychology and the application of well researched cognitive issues to the design of electronic instrument approach procedures (EIAP) displays. It presents 46 cognitive issues and 108 design principles. Its basic premise is a recognition of the need for the pilot to get unambiguous information as quickly and easily as possible in such a way that it can be remembered until the time that it must be used. Recognition and discriminability of patterns, stress resulting from heavy workload, the effects of divided attention, and the need to take account of the pilot's expectations are discussed. The merits of color and size, paper and electronic display, and temporary removal of nonessential information are examined. Among the conclusions made by the report are recommendations for more investigation in the following areas:

symbol design, grouping and coding of information, orientation and scaling of information, control of clutter, and ways of overcoming the harmful effect of interruptions to attention or to performance of sequential actions.

N94-28766# Krug Life Sciences, Inc., San Antonio, TX.
A RELIABLE AND REPEATABLE METHOD FOR VOLUME
CALCULATION OF PRESSURIZED GARMENTS Interim Report,
May - Nov. 1993
RICARDO PEREZ, III, JOHN H. OHLHAUSEN, and PHILIP J.

RICARDO PEREZ, III, JOHN H. OHLHAUSEN, and PHILIP J. PREEN Nov. 1993 5 p

(Contract F33615-92-C-0018)

(AD-A275600; AL/CF-PC-1993-0051) Avail: CASI HC A01/MF A01

A rapid, accurate and efficient method to conduct inflation, volume and leak tests on pressure containing personal protective garments was developed and validated. The new system consists of a computer data acquisition and process control system that integrates flow rate over time to calculate volume. Validation of the new test system was accomplished by comparing the volumes calculated by the computer with volumes actually measured via a wet spirometer. Results from the validation study showed that the computerized system was highly accurate. In addition, the computerized system allows suits to be rapidly and effectively evaluated.

#### 55

### SPACE BIOLOGY

Includes exobiology; planetary biology; and extraterrestrial life.

N94-27370°# Sverdrup Technology, Inc., Cleveland, OH. THE FERMI PARADOX: AN APPROACH BASED ON PERCOLATION THEORY


GEOFFREY A. LANDIS In NASA. Lewis Research Center, Vision 21: Interdisciplinary Science and Engineering in the Era of Cyberspace p 163-167 Dec. 1993

Avail: CASI HC A01/MF A03

If even a very small fraction of the hundred billion stars in the galaxy are home to technological civilizations which colonize over interstellar distances, the entire galaxy could be completely colonized in a few million years. The absence of such extraterrestrial civilizations visiting Earth is the Fermi paradox. A model for interstellar colonization is proposed using the assumption that there is a maximum distance over which direct interstellar colonization is feasible. Due to the time lag involved in interstellar communications, it is assumed that an interstellar colony will rapidly develop a culture independent of the civilization that originally settled it. Any given colony will have a probability P of developing a colonizing civilization, and a probability (1-P) that it will develop a non-colonizing civilization. These assumptions lead to the colonization of the galaxy occuring as a percolation problem. In a percolation problem, there will be a critical value of percolation probability, P(sub c). For P less than P(sub c), colonization will always terminate after a finite number of colonies. Growth will occur in 'clusters', with the outside of each cluster consisting of non-colonizing civilizations. For P greater than P(sub c), small uncolonized voids will exist, bounded by non-colonizing civilizations. For P approximately = to P(sub c), arbitrarily large filled regions exist, and also arbitrarily large empty regions.

BLANK PAGE

Typical Subject Index Listing



The subject heading is a key to the subject content of the document. The title is used to provide a description of the subject matter. When the title is insufficiently descriptive of document content, a title extension is added, separated from the title by three hyphens. The accession number and the page number are included in each entry to assist the user in locating the abstract in the abstract section. If applicable, a report number is also included as an aid in identifying the document. Under any one subject heading. the accession numbers are arranged in sequence.

### ACCELERATION STRESSES (PHYSIOLOGY)

N94-27452

#### ACCELERATION TOLERANCE

electrogastrogram during parabolic flight p 176 N94-27452

Vertical gaze direction during parabolic flight p 176 N94-27453

Heart rate change in normal and hamsters during parabolic flight Effects of imaginary target on industry by linear acceleration p 176 N94-27454

p 200 N94-27456 The Reports of Aeromedical Laboratory, volume 33,

number 4 [JTN-94-80586] p 184 N94-27942

ewarming individuals p 190 N94-28442 A comparison of four methods of rewa cooled by immersion in cold water ACTIVATION (BIOLOGY)

on E. coli plasmid pUC19: Vacuum-UV-effects on E. coli plasmid pUC19: nactivation, strand break induction and mutation

DLR-FB-93-26 p 171 N94-27754

#### ACTIVITY (BIOLOGY)

Monitoring activity with a wrist-worn actigraph: Effects amplifier passband and threshold variations

of amplifier pas (AD-A274705) variations p 173 N94-26377 of A comparison isctroencephalography scored scored by wrist actigraphy [AD-A273739]

ADAPTATION

#### nsions research team, operation restore Human dim

hope [AD-A274340] p 194 N94-27056 Work conditions assessment in pilots and ground

p 203 N94-28444

#### ADRENAL GLAND

The intracellular second messenger system in c-fos go induction by ACTH

#### RENOCORTICOTROPIN (ACTH)

system in c-fos g The intracellular second messenge on by ACTH 161 N94-27477

#### AEROSPACE ENVIRONMENTS

Japanese Journal of Aerospace and Environmental Medicine, vol. 30, no. 3 (JTN-94-80606) p 191 N94-28495

Some issues on Japan's space food development and relating preliminary experimental study p 204 N94-28498

#### AEROSPACE MEDICINE

US Army aviation epid miology data registry: Incidence

es of aviator flying evaluation boards
1) p 173 N94-26432 (AD-A274711) positive pressure

breathing for + Gz protection (AD-A274717) p 173 N94-26435 Monograph of the Aviation Epide for CY 1992 logy Data Regis

AD-A274400) p 174 N94-27130

Brain wave correlates of attentional states: Event related otentials and quantitative EEG analysis during erformance of cognitive and perceptual tasks is and quantitative EEG ance of cognitive and percept. p 196 N94-27901

The Reports of Aeromedical vratory, volume 33,

JTN-94-80586) p 184 N94-27942 Aerospace medicine bibliography with indexes [NASA-SP-7011(386)] biology: A continuing ement 386) p 184 N94-28208

ology: A continuing ant 387) Aerospace medicine (NASA-SP-7011(387))

p 184 N94-28213 gg: A cumulative index plement 384) Aerospace medicine and to a continuing bibliography (NASA-SP-7011(384))

p 184 N94-28219 Workshop on Coun Exercise: Current Issues NASA-CP-3252)

Does training-induced orthostatic hypotension result from reduced carotid baroreflex responsiveness?

Cardiac output and cardiac contri ty by impedance ardiography during exercise of runners

p 186 N94-28367 skeleton: A new p 186 N94-28388 Weightlessness and the human

p 186 N94-28389 irreversibility of advanced or Exercise and osteoporosis: p 186 N94-28370

Visit to CERMA: Centre d'Etudes et de Recherches de Medecine Aerospatiale, Centre for Studies and Research in Aviation and Space Medicine, Bretigny sur Orge, France, ber 16-18, 1992

[PB94-132990] p 188 N94-28392 The Support of Air Operations under Extreme Hot and Cold Weather Conditions [AGARD-CP-540] p 172 N94-28420

Aeromedical support for car es in extremely hot p 203 N94-28443

Work conditions assessment in pilots and ground nnel under high weather temp p 203 N94-28444

Test of a new protection suit in a climatic chamber p 204 N94-28452

and Environmental Medicine, vol. 30, no. 3 [JTN-94-80608]

### AFFERENT NERVOUS SYSTEMS

Contribution of muscle spindle afferent activity to transient pause in EMG during voluntary tonic contraction p 180 N94-27822

#### AGING (BIOLOGY)

Aviation epidemiology data register: Age distribution of U.S. Army aviators stratified by gender and component [AD-A275901] p 192 N94-28757

#### AIR CONDITIONING

Experimental evaluation of two systems of individual air-conditioning p 191 N94-26450

#### AIR CONDITIONING EQUIPMENT

The use of liquid and air microcli systems to alleviate heat stress in helicopter NBC operations p 204 N94-28453

#### AIR COOLING

The use of liquid and air microclimate conditioning systems to alleviate heat stress in helicopter NBC operations p 204 N94-28453

#### AIR CUSHION LANDING SYSTEMS

An evaluation of personality testing and the five-factor model in the selection of landing craft air cushion vehicle (AD-A275869) p 196 N94-28754

AIR TRAFFIC CONTROLLERS (PERSONNEL)
Validation of the Federal Aviation Admini

traffic control specialist pre-training screen [DOT/FAA/AM-94/4] p 19 p 192 N94-26600

#### AIRCRAFT ACCIDENTS

Physiological investigations of the isolated rat's liver in hypothermia and hypoxia and their relevance in aircraft incidents above the sea p 172 N94-28439

AIRCRAFT CONTROL Comparison of performance in simulator flight among subjects with different simulator experiences

p 201 N94-27943

#### AIRCRAFT DESIGN

A multivariate anthropometric method for crew station design. Abridged [AD-A274588] p 197 N94-26984

### AIRCRAFT EQUIPMENT

Thermal strain generated by an enhanced anti-G protection system in a hot climate p 203 N94-28445

A critical analysis of workload predictions multiple resource theory during early crew (AD-A274804) p 19

US Army aviation epidemiology of and outcomes of aviator flying eval [AD-A274711] miology data registry: Incidence flying evaluation boards

p 173 N94-26432

p 193 N94-26749 (AD-A273935)

Comparison of performance in simulator flight among p 201 N94-27943

for individual tolerance to +Gz acceleration p 184 N94-27944

search at the naval research laboratory: The long view p 191 N94-28756 aerospace medic (AD-A275885)

Aviation epidemiology data register: Age distribution of U.S. Army aviators stratified by gender and component

AD-A275901] p 192 N94-28757

#### ALERTNESS

Brain wave correlates of attentional states: Event related potentials and quantitative EEG analysis during performance of cognitive and perceptual tasks

p 196 N94-27901

#### ALTITUDE TOLERANCE

Japanese Journal of Aerospace and Environmental Medicine, vol. 30, no. 3 [JTN-94-90606] p.191 N94-28495

MOIENT TEMPERATURE

Deterioration of manual performance in cold and windy climates p 189 N94-28434

anism for regulation of myocardial contractility by nic drugs: Pathophysiological relevance in autonomic drugs: congestive heart failu p 182 N94-27536

NALOG CIRCUITS Electrical coupling between the sino-atrial node and atrial nucle: Cell to cell interaction through an external circuit no its simulation by computer modeling

p 167 N94-27509

ANALOG SIMULATION

Electrical coupling between the sino-atrial node and atrial uscle: Cell to cell interaction through an external circuit and its simulation by computer modeling

p 167 N94-27509

ANATOMY

Cross-sectional anatomy of day 30 suncus fetuses p 163 N94-27490 Skeletal development and ossification of the swine p 164 N94-27491

The effect of naioxone on sleeping time in adjuvant thritic rats p 165 N94-27498

ANGULAR ACCELERATION

Evaluation of near-infrared spectrophotometric method for individual tolerance to + Gz acceleration p 184 N94-27944

An evaluation of criteria that may be used to identify species surviving a mass extinction p 171 N94-28304
ANNUAL VARIATIONS

Monthly variation of physiological and psychological reponses under unsteady thermal conditions

p 178 N94-27475 Man's ability to adapt himself for the seasonal climatic changes: From viewpoint of anticipation and seasonable behavior p 178 N94-27476 p 178 N94-27476

annual changes ANTARCTIC REGIONS

Medical support for British operations in the Antarctic p 188 N94-28421

ANTHROPOMETRY

Female combat helicopter pilot selection criteria (AD-A273935) p 193 NB4 p 193 N94-26749 A multivariate anthropometric method for craw station design: Abridg (AD-A274588)

p 197 N94-26984 ANTIDIURETICS

Treatment of orthostatic hypotension by nasal sministration of vasopressin p 182 N94-27533 ROACH INDICATORS

Key cognitive issues in the design of electronic displays instrument approach procedure charts [AD-A275647] p 204 N94-28649

A comparison of two hardware implementations of a rew selection system AD-A274913] p 192 N94-26346 Validation of the Federal Aviation Administration air AD-A274913 traffic control specialist pre-training scree [DOT/FAA/AM-94/4] p 192 N94-26600

Evaluation of life support equipment during an insupported North Pole expedition p 202 N94-28422 unsupported North Pole expedition ARMED FORCES (UNITED STATES)

Human dimensions research team, operation restore (AD-A274340)

n 194 N94-27056

On the mechanism of reentrant arrhythmias following DC defibrillation influence of fiber orientation to the effects of low-energy electric field stimulation on the effective refractory period of cardiac muscle p 160 N94-27468 Effects of perfusion of amiodarone on Petractory of perfusion of amount of electrophysiological properties in single rabbit ventricular p 166 N94-27503 p 166 N94-27503

trophysiological effects of MS-551, a new Class 3 antiarrhythmic agent, on isolated rabbit ventricular muscles p 166 N94-27505

Comparative investig ation of new Class 3 antiarrhythmic drugs, E-4031 and MS-551, on electrophysiological

drugs, E-4031 and Mo-301, Vicinity of the properties in isolated rabbit ventricular myocytes p 167 N94-27506 Effects of Class 1 antiarrhythmic drugs on the intraventneular conduction: Influence of fiber orientation p 167 N94-27507

Effects of Class 3 antiarrhythmic agents, E-4031 and MS-551 on ventricular repolarization in isolated rabbit

Block of cardiac sodium channels by Ro 22-9194 (R), a new antiarrhythmic agent: Effects on the maximum upstroke velocity (Vmax) of single guinea pig ve p 168 N94-27511 myocytes

myocytes p 166 N94-27511 Electrophysiological effects of an antiarrhythmic drug, moricizine on isolated guinea pig ventricular muscles p 168 N94-27512

ARTHRITIS

Excitation of cutaneous polymodal receptor induced by ympathetic stimulation in adjuvant-induced arthritis rats nduced arthritis rats p 164 N94-27495

ection of site injecting adjuvant in chronic mation model p 165 N94-27496 Influence of mechanical stimulation on inflammatory dema p 165 N94-27497

The effect of naloxone on sleeping time in adjuvant rthritic rats p 165 N94-27498 arthritic rate

ARTIFICIAL INTELLIGENCE p 198 N94-27376 Pigs in cyberspace ASTEROIDS

A widely adaptable habital construction system utilizing pace resources p 198 N94-27374

ASTRONAUT PERFORMANCE

Telescience testbedding for physiological experiments under hypobaric hypoxic conditions p 175 N94-27449 Telescience testbedding under hypobaric hypoxic conditions: Evaluation by operation ability and recognition ability p 175 N94-27450

Telescience testbedding for physiological experiments under hypobaric hypoxic conditions: Development and evaluation in CNV measuring p 176 N94-27451 n in CNV measuring p 176 N94-27451 ATHLETES

Aerobic fitness and orthostatic tolerance Evidence paint an association p 185 N94-28365 against an association ATMOSPHERIC PRESSURE

Symptoms of hypoxia at simulated altitude of 25,000 p 184 N94-27945

ATMOSPHERIC TEMPERATURE

Prediction of survival times on land in a cold climat p 188 N94-28423

ATROPHY

Endocrinological evaluations of muscle and bone p 159 N94-27444 atrophy in tail-suspended rats

ATTITUDE CONTROL Comparison of performance in simulator flight among subjects with different simulator experiences p 201 N94-27943

AUDITORY PERCEPTION

Signal- and listener-based factors in complex auditory pattern perception p 194 N94-27094

AUDITORY SIGNALS

Signal- and listener-based factors in complex auditory AD-A274148) p 194 N94-27094

AUDITORY STIMULI

Difference in skin blood flow reduction depending on activating maneuver of skin sympathetic nerve active p 180 N94-27525

AUTONOMIC NERVOUS SYSTEM

Annals of the Research Inst. of Environmental Medicine. Nagoya Univ., volume 44 p 174 N94-27442 Postnatal changes in the autonomic modulation of L-type Ca(exp 2+) currents of rabbit ventricular cells

p 182 N94-27535 Desensitization to acethylcholine in pacemaker cells of ne sinoatrial node p 170 N94-27537 the sincatrial node p 170 N94-27537
Autonomic nervous system and cardiovascular control:
Clinical implications of the 1/f fluctuations of heart rate

AVIATION PSYCHOLOGY

Task demand, workload, and performs (PB94-123627) p mance p 197 N94-27155

p 183 N94-27540

В

BABOONS

Performance recovery in the baboon following (+)G sub z-induced loss of consciousness [AD-A274411] p 157 N94-26991

BACILLUS

toxiner-morgondagens hot (bacterial toxins-the threat of tomorrow) [PB94-124229] p 158 N94-27045

Bakteriella toxiner-morgondagens hot (bacterial toxins-the threat of tomorrow) PB94-124229) p 158 N94-27045

Barley cell culture as a producer of heterologous

BARORECEPTORS

Muscle sympathetic nerve activity in human

p 183 N94-27538 Does training-induced orthostatic hypotension result from reduced carotid baroreflex responsiveness?

Effects of bathing at 40 C on cardiovascular system in humans: Comparison with 34 C thermoneutral bathing

Effects of 41 C bathing for 20 minutes on cardiovascular and thermoregulatory functions in humans p 178 N94-27474

BEHAVIOR

The central executive component of working memory [AD-A274295] p 193 N94-26683

Effects of three hydration beverages on exercise performance during 60 hours of simulated desert p 190 N94-28448

Microbiology research at some research institutes in the former Soviet Union: A survey of scientific publications Aerospace medicine and biology: A cumulative index to a continuing bibliography (supplement 384) (NASA-SP-7011(384)) p 184 NB4-98949

BIOASTRONAUTICS

Spacelab life sciences 2 post mission report
[NASA-CR-195544] p 199 N94-27410
Aerospace medicine and binlogy: A cumulative index
to a continuing bibliography (supplement 384)
[NASA-SP-7011(384)] p 184 N94-28219

Does training-induced orthostatic hypotension result from reduced carotid baroreflex responsiveness?

Cardiac output and cardiac contractility by impedance cardiography during exercise of runners

p 186 N94-28367 Weightlessness and the human skeleton: A new p 186 N94-28368 perspective BIOCHEMISTRY

Development of novel switchable prote (AD-A275510) p p 172 N94-28667

BIODYNAMICS

Workshop on Countering Space Adaptation with Exercise: Current Issues NASA-CP-32521 p 184 N94-28361

Muscular activity and its relationship to biomechanics and human performance p 185 N94-28362 The use of biomechanics in the study of movement in icrogravity p 187 N94-28373

microgravity BIOELECTRIC POTENTIAL

Effects of high-intensity electric field atimulation on the lectromechanical performance of cardiac muscle: fluence of fiber orientation p 160 N94-27467

Influence of fiber orientation p 160 N94-27467
On the mechanism of reentrant arrhythmias following DC defibrillation; influence of fiber orientation to the effects of low-energy electric field stimulation on the effective refractory period of cardiac muscle p 160 N94-27468 BIOELECTRICITY

Positive chronotropic effect of mechanical stretch on the sinoatrial node: Roles of neurotransmitters and stretch p 160 N94-27469 activated channels

of amiodarone on Effects of perfusion lectrophysiological properties in single rabbit ventricular myocytes p 166 N94-27503 Fast and slow onsets of Na channel blocking actions

due to lidocaine and disopyramide concentration-clamp method p 166 N p 166 N94-27504 concentration-clamp method

Electrophysiological effects of MS-551, a new Class 3
antiarrhythmic agent, on isolated rabbit ventrular
muscles p 166 N94-27005

Comparative investigation of new Class 3 antiarrhythmic drugs, E-4031 and MS-551, on electrophysiological ies in isolated rabbit ventricular myocytes p 167 N94-27506

Effects of Class 1 antiarrhythmic drugs on the traventricular conduction: Influence of fiber orientation p 167 N94-27507

Effects of Class 3 antiarrhythmic agents, E-4031 and MS-551 on ventricular repolarization in isolated rabbit hearts p 167 N94-27508

Electrical coupling between the sino-atrial node and atrial muscle: Cell to cell interaction through an external circuit and its simulation by computer modeling

p 167 N94-27509 A study on tissue excitation of cardiac muscle under ectrical field stimulation p 168 N94-27510 electrical field stimulation

Block of cardiac sodium channels by Ro 22-9194 (R), a new antiarrhythmic agent: Effects on the maximum upstroke velocity (Vrnax) of single guinea pig ver p 168 N94-27511

Electrophysiological effects of an antiarrhythmic drug, moricizine on isolated guinea pig ventricular muscles p 168 N94-27512

Correlation between electrical activity and the size of ingle sinoatrial node cells p 168 N94-27513 single sinoatrial node cells

The ionic mechanism underlying the negative chronotropic effect of acetylcholine: Experimental study in rabbit single sinoatrial node cells p 169 N94-27514

The ionic mechanism underlying the negative chronotropic effect of acetylcholine: Experiments using small sinoatrial node tissue preparations isolated from

The ionic mechanism underlying the negative chronotropic effect of acetylcholine: Postganglionic vagal stimulation in isolated rabbit hearts p 169 N94-27516

Desensitization to acethylcholine in pacemaker cells of p 170 N94-27537

SUBJECT INDEX		
Monitoring activity with a wrist-woo of amplifier passband and threshold	variation	16
(AD-A274705)		N94-26377
A comparison of sleep	800	red from
electroencephalography to aleep actigraphy	800190	by wrist
(AD-A279799)	p 173	N94-26748
The measurements of muscle bi Doppler flowmetry with needle type (		w by laser
and the same of th		N94-27530
BIOLOGICAL EFFECTS		
Aerospace medicine and bioli	ogy: A	continuing
bibliography with indexes (supplement		
(NASA-SP-7011(386))		N94-28208
Aerospace medicine and bioli		
bibliography with indexes (supplement	vi 387)	
[NASA-SP-7011(387)]		N94-28213
Aerospace medicine and biology:	A CUTT	lative index
to a continuing bibliography (supplem	ent 384	)
[NASA-SP-7011(384)]		N94-28219
Irreversibility of advanced osteopor	osis: Lin	nited role for
pharmacologic intervention BIOLOGICAL MODELS (MATHEMATI		N94-28369
Temporal stochasticity leads to not		inistic chaos
in a model for blood cell production		
[DE94-003943]	p 183	N94-27744
BIOMASS		
Note on the structure of moss co	ionies o	omposed of
two species on King George Island,	the Sou	ith Shetland
Islands		N94-27971
BIOPHYSICS		
Neutrons in biology		
[DE94-701085]	p 171	N94-27862
BIRDS		
Counting Adelie penguins at cold	nies: Se	easonal and
annual changes	p 171	N94-27970
Performance recovery in the baboo	n follows	nn ( + )G sub
z-induced loss of consciousness	TOHOM	A (+)0 and
[AD-A274411]	0 157	N94-26991
BLOOD	p 101	1404 2000
Endocrinological evaluations of	muscle	and bone
atrophy in tail-suspended rats		N94-27444
BLOOD CELLS		
Temporal stochasticity leads to nor	determi	nistic chaos
in a model for blood cell production		
[DE94-003943]	p 183	N94-27744
BLOOD CIRCULATION	,	

Analysis on one minute wave in body fluid volume and muscle pumping referred to body parts generating the one minute wave during human active standing p 181 N94-27528 Evaluation of near-infrared spectrophotometric method for individual tolerance to +Gz acceleration p 184 N94-27944 Pulse waveform and transcranial Doppler analysis during lower body negative pressure [AD-A274516] AD-A274516]
Effect of prostaglandin E1 on the relationship between kin sympathetic nerve activity and reduction in skin blook p 180 N94-27524 Difference in skin blood flow reduction depending on

activating maneuver of skin sympathetic nerve activity p 180 N94-27525 The measurements of muscle blood flow by laser Doppler flowmetry with needle type probe p 170 N94-27530

Enhancement of skin sympathetic nerve activity in amyotrophic lateral scierosis p 181 N94-27532

Evaluation of near-infrared spectrophotometric method for individual tolerance to + Gz acceleration p 184 N94-27944 A comparison of four methods of rev by immersion in cold water p 190 N94-28442

BLOOD GROUPS Protective action of platelet-activating factor antagonist, TCV-309, against ischemia reperfusion injury in isolated

on injury in isolated p 159 N94-27465 rabbit hearts BLOOD PRESSURE

Passive and active behavior of the cardiovascular system under increased gravitational loads in a chronically instrumental conscious baboon model p 174 N94-26973 [AD-A274344] Aerobic fitness and orthostatic tolerance: Evidence paints an association p 185 N94-28365 against an association BLOOD VOLUME

Passive and active behavior of the cardiovascular system under increased gravitational loads in a chronically instrumental conscious baboon model p 174 N94-26973 (AD-A274344)

Changes in fluid and electrolyte metabolism during water immersion at high or thermoneutral temperature p 175 N94-27445 Analysis on one minute wave in body fluid volume and muscle pumping referred to body parts generating the one minute wave during human active standing nding p 181 N94-27528 Studies on water electrolyte metal: m and endo responses at rest and during submaximal exercise at 6,000 m aimulated altitude p 191 N94-28496 isponses at rest and during exercise at the p 191 N94-28497 p 191 N94-28497

Frequency analysis of body sway induced by optokinetic imulation p 200 N94-27455 BODY TEMPERATURE

Effects of 40 C hot water immersion for an hour on thermoregulatory functions in humans: Comparison with 34 C thermoneutral immersion p 177 N94-27459 shivering in humans during cold water p 188 N94-28426 tolerance p 189 N94-26427

Treatment of mild immersion body-to-body and forced-air warming hypothermia by p 189 N94-28428

The potential of new textiles in improving survival ospects p 202 N94-28430 prospects
Thermoregulation in the extrem

me cold environment
p 189 N94-28438
the isolated rat's liver in
their relevance in aircraft
p 172 N94-28439 Physiological investigations of the hypothermia and hypoxia and their incidents above the sea Rewarming methodologies in the fi

p 190 N94-28441 A comparison of four methods of rewarming individuals Thermal strain generated by an enhanced anti-G rotection system in a hot climate Implications of climatic extremes in aircrew NBC operations p. 203 N94-28446 Alterviation of thermal strain in the CF: Keeping our cool during the Gulf conflict p. 190 N94-2849 dimatic chamber p 204 N94-28452 of a new protection suit

HODY VOLUME (BIOLOGY) injecting adjuvant in chronic p 165 N94-27496 Selection of site flammation model

Nutrition and hydration status of aircrew members onsuming an improved survival ration during a simulated urvival scenario p 189 N94-28429

Endocrinological evaluations of muscle and bone atrophy in tail-suspended rats p 159 N94-27444
Workshop on Countering Space Adaptation with Exercise: Current Issues (NASA-CP-3252) p 184 N94-28361

Weightlessness and the human skeleton: A new p 186 N94-28368 p 186 N94-28369 pharmacologic intervention BONE MINERAL CONTENT

Endocrinological evaluations of muscle and bone atrophy in tail-suspended rats p 159 N94-27444 Irreversibility of advanced ost harmacologic intervention p 186 N94-28369

Skeletal development and o p 164 N94-27491 Weightles perspective sness and the p 186 N94-28368 Irreversibility of advanced p 186 N94-28369 pharmacologic intervention Exercise and osteoporosis: Method logical and practica

BRACKETS Helmet head tracking mounting device [AD-D016048] p 197 N94-27114

Distribution of GABA immunoreactive neurons in the brain of rolling mouse Nagoya and gamma-tradiated mouse p 161 N94-27471 BRAIN DAMAGE

The central executive component of working memory [AD-A274295] p 193 N94-26683 REATHING APPARATUS

Emergency underwater breathing aids for helicopter assengers and crew p 203 N94-28437 Development of inbred strains from Japanese wild rats (Rattus norvegicus) p 164 N94-27492

RYOPHYTES Note on the structure of moss colonies composed of two species on King George Island, the South Shetland Islands p 171 N94-27971 CAFFEINE p 189 N94-28427 CALCIUM METABOLISM Weightlessness and the human skeletor: A new perspective p 186 N94-28368 CALMODULIN Neutron and x ray scattering studies of the interactions between Ca(2+)-binding proteins and their regulatory targets: Companisons of troponin C and calmodulin [DE94-002706] p 157 N94-26623 CALORIC REQUIREMENTS Nutrition and hydration status of aircrew members consuming an improved survival ration during a simulated survival scenario p 189 N94-28429

The mechanism of caloric nystagmus under microgravity 1: Changes of endolymphatic pressure in the semicircular

rmoneutral head-out p 177 N94-27458 Cardiovascular function during ther rater immersion in the elderly p 177 N94-27458 Effects of 40 C hot water immersion for an hour on thermoregulatory functions in humans: Comparison with 34 C thermoneutral immursion p 177 N94-27459 Effects of bathing at 40 C on cardiovascular system in humans: Comparison with 34 C thermoneutral bathing

Effects of 41 C bathing for 20 minutes on cardiovascular and thermoregulatory functions in humans

p 178 N94-27474 Monthly variation of physiological and psychological sponses under unsteady thermal conditions p 178 N94-27475

Man's ability to adapt himself for the seasonal changes: From viewpoint of anticipation and seasonal onal climatic p 178 N94-27476 Changes in pain sensation induced by repetitive pplication of noxious heat pulses to the human skin

p 179 N94-27501 Hyperalgesia to cold in patients with Subscute yelo-Optico-Neuropathy (SMON) p 179 N94-27521

An algorithm for stereo correspondence problems on the analogy of human vision [NAL-TR-1185] p 195 N94-27584

system in c-fos gene p 161 N94-27477 induction by ACTH CARBOHYDRATES

Fuelling shivering in humans during cold water p 188 N94-28426 CARBON DIOXIDE

Space Station evolution study oxygen loop closure (NASA-CR-193938) p 197 N94-26788 Effect of carbon dioxide enrichment on radish production using Nutrient Film T [NASA-TM-107198] trient Film Technique (NFT) CARBON DIOXIDE CONCENTRATION

using Nutrient Film Technique (NFT) (NASA-TM-107198) p 158 N94-27411 RDIAC OUTPUT

MBDAC OUTPUT
Passive and active behavior of the cardiovascular
system under increased gravitational loads in a chronically
instrumental conscious beboon model p 174 N94-26973

Cardiac output and cardiac contractility by impedance cardiography during exercise of runners

p 186 N94-28367 CARDIOLOGY The role of beta-adrenoceptor stir

stimulation in the p 183 N94-27541 progression of chronic heart failure ARDIOVASCULAR SYSTEM

Aeromedical issues related to breathing for +Gz protection Passive and active behavior of the cardiovascular system under increased gravitational loads in a chronically instrumental conscious baboon model

[AD-A274344] p 174 N94-26973 moneutral head-out p 177 N94-27458 ater immersion in the elderly p 177 N94-27458 Effects of bathing at 40 C on cardiovascular system in urnans: Comparison with 34 C thermoneutral bathing

p 178 N94-27473 and thermoregulatory functions in humans

p 178 N94-27474 Workshop on Counte Exercise: Current Issues (NASA-CP-3252) p 184 N94-28361

microgravity p 185 N94-28364

A-3

Effects of three hydration beverages on exercise performance during 60 hours of simulated desert exposure p 190 N94-28448 A widely adaptable habital construction system utilize p 198 N94-27374 Space resources CASUALTIES Aeromedical support for casualties in extremely hot CELL MEMBRANES (BIOLOGY)

Effect of sera from patients treated with long-term hemodialysis on mRNA's for collagenase, stromelysin, and tissue inhibitor of metallioprotease in cultured human 170 M34.274811 p 203 N91-28443 Effects of capsaicin on freshly dissociated rat dorsal tot ganglion cells p 165 N94-27499 root ganglion cells CELLS (BIOLOGY) Effects of ML-9, a myosin light-chain kinase inhibitor, on preimplantation development of the mouse p 163 N94-27486 Compaction-like biastomere aggregation caused by 1-oleoyi-2-scetylglycerol in mouse embryos: An electron microscopic observation p 163 N94-27487 Inductive differentiation of nerve cells in mouse embryonic actoderm at early primitive streak stage by retinoic acid Influence of mechanical stimulation on inflammatory dema p 165 N94-27497 The effect of naloxone on sleeping time in adjuvant p 165 N94-27498 arthritic rate arthritic rats p 165 N94-27498
Effects of capsaicin on freshly dissociated rat dorsal root ganglion cells p 165 N94-27499
Size distribution of retrogradely labeled dorsal root ganglion cells. Test of normality p 165 N94-27500 Interaction between endogenous opioid and Cholecystokinin (CCK) in modulating respiratory responses returned by the fiber miscolate affects. p 166 N94-27502 P 166 N94-27502

Effects of perfusion of amodarone on electrophysiological properties in single rabbit ventricular monorates. myocytes
Fast and slow onsets of Na channel blocking actions
due to lidocaine and disopyramide using
concentration-clamp method
Electrophysiological effects of MS-551, a new Class 3
antiarrhythmic agent, on isolated rabbit ventricular
muscles. Comparative investigation of new Class 3 antiarrhythmic drugs, E-4031 and MS-551, on electrophysiological p 167 N94-27506 Electrical coupling between the sino-atrial node and atrial muscle: Cell to cell interaction through an external circuit and its simulation by computer modeling p 167 N94-27509 p 167 N94-27509

Correlation between electrical activity and the size of single sinositrial node cells p 168 N94-27513. The ionic mechanism underlying the negative chronotropic effect of acetycholine. Experimental study in rabbit single sinositrial node cells p 169 N94-27514. The ionic mechanism underlying the negative chronotropic effect of acetycholine: Experiments using email sensitive properties. small sinoatrial node tissue preparations isolated from The ionic mechanism underlying the negative chronotropic effect of acelylcholine: Postganglionic vagal stimulation in isolated rabbit hearts p 189 N94-27516 Mechanism for regulation of myocardial contractility by utonomic drugs: Pathophysiological relevance in ongestive heart failure p 182 N94-27536 autonomic drugs: Pa congestive heart failure Desensitization to acethylcholine in pacemaker cells of the sinoatrial node p 170 N94-27537 Barley cell culture as a producer of heterologous protein [PB94-132339] p 172 N94-28408 Counting Adelie penguins at colonies: Seasonal and nnual changes p 171 N94-27970 annual changes CENTRIFUGING STRESS Passive and active behavior of the cardiovascular system under increased gravitational loads in a chronically instrumental conscious baboon model [AD-A274344] p 174 N94-26973 CEREBELLUM Effects of gamn's ray radiation on the developing mouse erebellum: Apoptotic cell death and induction of tissue transglutaminas/ p 161 N94-27472 Interacting cortical filters for object recognition
[PB94-125374] p 193 N94-26873

p 194 N94-27001 P894-125366] p 194 N94-27001 Cortical mechanisms of attention, discrimination, and notor response to somesthetic stimuli p 195 N94-27141

Thermal strain generated by an enhanced anti-G protection system in a hot climate p 203 N94-28445 COGNITION Disturbed neuronal migration in the cerebral cortex of mice by low-dose gamma radiation p 160 N94-27470 Distribution of GABA immunoreactive neurons in the Induced pictorial representations (AD-A274251) brain of rolling mouse Nagoya and gamma-irradiated p 194 N94-27012 p 161 N94-27471 Key cognitive issues in the design of electronic displays instrument approach procedure charts Effects of gamma ray radiation on the developing mouse cerebelium. Apoptotic cell death and induction of tissue transglutaminase p 161 N94-27472 of instrument apparent Ap-A275647) p 204 N94-28649 COGNITIVE PSYCHOLOGY Abnormal development of serotonin nerve fibers in the The central executive component of working mr (AD-A274295) p 193 N94-Key cognitive issues in the design of electronic displays of instrument approach procedure charts.

[AD-A275647] cerebral cortex of young rats with methylazoxymethanol induced microcephaly p 162 N94-27485 induced microcephaly Development of Purkinje cells in vitro p 162 N94-27483 COLD TOLERANCE Medical support for British operations in the Antarctic p 188 N94-28421 isozyme in suncus and rat cerebella Prediction of survival times on land in a cold climate p 186 N94-28423 Interhemispheric phase relationship of alpha waves and prebral dominance p 195 N94-27518 Fuelling shivering in humans during cold water pression p.188 N94-28426 nersion liochemical enhancement of cold tolerance p 189 N94-28427 Analysis of the Electrically Evoked Response (EER) of the cal CHEMICAL BONDS The potential of new textiles in improving survival respects p 202 N94-28430 Deterioration of manual performance in cold and windy imates Development of novel switchable protein surfaces
[AD-A275510] p 172 N94-28667 Implications of climatic extremes in aircrew NBC perations p 203 N94-28446 COLD WATER Effect of seasickness on aircrew student survivor ability fler ditching in cold water p 188 N94-28425 CHEMICAL WARFARE Development of a new chemical warfare agent protective p 202 N94-28432 after disching in cold water p 188 N94 Advanced integrated cold protection for aircrew material CHEMORECEPTORS Muscle sympathetic nerve activity in humans Emergency underwater breathing aids for helicopte p 203 N94-28437 p 183 N94-27538 passengers and crew p 203 N94-28437
A companson of four methods of rewarming individuals cooled by immersion in cold water p 190 N94-28442 Bakteriella toxiner-morgondagens hot (bacterial toxins-the threat of tomorrow) Deterioration of manual performance in cold and windy climates p 158 N94-27045 CHROMOSOMES Effectiveness of protection clothing for cold weather conditions after ejection over sea. A case report Electron microscopic analysis of meiotic chromosome pairing in male house musk shrew, Suncus murinus p 202 N94-28435 CHRONIC CONDITIONS Thermoregulation in the extreme cold environme Selection of site injecting adjuvant in chronic iffammation model p 165 N94-27496 Physiological investigations of the isolated rat's liver in hypothermia and hypoxia and their relevance in aircraft The effect of naloxone on sleeping time in adjuvant thritic rats p 165 N94-27498 Rewarming methodologies in the field p 172 N94-28439 CIRCADIAN RHYTHMS p 190 N94-28441 Workload transition: Implications for individual and team COLD WEATHER TESTS performance (AD-A274538) Simulation of the effect of wind on clothing by p 197 N94-26964 CIRCULATORY SYSTEM
Annals of the Research Inst. of Environmental Medicine,
Nagoys Univ., volume 44 measurements and calculations p 201 N94-28406 The Fermi paradox: An approach based on percolation eory p 205 N94-27370 p 174 N94-27442 [REPT-44-VOL-44] Effect of L-dopa on hemodynamic functions Counting Adelie penguins at colonies: Seasonal and annual changes p 171 N94-27970 Note on the structure of moss colonies composed of two species on King George Island, the South Shetland p 180 N94-27526 CLIMATE Prediction of survival times on land in a cold climate p 188 N94-28423 p 171 N94-27971 Aeromedical support for casualties in extremely hot p 203 N94-28443 COMBAT Work conditions assessment in pilots and ground personnel under high weather temperatures Thermal strain generated by an enhanced anti-G protection system in a hot climate p 203 N94-28445 COMFORT p 203 N94-28444 Thermal strain generated by an enhanced anti-G protection system in a hot climate p 203 N94-28445 Implications of climatic extremes in aircrew NBC operations p 203 N94-28446 The potential of new textiles in improving survival respects p 202 N94-28430 Fire-resistant water vapour permeable buoyant p 202 N94-28431 operations CLINICAL MEDICINE COMPLEX SYSTEMS Visit to CERMA: Centre d'Etudes et de Recherches de Medecine Aerospatiale, Centre for Studies and Research in Aviation and Space Medicine, Bretgriy sur Orge, France. Monograph of the aviation epidemiology data register for calendar year 1988 (AD-A274589) p 174 N94-26985 Development of inbred strains from Japanese wild rats Rattus norvegicus) p 164 N94-27492 November 16-18, 1992 [PB94-132990] CLOSED ECOLOGICAL SYSTEMS COMPUTER GRAPHICS Effect of carbon dioxide enrichment on radish production using Nutrient Film Technique (NFT) [NASA-TM-107198] p 158 N94-27411 Development of a sparging technique for volatile emissions from potato (Solanum tuberosum) [NASA-TM-109199] p 158 N94-27412 aircrew training in a multiship environme (AD-A274313) Benefits estimation for simulation systems used for p 193 N94-26882 COMPUTER TECHNIQUES A companson of two hardware implementations of a crew selection system CLOSTRIDIUM BOTULINUM p 192 N94-26346 Bakteriella toxiner-morgondagens hot (bacterial none-the threat of tomorrow) Performance assessment in sustained operations using a computer-based synthetic work task [AD-A274707] N94-26430 p 158 N94-27045 [PB94-124229] CLOTHING A reliable and repeatable method for volume calculation of pressurized garments [AD-A275600] p 205 N94-28766 Simulation of the effect of wind on clothing by measurements and calculations (PB94-132289) p 201 N94-28406 Deterioration of manual performance in cold and windy limates p 189 N94-28434 COMPUTER VISION VISION in influences on bottom-up processing p 194 N94-27072 COCKPITS [AD-A274220] An algorithm for stereo correspondence problems on the analogy of human vision [NAL-TR-1185] p 195 NR4-27584 A multivariate anthropometric method for crew station p 197 N94-26984 p 195 N94-27584

[PB94-125366]

(AD-A274163)

p 200 N94-27461

hearts p 159 N94-27486

p 173 N94-26549

p 158 N94-27045

p 192 N94-28797

The effect of body orientation on the perception of vertical and horizontal distance in an outdoor setting

Developmental expression of protein kinase C type 1 isozyme in suncus and rat cerebella

Protective action of an amiloride derivative (amiloride, 5-(N, N-dimethyl) hydrochloride) against in isolated

Changes in circadian variations of urine excretion in it-suspended rats p 175 N94-27443

Effect of L-dopa on hemodynamic functions in p.180 N94-27526

Molecular biological studies on the human indicresistance and drug resistance

emects of perfusion of amiodarone on electrophysiological properties in single rabbit ventricular myocytes

toxiner-morgondagens hot (bacterial

fusion newborn rabbit h

DISTRIBUTION (PROPERTY)

DIURNAL VARIATIONS

tail-suspended rats

DE93-632682)

Bakteriella toxiner-morgondageni toxins-the threat of tomorrow) (PB94-124229) Effects of perfusion of

DIURETICS

DRUGS

COMPUTERIZED SIMULATION
Temporal stochasticity leads to nondeterministic chaos
in a model for blood cell production p 183 N94-27744 A widely adaptable habital construction system utilizing space resources p 198 N94-27374 CONDITIONING (LEARNING)
Cortical mechanisms of attention, discrimination, and (AD-A274163) p 195 N94-27141 CONFERENCES itrons in biology DE94-7010851 p 171 N94-27862 Workshop on Countering Space Adaptation with Exercise: Current Issues (NASA-CP-3252) p 184 N94-28361 The Support of Air Operations under Extreme Hot and old Weather Conditions Cold Weather Con [AGARD-CP-540] p 172 N94-28420 CONFINEMENT Development of stimulus-seeking scale for expecting individual differences against confinement stress p 177 N94-27460 CONGENITAL ANOMALIES
Effects of ML-9, a myosin light-chain kinase inhibitor. on preimplantation development of the mou p 163 N94-27486 Anorectal malformations induced by intrapertoneal injection of all-trans retinoic acid in suncus p 163 N94-27489 CONSTRUCTION A widely adaptable habital construction system utilizing pace resources p 198 N94-27374 CONTRACTION HTRACTION Eccentric exercise testing and training p 185 N94-26363 The value of electrical stimulation as an exercise training p 187 N94-28372 CONTROL BOARDS Control panel dimensions for gloved operation study 2 Toggle switches minimum spacing required between [AD-A274518] p 197 N94-27089 COOLING Alleviation of thermal strain in the CF. Keeping our cool uning the Gulf conflict p 190 N94-28449 during the Gulf conflict COOLING SYSTEMS Recent C adan advances in active thermal p 204 N94-28451 protection CORN maize and Arabidopsis p 171 N94-27940 Root gravitro RY BOUNDARY An evaluation of tena that may be used to identify species surviving a mass extinction p 171 N94-28304 CREW WORKSTATIONS A critical analysis of workload predictions generated by sultiple resource theory during early crewstation design AD-A274804] p 196 N94-26339 [AD-A274804] CREWS Workload transition: Implications for individual and tea p 197 N94-26964 CROP GROWTH Effect of carbon dioxide enrichment on radish production using Nutrient Film Technique (NFT) [NASA-TM-107198] p 158 N94-27411 Development of a sparging technique for volatile emissions from potato (Solanum tuberosum) [NASA-TM-109199] p 158 N94-27412 CRYSTAL STRUCTURE Neutron and x ray scattering studies of the interactions setween Ca(2+)-binding proteins and their regulatory targets: Comparisons of troponin C and calmodulin [DE94-902706] p 157 N94-26623 CULTIVATION evelopment of Purkinje cells in vitro p 162 N94-27483 CULTURE TECHNIQUES Development of Purkinje cells in vitro p 162 N94-27483 Barley cell culture as a producer of heterologous protein [PB94-132339] p 172 N94-28408 CURRENT DENSITY

Correlation between electrical activity and the size of single sincetnel node cells p 168 N94-27513 CYCLIC AMP

[AD-A274975]

DISPLAY DEVICES

p 170 N94-27539

AD-A2744001 DLR-FB-93-23 DESERTS Effects of three hydration beverages on exercise performance during 60 hours of simulated desert exposure p 190 N94-28448 DETECTION Markov chains for random urinalysis 3: Daily model and drug kinetics (AD-A275540) DIAGNOSIS Aeropathological diagnosis of lethal hypoth LYSIS

Effect of sera from patients treated with long-term emodalyses on mRNA's for collagenese, stromelysin, and saue inhibitor of metalloprotease in cultured human ynovial cells

p 179 N94-27481 DIETS Work conditions assessment in pilots and ground personnel under high weather temperatures DIFFRACTION Inductive differentiation of nerve cells in mouse embryoric ectoderm at early primitive streak stage by etinoic acid p 163 N94-27486 DISEASES

D DATA BASES US Army aviation epidemiology data registry: Incidence nd outcomes of aviator flying evaluation boards AD-A274711| p. 173 N94-26432 Monograph of the aviation epidemiology data register for calendar year 1988 (AD-A274889) Orientation competition in cortical filters [PB94-125366] p 194 N94-27001 Monograph of the Aviation Epidemiology Data Register for CY 1992 p 174 N94-27130 AD-A2744001 Aviation epidemiology data register: Age distribution of U.S. Army aviators stratified by gender and component of service (AD-A275901) p 192 N94-28757 DATA PROCESSING p 198 N94-27376 Pigs in cyberspace Aviation Epidemiology Data Register: Indexing the AEDR document laser optic archive (AD-A274185) DEATH Aeropathological diagnosis of lethal hypothermia p 189 N94-28440 Workshop on Countering Space Adaptation with Exercise Current Issues (NASA-CP-3252) p 184 N94-9894 DECONDITIONING DECONGESTANTS SCHEMICAL Enhancement of cold tolerance p 189 N94-28427 DEHYDRATION
Aeromedical support for casualties in extremely hot climates p 203 N94-28443 Work conditions assessment in pilots and ground personnel under high weather temperatures DEMOGRAPHY

Fast and slow onsets of Na channel blocking actions due to lidocaine and disopyramide using concentration-clamp method p 166 N94-27504 oncentration-clamp method p 166 N94-27504
Electrophysiological effects of MS-551, a new Class 3
ntiarrhythmic agent, on isolated rabbit ventricular
tuscles p 166 N94-27505 Comparative investigation of new Class 3 antiarrhythmic drugs, E-4031 and MS-551, on electrophysiological properties in isolated rabbit ventricular myocytes Effects of Class 1 antiarrhythmic drugs on the intraventricular conduction. Influence of fiber orientation p 167 N94-27507. p 203 N94-28444 Monograph of the Aviation Epidemiology Data Register for CY 1992 Effects of Class 3 antiarrhythmic agents, E-4031 and MS-551 on ventricular repolarization in isolated rabbit hearts p 167 N94-27508 p 174 N94-27130 DEOXYRIBONUCLEIC ACID
Molecular biological studies on the human radioresistance and drug resistance (DE93-632682) p 173 N94-26549 Block of cardiac sodium channels by Ro 22-9194 (R). a new antiarrhythmic agent: Effects on the maximum upstroke velocity (Vmax) of single guinea pig ventricular myocytes p 168 N94-27511 myocytes p 188 N94-27511
Electrophysiological effects of an antarrhythmic drug,
moricizine on isolated guinea pig ventricular muscles
p 188 N94-27512
Markov chains for random urinalysis 3: Daily model and Cloning of rat RXR alpha cDNA and the expression of its mRNA in regenerating liver and primary cultured p 161 N94-27479 Construction and test of experiment hardware for a pace experiment on Spacelab mission IML-2

drug kinetics (AD-A275540) YNAMIC PROGRAMMING

p 170 N94-27743

p 192 N94-28797

p 189 N94-28440

p 203 N94-28444

p 158 N94-27165

p 163 N94-27489

p 181 N94-27532

Compaction-like blastomere aggregation caused by 1-oleoyl-2-acetylglycerol in mouse embryos: An electron microscopic observation p 163 N94-27487

Key cognitive issues in the design of electronic displays of instrument approach procedure charts [AD-A275847]

injection of all-trans retinoic acid in suncus

Enhancement of skin sympath

amyotrophic lateral scierosis

Anorectal malformations induced by intraperitoneal

E

Interacting cortical filters for object recognition (PB94-125374) p 193 N94-26873 DYNAMOMETERS

Deterioration of manual performance in cold and windy imates p 189 N94-28434

EATING Nutrition and hydration status of aircrew members consuming an improved survival ration during a simulated survival scenario p 189 N94-28429 Some issues on Japan's space food development and relating preliminary experimental study p 204 N94-28498 EDEMA Influence of mechanical stimulation on inflammatory EDUCATION Benefits estimation for simulation systems used for arcrew training in a multiship environment [AD-A274313] p.193 N94-26882 Workload transition: Implications for individual and team performance (AD-A274538) p 197 N94-26964 EJECTION Effectiveness of protection clothing for cold weather conditions after ejection over sea: A case report p 202 N94-28435

Effects of perhasion of amiodarone on electrophysiological properties in single rabbit ventricular Fast and slow onsets of Na channel blocking actions due to idocaine and disopyramide using concentration-claimp method p 166 N94-27504 Electrophysiological effects of MS-551, a new Class 3 antiarrhythmic agent, on isolated rabbit ventricular muscles

The poly

Comparative investigation of new Class 3 antiarrhythmic drugs, E-4031 and MS-551, on electrophysiological es in isolated rabbit ventricular myocytes

p 167 N94-27506 Effects of Class 1 antiarrhythmic drugs on the intraventricular conduction: Influence of fiber orientation n 167 NO4-27507

Effects of perfusion of amiodarone or electrophysiological properties in single rabbit ventricul. p 166 N94-27503 Fast and slow onsets of Na channel blocking actions due to idocaine and disopyramide using concentration-clamp method p 166 N94-27504 oncentration-clamp method p 166 N94-27504
Electrophysiological effects of MS-551, a new Class 3
nbarrhythmic agent, on isolated rabbit ventricular
suscies p 166 N94-27505 Comparative investigation of new Class 3 antiarrhythmic drugs, E-4031 and MS-551, on electrophysiological properties in isolated rabbit ventricular myocyt

N94-27506 p. 167 Effects of Class 3 antiarrhythmic agents, E-4031 and MS-551 on ventricular repolarization in isolated rabbit hearts p 167 N94-27508

Electrical coupling between the sinorial node and atria muscle. Cell to cell interaction through an external circuit and its simulation by computer modeling

p 167 N94-27509 A study on tissue excitation of cardiac muscle under electrical field stimulation p 168 N94-27510

Block of cardiac sodium channels by Ro 22-9194 (R). a new antiarrhythmic agent: Effects on the maximum upstroke velocity (Vmax) of single guinea pig ventricular p 168 N94-27511

Electrophysiological effects of an antiarrhythmic drug, moricizine on isolated guinea pig ventricular muscles

p 168 N94-27512 Correlation between electrical activity and the size of single sinoatrial node cells p 168 N94-27513

The ionic mechanism underlying the negative chronotropic effect of acetylcholine. Experimental study in rabbit single sinoatrial node cells p 169 N94-27514

The ionic mechanism underlying the negative chronotropic effect of acetylcholine. Experiments using small sinoatrial node tissue preparations isolated from

The ionic mechanism underlying the negative chronotropic effect of acetylcholine: Postganglionic vagal stimulation in isolated rabbit hearts p 169 N94-27516 Desensitization to acethylcholine in pacemaker cells of se sinoatnal node p 170 N94-27537

the sinoatnal node **ELECTRIC STIMULI** 

Annals of the Research Inst. of Environmental Medicine, Nagoya Univ., volume 44 [REPT-44-VOL-44]

p 174 N94-27442 Effects of high-intensity electric field stimulation on the electromechanical performance of cardiac muscle influence of fiber orientation p 160 N94-27467

On the mechanism of reentrant arrhythmias following DC defibrillation: influence of fiber orientation to the effects of low-energy electric field stimulation on the effective p 160 N94-27468 refractory period of cardiac muscle

A study on tissue excitation of cardiac muscle under electrical field stimulation p 168 N94-27510 Analysis of the Electrically Evoked Response (EER) of

p 169 N94-27519 the cat Difference in skin blood flow reduction depending on activating maneuver of skin sympathetic nerve activity p. 180 N94-27525

An attempt of intraneural stimulation by microelectrode

inserted in skin sympathetic nerve fascicle p 181 N94-27529 Enhancement of skin sympathetic nerve activity in

myotrophic lateral sciences:
Electrical stimulation in exercise training
p 187 N94-28371

### **ELECTROCARDIOGRAPHY**

ardiac output and cardiac contractility by impedance cardiography during exercise of runners p 186 N94-28367

ELECTROENCEPHALOGRAPHY

amyotrophic lateral sclerosis

The use of EEG as a workload assessment tool in flight

[AD-A274568] p 173 N94-26847 Performance recovery in the baboon following (+)G sub z-induced loss of consciousness

p 157 N94-26991 p 195 N94-27518

cerebral dominance p 195 N94-27518
Brain wave correlates of attentional states: Event related potentials and quantitative EEG analysis during performance of cognitive and perceptual tasks

p 196 N94-27901

p 181 N94-27532

ELECTROLYTE META SOLISM

Changes in fluid and electrolyte metabolism during water impression at high or their noneutral temperature p 175 N94-27445

Japanese Journal of Aerospace and Environmental Medicine, vol. 30, no. 3 [JTN-94-80606]

p 191 N94-28495 Studies on water ele troivte metabolism and endocnne responses at rest and Junng submaximal exercise at 6,000 p. 191 N94-28496 e-mulated altitude p 191 N94-28496 Effects of training at simulated altitude of 6,000 m on

endocrine resprises at rest and during exercise at the same altitive p 191 N94-28497 **ELECTROLYOGRAPHY** 

The electrogastrogram during parabolic flight p 176 N94-27452

**ELECTROPHYSIOLOGY** 

Electrical stimulation in exercise training p 187 N94-28371

Effects of ML-9, a myosin light-chain kinase inhibitor, on preimplantation development of the mouse

p 163 N94-27486 Compaction-like biastomere aggregation caused by 1-olecyt-2-acetylglycerol in mouse embryos: An electron microscopic observation p 163 N94-27487 Inductive differentiation of nerve cells in mouse embryonic ectoderm at early primitive streak stage by p 163 N94-27488

EMERGENCY LIFE SUSTAINING SYSTEMS

Emergency underwater breathing aids for helicopter passengers and crew p 203 N94-28437 ENDOCRINE GLANDS

Endocrinological evaluations of muscle and bone atrophy in tail-suspended rats p 159 N94-27444 ENDOCRINE SYSTEMS

Studies on water electrolyte metabolism and endo responses at rest and during submaximal exercise at 6,000 m simulated altitude p 191 N94-28496 p 191 m simulated altitude
Effects of training at simulated altitude of 6,000 m on
endocrine responses at rest and during exercise at the
same altitude
p 191 N94-28497

same altitude ENVIRONMENT SIMULATION

Simulation of the effect of wind on clothing by measurements and calculations p 201 N94-28406

ENVIRONMENTAL CONTROL

Designing for human presence in space: An introduction ntal control and life support systems 124] p 199 N94-27437 to environmental ( NASA-RP-1324)

Study on posture control and adaption mechan study on posture control and adaption mechanism under weightlessness: Results of second rehearsal for space experiment using carp p 199 N94-27446. Study on posture control and adaptation mechanism under weightlessness: Summary report of ground operations performed for carp experiment (FMPT/L-2) in State Methal strategies.

Space Shuttle mission p 199 N94-27447

A study of psychological factors affecting an extremely olated environment p 195 N94-27517 ENZYME ACTIVITY

Neutron and x ray scattering studies of the interactions etween Ca(2+)-binding proteins and their regulatory targets: Comparisons of troponin C and calmodu [DE94-002706] p 157 NS

p 157 Modulation by galactosamine-induced hepatits of biological responses of the rat exposed to high altitude hypoxia p 159 N94-27464 Effects of gamma ray radiation on the developing mouse prebellum: Apoptotic cell death and induction of tissue

p 161 N94-27472 Effects of ML-9, a myosin light-chain kinase inhibitor, in preimplantation development of the mouse

p 163 N94-27486 Activation by G protein beta gamma subunits of G otein-coupled receptor kinase p 182 N94-27534 protein-coupled receptor kinase

Neutron and x ray scattering studies of the interactions between Ca(2+)-binding proteins and their regulatory targets: Companisons of troponin C and calmodulin targets: Compani [DE94-002706]

p 157 N94-26623 ctive action of platelet-activating factor antagonist, TCV-309, against ischemia reperfusion injury in isolated rabbit hearts p 159 N94-27465

The intracellular second messenger system in c-fos ge induction by ACTH p 161 N94-27477 inducation by ACTH p 161 N94-27477 Effect of sera from patients treated with long-term hemodialysis on mRNA's for collagenase, stromelysin, and tissue inhibitor of metalloprotease in cultured human p 179 N94-27481
Developmental expression of protein kinase C type 1
mozyme in suncus and rat cerebella

p 162 N94-27484 Effects of ML-9, a myosin light-chain kinase inhibitor, on preimplantation development of the mouse

p 163 N94-27486

Barley cell culture as a producer of heterologous protein (PB94-132339) p 172 N94-28408

Development of novel switchable prote (AD-A275510) in aurla p 172 N94-20087 ENZYMOLOGY

Neutron and x ray scattering studies of the interactions between Ca(2+)-binding proteins and their regulatory targets: Comparisons of troponin C and calmodulin [DE94-002706]

**EPIDEMIOLOGY** US Army avia ation epidemiology data registry: Incidence and outcomes of aviator flying evaluation boards
[AD-A274711] p 173 N94-26432 Monograph of the aviation epidemiology data register

endar year 1988 for cak p 174 N94-26985 AD-A2745891 Monograph of the Aviation Epidemiology Data Register

p 174 N94-27130 [AD-A274400] Aviation epidemiology data register: Age distribution of U.S. Army aviators stratified by gender and component

(AD-A275901) p 192 N94-28757

of service ERGOMETERS

Proprioceptive isokinetic exercise test [NASA-TM-104015] p p 158 N94-27227

ESCHERICHIA

Vacuum-UV-effects on E. coli plasmid pUC19: inactivation, strand break induction and mutation

[DLR-FB-93-26] p 171 N94-27754 EVALUATION

Eye-head coordination and swinging of the visual scene when wearing visually up-down reversing mirror for 14 p 200 N94-27462 Comparative measurement of visual stability in cosmic space. Onboard experiment and pre-flight activities.

EXCITATION

Effect of PGE2 receptor agonists butaprost, M and B 28767 and an antagonist AH 6809 on the BK response of visceral polyinodal receptors p 164 N94-27494 Effects of perfusion of amiodarone on Effects of perfusion of amiodarone on electrophysiological properties in single rappit ventricular p 166 N94-27503 Fatt and slow onsets of Na channel blocking actions due to lidocame and disopyramide using concentration-clamp method p 166 N94-27504 Electrophysiological effects of MS-551, a new Class 3

antiarrhythmic agent, on isolated rabbit ventricular muscles p 166 N94-27505 muscles

rative investigation of new Class 3 antiarrhythmic drugs, E-4031 and MS-551, on electrophysiological properties in isolated rabbit ventricular myocyte N94-27506

Effects of Class 1 antiarrhythmic drugs on the traventricular conduction: Influence of fiber orientation p 167 N94-27507

Effects of Class 3 antiarrhythmic agents, E-4031 and MS-551 on ventricular repolarization in isolated rabbit p 167 N94-27508 A study on tissue excitation of cardiac muscle under ectrical field stimulation p 168 N94-27510 Block of cardiac sodium channels by Ro 22-9194 (R).

a new antiarrhythmic agent: Effects on the maximum upstroke velocity (Vmax) of single guinea pig ventricular myocytes p 168 N94-27511 Electrophysiological effects of an antiarrhythmic drug.

moricizine on isolated guinea pig ventricular muscles p 168 N94-27512

single sincatrial node cells p 188 N94-27513
The ionic mechanism underlying the negative chronotropic effect of acetylcholine: Experimental study in rabbit single sinoatrial node cells: p 169: N94-27514 The ionic mechanism underlying the nagative chronotropic effect of acetylcholine: Experiments using small sinoatrial node tissue preparations isolated from

rabbit hearts p 169 N94-27515 rabbit hearts p 169 N94-27515
The ionic mechanism underlying the negative chronotropic effect of acetylcholine: Postganglionic vagal stimulation in isolated rabbit hearts p 169 N94-27516

EXCRETION

Changes in circadian variations of urine excretion in all-suspended rats p 175 N94-27443

EXERCISE PHYSIOLOGY Sympathetic nerve activity during dynamic leg exercise p 180 N94-27527

Workshop on Countering Space Adaptation with Exercise: Current Issues [NASA-CP-3252] p 184 N94-28361

IASA-CP-3252]
Exercise detraining: Applicability to microgravity
p 185 N94-28364

Aerobic fitness and orthostatic tolerance: Evidence against an association p 185 N94-28365

Does training-induced orthostatic hypotension result from reduced carotid baroreflex responsiveness? p 186 N94-28366 EXOCIOLOGY Aerospace medicine and biology: A continuing bibliography with indexes (supplement 386) [NASA-SP-7011(386)] p 184 N94-28208 Aerospace medicine and biology: A continuing bibliography with indexes (supplement 387) [NASA-SP-7011(387)] p 184 N94-28213 Aerospace medicine and biology: A cumulative index to a continuing bibliography (supplement 384) [NASA-SP-7011(384)] p 184 N94-28219 Workshop on Countering Space Adaptation with Exercise: Current Issues [NASA-CP-3252] p 184 N94-28361 Muscular activity and its relationship to biomechanics and human performance p 185 N94-28362 p 185 N94-28362 EXPEDITIONS Evaluation of life support equipment during an unsupported North Pole expedition p 202 N94-28422 EXPOSURE The Support of Air Operations under Extreme Hot and Cold Weather Conditions [AGARD-CP-540] p 172 N94-28420 p 172 N94-28420 Deterioration of manual performance in cold and windy p 189 N94-28434 Aeropathological diagnosis of lethal hypotherm p 189 N94-28440 Rewarming methodologies in the field p 190 N94-28441 Aeromedical support for casualties p 203 N94-28443 The Environmental Symptoms Questionnaire: Assess reactions to environmental extremes in military operations p 204 N94-28447 EXTINCTION An evaluation of criteria that may be used to identify species surviving a mass extinction p 171 N94-28304 EXTRATERRESTRIAL LIFE The Fermi paradox: An approach based on percolation p 205 N94-27370 EXTRATERRESTRIAL RADIATION Space radiation health research, 1991-1992 [NASA-TM-109721] p 183 EXTRATERRESTRIAL RESOURCES A widely adrotable habitat construction system utilizing EXTRAVEHICULAR ACTIVITY Extra-Vehicular Activity (EVA) glove evaluation test [NASA-TM-108442] p 201 N94-27952 EYE MOVEMENTS Effects of imaginary target on induced eye movements by linear acceleration p 200 N94-27456 Eye-head coordination and swinging of the visual scene when wearing visually up-down reversing mirror for 14 p 200 N94-27462 Impaired associated movement in Parkinson's disease.

An evaluation of Bell's phenomenon p 179 N94-27520 Digital tracking and control of retinal images
[AD-A275469] p 192 N94-28810 FABRICS The potential of new textiles in improving survival ospects p 202 N94-28430 prospects

Development of a new chemical warfs fare agent protective p 202 N94-28432 FACE (ANATOMY) Orientation competition in cortical filters [PB94-125366] p 19 p 194 N94-27001 FACTOR ANALYSIS The Environmental Symptoms Questionnaire: Assestreactions to environmental extremes in mili p 204 N94-28447 FAR ULTRAVIOLET RADIATION

Vacuum-UV-effects on E. coli plasmid pUC19: Inactivation, strand break induction and mutation induction [DLR-FB-93-26] p 171 N94-27754 MALES Female combat helicopter pilot selection criteria [AD-A273935] p 193 N94-26749 TETUSES Anorectal malformations induced by intraparitoneal

Cross-sectional anatomy of day 30 suncus fetuses p 163 N94-27490

Skeletal development and ossification of the swine p 164 N94-27491

FIBER COMPOSITES table habital construction system utilizing p 198 N94-27374 SPACE PESCURCES BER ORIENTATION Effects of Class 1 antiarrhythmic drugs on the intraventricular conduction: Influence of fiber orientation p 167 N94-27507 FIBROBLASTS Thyroid hormone action in cultured human skin fibroblasts: Evaluation using spheroid culture p 179 N94-27478 FINGERS Deterioration of manual performance in cold and v p 189 N94-28434 climate y on posture control and adaption mechanism under wuightlessness: Results of second rehearsal for space experiment using carp p 199 N94-27446
FLAME RETARDANTS Fire-resistant water vapour permeable buoyant sulation p. 202 N94-28431 Thermal protective performance and instrumented quin evaluation of multi-layer garment systems p 202 N94-28433 FLAMMABILITY Thermal protective performance and instrumented mannequin evaluation of multi-layer garment systems p 202 N94-28433 Advanced integrated cold protection for aircrew p 203 N94-28436 Emergency underwater breathing aids for helicopted passengers and crew p 203 new-zero passengers and crew p 203 new-zero p 203 new-zero p 203 N94-28446 of pressurized garments (AD-A275600) p 205 N94-28766 Comparison of performance in simulator flight among subjects with different simulator experiences p 201 N94-27943 FLIGHT CREWS A comparison of two hardware implementations of a crew selection system [AD-A274913] p 192 N94-26346 US Army aviation epidemiology data registry: incidence and outcomes of aviator flying evaluation boards [AD-A274711] p 173 N94-26432 The use of EEG as a workload asset sament tool in flight [AD-A274568] p 173 N94-26847 Benefits estimation for simulation systems used for AD-A274313] p 193 N94-26882 Effect of seasickness on aircrew student survivor shifty after diching in cold water p 188 N94-28425 Effectiveness of protection clothing for cold weather conditions after ejection over sea: A case report p 202 N94-28435 implications of climatic extremes in aircrew NBC operations p 203 N94-28446 p 203 N94-28446 p 203 N94-28449 p 203 N94-28449 p 203 N94-28449 p 204 N94-28449 p 205 N94-28449 p 205 N94-28449 p 205 N94-28450 p An evaluation of personality testing and the five-factor model in the selection of landing craft air cushion vehicle (AD-A275869) p 196 N94-28754 Aviation epidemiology data register: Age distribution of U.S. Army aviators stratified by gender and component of service [AD-A275901] p 192 N94-28757 GHT MMULATORS Benefits estimation for simulation systems used for aircrew training in a multiship environment Comparison of performance in simulator flight among subjects with different simulator expeniences FLIGHT TESTS The use of EEG as a workload assessment tool in flight [AD-A274568] FLIGHT TRAINING Benefits estimation for simulation systems used for

aircrew training in a multiship environme (AD-A274313)

Doppler flowmetry with needle type probe

number 4 [JTN-94-80586]

FLOW MEASUREMENT

The Reports of Aeromedical Laboratory, volume 33,

The measurements of muscle blood flow by laser

p 193 N94-26882

p 184 N94-27942

p 170 N94-27530

FLYING PERSONNEL Monograph of the Aviation Epidemiology Data Register for CY 1992 p 174 N94-27130 (AD-A274400) FOOD Evaluation of life support equipment during an unsupported North Pole expedition p 202 N94-28422 FOOD PROCESSING

Evaluation of life support equipment during an unsupported North Pole expedition p 202 N94-28422 FOSSILS An evaluation of criteria that may be used to identify species surviving a mass extinction p 171 N94-28304 An algorithm for stereo correspondence problems on the analogy of human vision (NAL-TR-1185) p 195 N94-27584 FREEZE DRYING Evaluation of life support equipment during an insupported North Pole expedition p 202 N94-28422 FREQUENCY DISTRIBUTION
Aviation Epidemiology Data Register: Indexing the AEDR document laser optic archive (AD-A274185) p 174 N94-27097 FUNG Barley cell culture as a producer of heterologous protein [PB94-132339] p 172 N94-28408 G GAME THEORY Markov chains for random urinalysis 3: Daily model and drug kinetics (AD-A275540) p 192 N94-28797 GAMMA RAYS Studies on the application of radiation for genetic transformation in higher plants (DE93-632656) p 157 N94-26470 Annals of the Research Inst. of Environmental Medicine, Nagoya Univ., volume 44 [REPT-44-VOL-44] p 174 N94-27442 Effects of capsaion on freshly dissociated rat dorsal root ganglion cells p 165 N94-27499
Size distribution of retrogradely labeled dorsal root ganglion cells: Test of normality p 165 N94-27500 GARMENTS Thermal protective performance and instrumented mannequin evaluation of multi-layer garment systems p 202 N94-28433 A reliable and repeatable method for volume calculation of pressurzed garments [AD-A275600] p 205 N94-23766 GENE EXPRESSION The intracellular second messenger system in c-tos gene duction by ACTH cloning of rat RXR alpha cDNA and the expression of mRNA in regenerating liver and primary cultured GENES ar second messunger sys

p 161 N94-27479 epatocytes p 161 N94-27479 Effect of sera from patients treated with long-term hemodialysis on mRNA's for collagenase, stromelysin, and tissue inhibitor of metalloprofease in cultured human p 179 N94-27481 Expression analysis of Thyroxine-Binding Globulin omplete Deficiency in Japanese (TBG-CDJ)

induction by ACTH p 161 N94-27477 Cloning of rat RXR alpha cDNA and the expression of its mRNA in regenerating liver and primary cultured p 161 N94-27490
Cloning of a novel POU family gene by RT-PCR
nethod p 162 N94-27490
Expression analysis of Thyroxine-Binding Globulin te Deficiency in Japanese (TBG-CDJ) p 162 N94-27482

GENETIC CODE Cloning of a novel POU tamily gene by RT-PCR neithod p 162 N94-27480
Expression analysis of Thyroxine-Binding Globulin complete Deficiency in Japanese (TBG-CCJ)

GENETIC ENGINEERING Studies on the application of radiation for genetic transformation in higher plants [DE93-632656] p 157 N94-26470 Development of inbred strains from Japanese wild rats (Rattus norvegicus) p 164 N94-27492 Barley cell culture as a producer of heterologous protein [PB94-132339] p 172 N94-28408

njection of all-trans retinoic acid in sunc

GENETICS Studies on the application of radiation for genetic transformation in higher plants [DE93-632656] p 157 N94-26470 GLOBULINS Expression analysis of Thyroxine-Binding Globulin ete Deficiency in Japanese (TBG-CDJ) p 162 N94-27482 Control panel dimensions for gloved operation study 2: Toggle switches minimum spacing required between (AD-A274518) p 197 N94-27089 Extra-Vehicular Activity (EVA) glove evaluation test NASA-TM-108442) p 201 N94-27952 GRAPHICAL USER INTERFACE Emerging Human-Computer Interface (HCI) design guidelines for Graphical User Interface (GUI) [DE94-004293] p 196 N94-26555 GRAVITATION Exercise detraining: Applicability to microgravity p. 185 N94-28364 Aerobic fitness and orthostatic tolerance: Evidence inst an association **GRAVITATIONAL EFFECTS** The electrogastrogram during parabolic flight p 176 N94-27452 Vertical gaze direction during parabolic flight p 176 N94-27453 Heart rate change in normal and labynnthectomized p 176 N94-27454 hamsters during parabolic flight Effects of imaginary target on induced eye movements innear acceleration p 200 N94-27456 by Innear acceleration p 200 N94-27456
The mechanism of caloric nystagmus under microgravity Changes of endolymphatic pressure in the semicircular canal of pigeon by calonic stimulation p 177 N94-27457 eal stability in cosmic flight activities p 201 N94-27463 Comparative measurement of visit Root gravitropism [NASA-CR-195710] p 171 N94-27940 Evaluation of near-infrared spectrophotometric method for individual tolerance to + Gz accele eration p 184 N94-27944 Japanese Journal of Aerospace and Environmental Medicine, vol. 30, no. 3 Some issues on Japan's space food development and relating preliminary experimental study p 204 N94-28498 GRAVITATIONAL PHYSIOLOGY Performance recovery in the baboon following (+)G sub z-induced loss of consciousness p 157 N94-26991 Workshop on Countering Space Adaptation with Exercise: Current Issues [NASA-C9-3252] p 184 N94-28361 Exercise detraining: Applicability to microgravity p 185 N94-28364 Visit to CERMA: Centre d'Etudes et de Recherches de Medecine Aerospatiale, Centre for Studies and Research in Aviation and Space Medicine, Bretigny sur Orge, France, November 15-16 [PB94-132990] mber 16-18, 1992 p 188 N94-28392 GRAVITROPISM Root gravitropism [NASA-CR-195710] p 171 N94-27940 **GROUP DYNAMICS** An investigation of integrated product development implementation issues: A case study of Bosma Machine and Tool Corp. [AD-A273917] p 198 N94-27320 GROWTH Effects of ML-9, a myosin light-chain kinase inhibitor, on preimplantation development of the mouse p 163 N94-27486 Compaction-like blastomere aggregation caused by 1-oleoyl-2-acetylglycerol in mouse embryos: An electron microscopic observation p 163 N94-27487 Inductive differentiation of nerve cells in mouse embryonic ectoderm at early primitive streak stage by retinoic acid p 163 N94-27488 Cross-sectional anatomy of day 30 suncus fetuses p 163 N94-27490 H

HABITATS

Lunar base habital designs: Characterizing the environment, and selecting habital designs for future [NASA-CR-195687]

HAZAROS Medical support for British operations in the Antarct p 186 N94-26/ p 186 N94-26421

HEAD DOWN TILT

Frequency analysis of body sway induced by op stimulation p 200 N94-27455

HEAD MOVEMENT

Eye-head coordination and swinging of the visual scene hen wearing visually up-down reversing mirror to: 14 ays p 200 N94-27462

The value of electrical stimulation as an exercise tri

HEALTH

NCVS, volume 5 p 158 N94-27165 AD-A274975] Space radiation health research, 1991-1992

p 183 N94-27556 [NASA-TM-109721]

HEALTH PHYSICS

Space radiation health research, 1991-1992 p 183 N94-27556

HEARING

Signal- and listener-based factors in complex auditory attern perception AD-A274148) p 194 N94-27094

Sonic booms and marine mammals: Informational status p 171 N94-28198 and recommendations

Electrical coupling between the sino-atrial node and atrial muscle: Cell to cell interaction through an external circuit and its simulation by computer modeling.

p 167 N94-27509 Correlation between electrical activity and the size of ingle sinoatrial node cells p 168 N94-27513 single sinoatrial node cells

The ionic mechanism underlying the negative chronotropic effect of acetylcholine: Experimental study in rabbit single sinoatrial node cells p 169 N94-27514

The ionic mechanism underlying the negative chronotropic effect of acetylcholine. Experiments using small sinoatrial node bissue preparations isolated from

The ionic mechanism underlying the negative chronotropic effect of acetylcholine: Postganglionic vagal stimulation in isolated rabbit hearts p 169 N94-27516

Desensitization to acethylcholine in pacemaker cells of p 170 N94-27537 the sinoatrial node Autonomic nervous system and cardiovascular control: Clinical implications of the 1/f fluctuations of heart rate

p 183 N94-27540

HEART DISEASES

TCV-309, against ischemia reperfusion injury in isolated rabbit hearts p 159 N94-27465 Protective action of an amiloride derivative (amiloride, 5-(N, N-dimethyl) hydrochloride) against in isolated

p 159 N94-27466 On the mechanism of reentrant arrhythmias following DC defibrillation: influence of fiber orientation to the effects of low-energy electric field stimulation on the effective refractory period of cardiac muscle p 160 N94-27488

Positive chronotropic effect of mechanical stretch on inal node: Roles of neurotransmitters and stretch channels p 160 N94-27469 activated channels

The role of beta-adrenoceptor stimu role of beta-adrenocaptor stimulation in the sion of chronic heart failure p 183 N94-27541 ART FUNCTION

Protective action of platelet-activating factor antagonist, TCV-309, against ischemia reperfusion injury in isolated rabbit hearts p 159 N94-27465

Protective action of an amilonde derivative (amilonde 5-(N. N-dimethyl) hydrochloride) against in isolated

p 159 N94-27466 Effects of high-intensity electric field stimulation on the ectromechanical performance of cardiac muscle ifluence of fiber orientation p 160 N94-27467 p 160 N94-27467

On the mechanism of reentrant arrhythmias following DC defibrillation: Influence of fiber orientation to the effects of low-energy electric field stimulation on the effective refractory period of cardiac muscle p 160 N94-27468 Positive chronotropic effect of mechanical stretch on

the sinoatrial node: Roles of neurotransmitters and stretch activated channels p 160 N94-27469 activated channels p 160 N94-27461 Effects of three hydration beverages on exercise performance during 60 hours of simulated des

HEART RATE

serve and active behavior of the cardiovascular im under increased gravitational loads in a chronically imental conscious beboon model [AD-A274344] p 174 N94-26973

Heart rate change in normal and tabyrinthectomized amsters during parabolic flight p 176 N94-27454

Positive chronotropic effect of mechanical stretch on the sinoatrial node: Roles of neurotransmitters and stretch p 160 N94-27469 activated channels Autonomic nervous system and cardiovascular control Clinical implications of the 1/f fluctuations of heart rate

HEAT

Changes in pain sensation induced by repetitive application of noxious heat pulses to the human skin p 179 N94-27501

HEAT FLUX

Prediction of survival times on land in a cold climate p 188 N94-28423

HEAT STROKE

Aeromedical support for casualties in extremely hot p 203 N94-28443

The potential of new textiles in improving survival pspects p 202 N94-28430 prospects Aeromedical support for casualties in extremely hot p 203 N94-28443 Implications of climatic extremes in aircrew NBC perations p 203 N94-28446 Effects of three hydration beverages on exercise erformance during 60 hours of simula p 190 N94-28448 posure
The use of liquid and air microclimate conditioning exposure systems to alleviate heat stress in heli p 204 N94-28453

HEAT TRANSFER

Treatment of mild immersion hypothermia by body-to-body and forced-air warming p 189 N94-28428

p 190 N94-28441

HELMET MOUNTED DISPLAYS

Helmet head tracking mounting device [AD-D016048] p p 197 N94-27114

met head tracking mounting device

AD-D016048] p 197 N94-27114

HEMODYNAMIC RESPONSES

Passive and active behavior of the cardiovascula m under increased gravitational loads in a chronically instrumental conscious baboon model

AD-A274344] p 174 N94-26973 Effect of L-dopa on hemodynamic functions p 180 N94-27526

humans HEMODYNAMICS

Aeromedical issues related to positive pressure breathing for + Gz protection [AD-A274717] p 173 N94-26435 Analysis on one minute wave in body fluid volume and

muscle pumping referred to body parts goverating the one minute wave during human active standing p 181 N94-27528

HEMOGLOBIN

Evaluation of near-infrared spectrophotometric method for individual tolerance to +Gz acceleration

**HEPATITIS** 

Modulation by galactosamine-induced hepatitis of biological responses of the rat exposed to high altitude hypoxia p 159 N94-27464

IIGH ALTITUDE ENVIRONMENTS

Japanese Journal of Aerospace and Environi Medicine, vol. 30, no. 3 [JTN-94-80606] p 191 N94-28495

[TN-94-80606]
Studies on water electrolyte metabolism and endocrine isponses at rest and during submaximal exercise at 6,000 p. 191 N94-28496 Effects of training at simulated altitude of 6,000 m on

ndocrine responses at rest and during exercise at the ame altitude p 191 N94-28497 ALTITUDE PRESSURE

The Reports of Aeromedical Laboratory, volume 33, JTN-94-80586 p 184 N94-27942

IIGH GRAVITY ENVIRONMENTS

Passive and active behavior of the cardiovascular system under increased gravitational loads in a chronically instrumental conscious beboon model AD-A2743441 p 174 N94-26973

HIGH TEMPERATURE ENVIRONMENTS

The Support of Air Operations under Extreme Hot and Cold Weather Conditions (AGARD-CP-540) p 172 N94-28420

Experimental evaluation of two systems of individual r-conditioning p 191 N94-28450 Canadian advances in p 204 N94-2845

protection HORMONES

hormone action in cultured human skin p 179 N94-27478

p 166 N94-27502

tension by nasal p 182 N94-27533

nts with p 181 N94-27531

Interaction between endogenous opioid and Cholecystokinin (CCK) in modulating respiratory responses induced by thin-fiber muscular afterents Muscle sympathetic nerve activity in patie Treatment of orthostatic hypo idministration of vasopressin Dehavior NCVS, volum (AD-A274975) DCIEM-93-25

Man's ability to adapt himself for the seasonal climatic changes: From viewpoint of anticipation and seasonable behavior p 178 N94-27476 A multivariate anthropometric method for crew station design: Abridged (AD-A274588) p 197 N94-26984 p 158 N94-27165 A study of psychological fi affecting an extremely p 195 N94-27517 plated environment mispheric phase p 196 N94-27518 cerebral dominance p 195 N94-27518
Hyperalgesia to cold in patients with Subacute
Myelo-Optico-Neuropathy (SMON) p 179 N94-27521
Effect of prostaglandin E1 on the relationship between skin sympathetic nerve activity and reduction in skin blood p 180 N94-27524 Effect of L-dopa on hemodynamic functions in p 180 N94-27526 Sympathetic nerve activity during dynamic leg exercise p 180 N94-27527 Analysis on one minute wave in body fluid volume and muscle pumping referred to body parts generating the one minute wave during human active standing p 181 N94-27528 An attempt of intraneural stimulation by microelectrode inserted in skin sympathetic nerve fascicle Muscle sympathetic nerve activity in patients with hyper-and hypothyroidism: A microneurographic study p 181 N94-27531 realment of orthostatic hypotension by nasal numerication of vasopressin p 182 N94-27533 reatment of orthosism p 182 N94-27555 administration of vasopressin p 182 N94-27555 The value of electrical stimulation as an exercise training p 187 N94-28372 HUMAN FACTORS ENGINEERING Emerging Human-Computer Interface (HCI) design guidelines for Graphical User Interface (GUI) [DE94-004293] p 196 N94-26555 A multivariate anthropometric method for crew station design: Abridged (AD-A274588) p 197 N94-26984 Designing for human presence in space: An introduction to environmental control and life support systems [NASA-RP-1324] p 199 N94-27437 One from many: Selecting an appropriate human mance model p 201 N94-27683 Extra-Vehicular Activity (EVA) glove evaluation test NASA-TM-108442] p 201 N94-27952 Visit to CERMA: Centre d'Etudes et de Recherches de Medecine Aerospatiale, Centre for Studies and Research in Aviation and Space Medicine, Bretigny sur Orge, France, November 16-18, 1992
[PB94-132990]
p. 188. N94-28392 Test of a new protection suit in a climatic chamber p 204 N94-28452 of instrument approach procedure charts [AD-A275847] p.2 p 204 N94-28649 AN PATHOLOGY Aeropathological diagnosis of lethal hypothermia p 189 N94-28440 HUMAN PATHOLOGY HUMAN PERFORMANCE Performance assessme a computer-based synthetic work task p 192 N94-26430 Workload tra AD-A274538] On the development of motor chunks and concurrent processing in a structured continuous keypressing task [AD-A274153] p 194 N94-27138 One from many: Selecting an appropriate human performance model (DCIEM-93-25) p 201 N94-27683 Muscular activity and its related numer performance.

Deterioration of manual performance. tionship to biomechanics p 185 N94-28362 ce in cold and windy p 189 N94-28434

Telescience testbedding for physiological experimer under hypobaric hypoxic conditions p 175 N94-274 Telescience testbedding under hypobaric hypo p 175 N94-27450 physiological experiments tions: Development and p. 176 N94-27451 under hypobaric hypoxic cond evaluation in CNV measuring bolic flight p 176 N94-27452 hip to biomechanics The electrogastrogram during i Muscular activity and its rela and human performan ical support for British operations in the Antarctic p 188 N94-28421 p 189 N94-28427 HUMAN-COMPUTER INTERFACE Emerging Human-Computer Interface (HCI) design uidelines for Graphical User Interface (GUI) guidelines for G [DE94-004293] p 196 N94-26555 HYDRATION Nutrition and hydration status of aircrew members consuming an improved survival ration during a simulated survival scenario p 189 N94-28429 Effects of three hydration beverages on exercise performance during 60 hours of simulated desert exposure p 190 N94-28448 HYPERTENSION Monograph of the aviation epidemiology data register for calendar year 1988 [AD-A274589] p.174 NSA-2epse p 174 N94-26985 p 183 N94-27538 The Support of Air Operations under Extreme Hot and Cold Weather Conditions (AGARD-CP-540) p 172 N94-28420 HYPERVENTILATION Emergency underwater breathing aids for helicopter passengers and crew p 203 N94-28437 HYPOBARIC ATMOSPHERES Studies on water electrolyte met responses at rest and during subma m simulated altitude p 191 N94-28496 Effects of training at simulated altitude of 6,000 m on ndocrine responses at rest and during exercise at the ame altitude p 191 N94-28497 endocrine respons same altitude HYPOTENSION of L-dopa on hemodynan Treatment of orthostatic hypotension by nasal administration of vasopressin p 182 N94-27533 Does training-induced orthostatic hypotension result from reduced carotid baroreflex responsiveness? p 186 N94-28366 The Support of Air Operations under Extreme Hot and Cold Weather Conditions | AGARD-CP-540 | p 172 N94-28420 Fuelling shivering in humans during cold water p 188 N94-28426 cold tolerance p 189 N94-28427 body-to-body and forced-air wa p 189 N94-28428 Advanced integrated cold pr p 203 N94-28436 ng aids for helicopter p 203 N94-28437 igers and crew p 189 N94-28438 the isolated rat's liver in heir relevance in aircraft p 172 N94-28439 thai hypothermia p 189 N94-28440 p 190 N94-28441 A comparison of four methods of rewarming individuals cooled by immersion in cold water p 190 N94-28442 HYPOTHESES An evaluation of criteria that may be used to identify pecies surviving a mass extinction p 171 N94-28304 POTONIA

Effect of L-dope on hemodyne

The Reports of Aeromedical Laboratory, volume 33.

humans

p 192 N94-26430

number 4 [JTN-94-80586]

mptoms of hypo

amic functions in p 180 N94-27526

p 184 N94-27942

d althude of 25,000 p 184 N94-27945

ICE ENVIRONMENTS Simulation of the effect of wind on clothing by essurements and calculations PB94-1322891 p 201 N94-28406 P894-132289 | Evaluation of life support equipment during an responded North Pole expedition p 202 N94-28422 unsupported North Pole expedition p.
Thermoregulation in the extreme cold MAGE ANALYSIS Interacting cortical filters for object recognition [PB94-125374] p 193 N94-26873 Orientation competition in cortical filters [PB94-125366] p.19 p 194 N94-27001 p 194 N94-27072 [AD-A274220] MPLANTED ELECTRODES (BIOLOGY) An attempt of intraneural stimulation by microelectrode inserted in skin sympathetic nerve fascicle p 181 N94-27529 INDEXES (DOCUMENTATION) Aviation Epidemiology Data Register: Indexing the AEDR document laser optic archive p 174 N94-27097 Aerospace medicine and biology: A cumulative index to a continuing bibliography (supplement 384) [NASA-SP-7011(384)] p 184 N94-28219 IDICATING INSTRUMENTS p 184 N94-28219 Monitoring activity with a wrist-worn actigraph: Effects of amplifier passband and threshold variations [AD-A274705] p. 173 NB4-26377 MATION PROCESSING (BIOLOGY) Induced pictorial representations p 194 N94-27012 Signal- and listener-based factors in complex auditory AD-A274148) p 194 N94-27094 p 195 N94-27518 Function of selective attention intrinsic to the saccade system: Does the voluntary control overnde the stimul driven control? FORMATION TRANSFER The intracellular second mes induction by ACTH IFRARED SPECTROSCOPY nger system in c-fos gene p 161 N94-27477 The Reports of Aeromedical Laboratory, volume 33. number 4 [JTN-94-80586] p 184 N94-27942 Evaluation of near-infrared spectrophotometric method for individual tolerance to + Gz acceleration p 184 N94-27944 Effect of sera from patients treated with long-term hemodialysis on mRNA's for collagenase, stromelysin, and tissue inhibitor of metalloprofease in cultured human p 179 N94-27481 synovial cells

The ionic mechanism underlying the negative chronotropic effect of acetylcholine: Expanimental study in rabbit single sinoatrial node cells p. 169. N94-27514.

The ionic mechanism underlying the negative chronotropic effect of acetylcholine: Experiments using small sinoatrial node tissue preparations isolated from mabbit haveting. p 169 N94-27515 rapbit hearts p 169 N94-27515
The ionic mechanism underlying the negative chronotropic effect of acetylcholine: Postganglionic vagal stimulation in isolated rabbit hearts p 169 N94-27516
NJURIES p 185 N94-28363 INSTRUMENT APPROACH Key cognitive issues in the design of electronic displays of instrument approach procedure charts [AD-A275847] p 204 N94-28649 The central executive compor [AD-A274295] nent of working memory p 193 N94-26883 TERLAYERS Development of a new chemical warfare agent protective valenal p 202 N94-28432

p 205 N94-27370

Correlation between electrical activity and the size of single sincetrial node cells. p. 168. N94-27513. The ionic machanism underlying the negative

remains toleranal activity and the size of p 168 N94-27513 e onic mechanism underlying the negative notropic effect of acetylcholine: Experimental study obit single sinoatnal node cells p 169 N94-27514

NTERSTELLAR COMMUNICATION

theory ION CURRENTS

Performance assessment in sustains a computer-based synthetic work task

IUMAN REACTIONS

IRRADIATION The ionic mechanism underlying the negative chronotropic effect of acetylcholine: Experiments using small sinoatrial node tissue preparations isolated from p 169 N94-27515 rabbit hearts p 169 N94-27515
The ionic mechanism underlying the negative chronotropic effect of acetylcholine: Postganglionic vagal stimulation in isolated rabbit hearts p 169 N94-27516
Postnatal changes in the autonomic modulation of L-type Ca(exp 2+) currents of rabbit ventricular cells p 182 N94-27535 pacernaker cells of p 170 N94-27537 the sinoatnai node IRRADIATION Studies on the application of radiation for genetic transformation in higher plants [DE93-632656] p 157 N94-26470 Molecular biological studies on the human radioresistance and drug resistance p 173 N94-26549 Protective action of platelet-activating factor antagonist. Protective action or planted action injury in isolated TCV-309, against ischemia reperfusion injury in isolated rabbit hearts. p 159 N94-27465 Protective action of an amiloride derivative (amiloride, 5-(N. N-dimethyl) hydrochloride) against in isolated ischemia/reperfusion newborn rabbit hearts p 159 N94-27466 J JOINTS (ANATOMY) Effect of sera from patients treated with long-term hemodialysis on mRNA's for collagenase, stromelysin, and tissue inhibitor of metalloprotease in cultured human p 179 N94-27481 synovial ceils K

KINESTHESIA Proproceptive isokinetic exercise test [NASA-TM-104015] p

p 158 N94-27227 KNOWLEDGE BASED SYSTEMS

processing p 194 N94-27072 [AD-A274220]

LAMINATES

Development of a new chemical warfare agent protective patenal 9 202 N94-28432

[AD-A274251] p 194 N94-27012

NCVS, volume 5 p 158 N94-27165

LASER APPLICATIONS

ER APPLICATIONS
Digital tracking and control of retinal images
p 192 N94-28810 LASER DOPPLER VELOCIMETERS

The measurements of muscle blood flow by laser Doppier flowmetry with needle type probe p 170 N94-27530

LEG (ANATOMY)

Sympathetic nerve activity during dynamic leg exercise p 180 N94-27527

LESIONS

The central executive component of working memory D-A274295] p 193 N94-26683 AD-A274295]

Digital tracking and control of retinal image AD-A2754691 p 192 N94-28810

LETHALITY

Space radiation health research, 1991-1992

[NASA-TM-109721] p 183 N94-27556

LIFE SCIENCES

A-10

Spacelab life sciences 2 post mission report NASA-CR-1955441 p 199 N94-27410

Aerospace medicine and biology: A continuing

int 386) p 184 N94-28208 bibliography with indexes (supplement NASA-SP-7011(386)) Aerospace medicine and biology: A continuing bibliography with indexes (supplement 387) [NASA-SP-7011(387)] p 184 N94-28213

LIFE SUPPORT SYSTEMS

Designing for human presence in space: An introduction environmental control and life support systems IASA-RP-1324] p 199 N94-27437 NASA-RP-13241

[NASA-RP-1324] p 199 N94-27437
Aerospace medicine and biology: A continuing bibliography with indexes (supplement 386)
[NASA-SP-7011(386)] p 184 N94-28208
Aerospace medicine and biology: A continuing bibliography with indexes (supplement 387)
[NASA-SP-7011(387)] p 184 N94-28213

Evaluation of life support equipment during an unsupported North Pole expedition p 202 N94-28422 LIGANDS

ent of novel switchable prote [AD-A275510] p 172 N94-28667

LININGS

Evaluation of life support equipment during an nsupported North Pole expedition p 202 N94-28422 LIQUID COOLING QUID COOLING
The use of liquid and air microclimate conditioning systems to alleviate heat stress in helicopter NBC operations p 204 N94-28453

operations LIVER

Modulation by galactosamine-induced hepatits of biological responses of the rat exposed to high altitude hypoxia p 159 N94-27464

Cloning of rat RXR alpha cDNA and the expression of its mRNA in regenerating liver and primary cultured hepatocytes p 161 N94-27479 p 161

Physiological investigations of the isolated rat's liver in hypothermia and hypoxia and their relevance in aircraft p 172 N94-28439 incidents above the sea

LONG DURATION SPACE FLIGHT

Psychophysiology in microgravity and the role of exercise p 187 N94-28374

LOW PRESSURE

Modulation by galactosamine-induced hepatitis of biological responses of the rat exposed to high altitude hypoxia p 159 N94-27464

Studies on water electrolyte metabolism and endocri responses at rest and during submaximal exercise at 6,000 m simulated altitude p 191 N94-28496 p 191

Effects of training at simulated altitude of 6,000 m on endocrine responses at rest and during exercise at the same altitude p 191 N94-28497

LOW TEMPERATURE ENVIRONMENTS

The Support of Air Operations under Extreme Hot and Cold Weather Conditions AGARD-CP-540) p 172 N94-28420

Medical support for British operations in the Antarctic p 188 N94-28421

LOWER BODY NEGATIVE PRESSURE

Pulse waveform and transcranial Doppler analysis during lower body negative pressure [AD-A274516] p 174 N94-27088

Aerobic fitness and orthostatic tolerance: Evidence nains) an association

LUNAR BASES
Lunar base habitat designs: Characterizing the environment, and selecting habitat designs for future trade-offs NASA-CR-1956871 p 201 N94-27934

LUNAR ENVIRONMENT

Lunar base habitat designs: Characterizing the environment, and selecting habitat designs for future trada\_offs p 201 N94-27934

(NASA-CR-195687)

LUNAR ROCKS

A widely adaptable habital construction system utili space resources p 198 N94-27 p 198 N94-27374

LUNAR SOIL A widely adaptable habitat construction system utilizing ace resources p 198 N94-27374 Space resources

### M

MAN MACHINE SYSTEMS

Aerospace medicine and biology: A continuing bibliography with indexes (supplement 386) [NASA-SP-7011(386)] p 184 N94-28208 NASA-SP-7011(386)] p 184 N94-28208 Aerospace medicine and biology: A continuing

bibliography with indexes (supplement 387) [NASA-SP-7011(387)] p 184 p 184 N94-28213

Visit to CERMA: Centre d'Etudes et de Recherches de Medecine Aerospatiale, Centre for Studies and Research in Aviation and Space Medicine, Bretigny sur Orge, France, November 16-19990] mber 16-18, 1992

p 188 N94-28392

MANAGEMENT METHODS

Benefits estimation for simulation systems used for irrorew training in a multiship environment p 193 N94-26882 AD-A2743131

An investigation of integrated product development operantation issues: A case study of Bosma Machine and Tool Corp.

p 198 N94-27320 MANUFACTURING
A widely adaptable habital construction system utilizing

Space resources MARINE MAMMALS p 198 N94-27374

and recommendations p 171 N94-28198 MARKOV CHAINS

Markov chains for random urinalysis 3: Daily model and arug kinetics AD-A2755401 p 192 N94-28797

Space Station evolution study oxygen loop closure VASA-CR-193938) p 197 N94-26788

p 172 N94-28667

[NASA-CR-193938] Development of novel switchable protein surfaces

[AD-A275510] MEDICAL ELECTRONICS

Monitoring activity with a wrist-worn actigraph: Effects of amplifier passband and threshold variations p 173 N94-26377 AD-A2747051

MEDICAL PERSONNEL

Aeromedical support for casualties in extremely hot p 203 N94-28443

MEDICAL SERVICES

Practice patterns of US Army medical department psychiatness and psychologists AD-A2747871 p 172 N94-26360

The role of hyperbanic oxygen as a prophylaxis for p 157 N94-26517

Monograph of the aviation epidemiology data register for calendar year 1988 [AD-A274589]

p 174 N94-26985

MEMBRANES

Effects of high-intensity electric field stimulation on the electromechanical performance of cardiac muscle influence of fiber orientation p 180 N94-2746 p 160 N94-27467

On the mechanism of reentrant arrhythmias following DC defibriliation: influence of fiber orientation to the effects of low-energy electric field stimulation on the effective refractory period of cardiac muscle p 160 N94-27468

The central executive component of working memory D-A274295] p 193 N94-26683 AD-A274295]

NTAL HEALTH

Practice patterns of US Army medical department sychiatrists and psychologists AD-A274787] p 172 N94-26360

Human dimensions research team, operation restore

AD-A2743401 p 194 N94-27056

MENTAL PERFORMANCE

The use of EEG as a workload assessment tool in flight p 173 N94-26847

Task demand, workload, and performance [PB94-123627] p 197 N94-27155

Brain wave correlates of attentional states: Event related is and quantitative EEG analysis during formance of cognitive and perceptual tasks p 196 N94-27901

Symptoms of hypoxia at simulated altitude of 25,000

METABOLIC DISEASES

Modulation by galactosamine-induced hepatitis of biological responses of the rat exposed to high altitude hypoxia p 159 N94-27464

Protective action of an amiloride derivative (amilonde, 5-(N. N-dimethyl) hydrochloride) against in isolated mia/reperfusion newborn rabbit hearts p 159 N94-27466

METABOLISM

Prediction of survival times on land in a cold clima p 188 N94-28423

Physiological investigations of the isolated rat's liver in hypothermia and hypoxia and their relevance in aircraft MICE

Compaction-like biastomere aggregation caused by 1-oleoyl-2-acetylglycerol in mouse embryos. An electron microscopic observation p 163 N94-27487 microscopic observation

MICROBIOLOGY

Microbiology research at some research institutes in the former Soviet Union: A survey of scientific publications [P894-123320] p 158 N94-27171

MICROCLIMATOLOGY

The use of liquid and air microclimate conditioning systems to alleviate heat stress in helicopter NBC operations p 204 N94-28453

MICROGRAVITY

Annals of the Research Inst. of Environmental Medicine. Nagoya Univ., volume 44 [REPT-44-VOL-44] p 174 N94-27442

Changes in circadian variations of unine excretion in pl-suspended rats p 175 N94-27443 tail-suspended rats Endocrinological evaluations of muscle and bone atrophy in tail-suspended rats p 159 N94-27444

Changes in fluid and electrolyte metabolism during water nimersion at high or thermoneutral temperature p 175 N94-27445

SUBJECT INDEX Study on posture control and adaption mechanism under ess: Results of second rehearsal for space using carp p 199 N94-27446 riment using carp The mechanism of calonic hystagmus under microgravity.

1: Changes of endolymphatic pressure in the semicircular canal of pigeon by calonic stimulation. Comparative measurement of visual stability in cosmic space: Onboard experiment and pre-flight activities Construction and test of experiment hardware for a space experiment on Spacelab mission IML-2 Workshop on Countering Space Adaptation with Exercise: Current Issues [NASA-CP-3252] Exercise detraining: Applicability to microgravity p 185 N94-28364 Weightlessness and the human skeleton: A new The use of biomechanics in the study of movement Psychophysiology in microgravity and the role of sercise p 187 N94-28374 Japanese Journal of Aerospace and Environmental Medicine, vol. 30, no. 3 [JTN-94-80606] Some issues on Japan's space food development and ng preliminary experimental study MIDAIR COLLISIONS Effectiveness of protection clothing for cold #eather conditions after ejection over sea. A case report MILITARY OPERATIONS Human dimensions research team, operation restore hope [AD-A274340] The Support of Air Operations under Extreme Hot and Cold Weather Conditions [AGARD-CP-540] p 172 N94-28420 The Environmental Symptoms Questionnaire: Assessing reactions to environmental extremes in military operations p 204 N94-28447 MILITARY PSYCHOLOGY AD-A274787] November 16-18, 1992 [PB94-132990] MINERAL METABOLISM

p 177 N94-27457

p 201 N94-27463

p 170 N94-27743

p 184 N94-28361

p 186 N94-28368

p 187 N94-28373

p 204 N94-28498

p 202 N94-28435

p 194 N94-27056

p 172 N94-26360

p 194 N94-27056

bolic flight p 176 N94-27452

p 188 N94-28425

Practice patterns of US Army medical department nsts and psychologists Human dimensions research team, operation restore MILITARY TECHNOLOGY
Visit to CERMA: Centre d'Etudes et de Recherches de Medecine Aerospatiale, Centre for Studies and Research in Aviabon and Space Medicine, Bretigny sur Orge, France, performance model MOLECULAR BIOLOGY AD-A2749751 Neutrons in biology NCVS, volume 5 AD-A2749751 MONITORS actigraphy (AD-A273739) NOTION PERCEPTION

by linear acceleration MOTION SICKNESS

after ditching in cold water

p 188 N94-28392 Endocrinological evaluations of muscle and bone atrophy in tail-suspended rats p 159 N94-27444 p 198 N94-27376 One from many: Selecting an appropriate human p 201 N94-27683 studies on the human radioresistance and drug resistance [DE93-632682] a 173 N94-26549 p 158 N94-27165 Space radiation health research, 1991-1992 [NASA-TM-109721] p 183 p 183 N94-27556 p 171 N94-27862 MOLECULAR STRUCTURE p 158 N94-27165 electroencephalography to sleep scored by wrist p 173 N94-26748 duced by optokinetic p 200 N94-27455 ency analysis of body sway indi Effects of imaginary target on induced eye movements v linear acceleration p 200 N94-27456

MULTIVARIATE STATISTICAL ANALYSIS A multivanate anthropometric method for crew station design: Abridged [AD-A274588] p 197 N94-26984 Effects of perfusion of amiodarone on electrophysiological properties in single rabbit ventricular p 166 N94-27503 Impaired associated movement in Parkinson's disease: An evaluation of Bell's phenomenon p 179 N94-27520 Contribution of muscle spindle afferent activity to transient pause in EMG during voluntary tonic contraction p 180 N94-27522 ontraction
Sympathetic nerve activity during dynamic leg exercise p 180 N94-27527 Analysis on one minute wave in body fluid volume and muscle pumping referred to body parts generating the one minute wave during human active standing p.181 N94-27528 The measurements of muscle blood flow by laser Doppier flowmetry with needle type probe p 170 N94-27530 Muscle sympathetic nerve activity in patients with hyper-and hypothyroidism: A microneurographic study p 181 N94-27 Enhancement of skin sympathetic nerve activity in Enhancement of scienosis p 181 New Cross
Treatment of orthostatic hypotension by nasal p 182 N94-27533 Muscle sympathetic nerve activity in humans p 183 N94-27538 Muscular activity and its relationship to biomechanics ind human performance p 185 N94-28362 Eccentric exercise testing and training Electrical stimulation in exercise training p 187 N94-28371 p 185 N94-28363 MUSCULAR FUNCTION impaired associated movement in Parkinson's disease. An evaluation of Bell's phenomenon MUSCULAR STRENGTH p 187 N94-28372 MUSCULAR TONUS Contribution of muscle spindle afferent activity to MUSCULOSKELETAL SYSTEM Muscular activity and its relationship to biomechanics and human performance p 185 N94-28362

p 179 N94-27520 Contribution of muscle spindle afferent activity to transient pause in EMG dunng voluntary tonic contraction p 180 N94-27522 The value of electrical stimulation as an exercise tra

transient pause in EMG during voluntary tonic contraction. p 180 N94-27522

microgravity p 185 N94-28364

MUTATIONS Studies on the application of radiation for genetic transformation in higher plants [DE93-632656] Molecular biological studies p 157 N94-26470 on the human radioresistance and drug resistance [DE93-632682] p 173 N94-26549 Vacuum-UV-effects on E. coli plasmid pUC19: Inactivation, strand break induction and mutation DLR-FB-93-261 p 171 N94-27754 MYOCARDIUM

Protective action of platelet-activating factor antagonist. TCV-309, against ischemia reperfusion injury in isolated p 159 N94-27465 rabbit hearts Protective action of an amiloride derivative (amilonde, 5-(N, N-dimethyl) hydrochloride) against in isolated

hearts p 159 N94-27466 Effects of high-intensity electric field stimulation on the ectromechanical performance of cardiac muscle. Influence of fiber orientation p 160 N94-27467 On the mechanism of reentrant arrhythmias following C defibrillation: Influence of fiber orientation to the effects of low-energy electric field stimulation on the effective refractory period of cardiac muscle p 160 N94-27468 Positive chronotropic effect of mechanical stretch on the sinoatrial node: Roles of neurotransmitters and stretch ctivated channels p 160 NS4-27469 Effects of perfusion of amodarune on lectrophysiological properties in single rabbit ventricular p 166 N94-27503

Fast and slow onsets of Na channel blocking actions due to lidocaine and disopyramide using concentration-claimp method p 166 N94-27504 Electrophysiological effects of MS-551, a new Class 3 antiarrhythmic agent, on isolated rabbit ventricular pulse lac.

Comparative investigation of new Class 3 antiarrhythmic drugs, E-4031 and MS-551, on electrophysiological

Effects of Class 1 antiarrhythmic drugs on the intraventricular conduction: Influence of fiber orientation p. 167 N94-27507

Effects of Class 3 antiarrhythmic agents, E-4031 and MS-551 on ventricular repolarization in isolated rabbit p 167 N94-27508

Electrical coupling between the sino-atrial node and atrial muscle: Cell to cell interaction through an external circuit and its simulation by computer mode

p 167 N94-27509 A study on tissue excitation of cardiac muscle under p 168 N94-27510

Block of cardiac sodium channels by Ro 22-9194 (R), a new antiarrhythmic agent: Effects on the maximum upstroke velocity (Vmax) of single guinea pig ventricular myocytes p 168 N94-27511 myocytes

Electrophysiological effects of an antiarrhythmic drug. moricizine on isolated guinea pig ventricular musi p 168 N94-27512

Postnatal changes in the autonomic modulation of L-type Ca(exp 2+) currents of rabbit ventricular cells

p 182 N94-27535 Mechanism for regulation of myocardial contractility by autonomic drugs. Pathophysiological relevance in congestive heart failure p 182 N94-27536

NEAR INFRARED RADIATION

Evaluation of near-infrared spectrophotometric method for individual tolerance to +Gz acceleration p 184 N94-27944

biological studies on the human radioresistance and drug resistance p 173 N94-26549 NERVES

Disturbed neuronal migration in the cerebral cortiex of mice by low-dose gamma radiation p 160 N94-27470 Abnormal development of serotonin nerve fibers in the cerebral cortex of young rats with methylazoxyme induced microcephaly p 162 N94-27485 inductive differentiation of nerve cells in mouse embryonic ectoderm at early primitive streak stage by

NERVOUS SYSTEM

influence of mechanical stimulation on infla p 165 N94-2749 The effect of naloxone on sleeping time in adjuvant thritic rats p 165 N94-27498 arthritic rats Effects of capsaicin on freshly dissor p 165 N94-27499 root ganglion cells p 165 N94-27499
Size distribution of retrogradely labeled dorsal root ganglion cells: Test of normality p 165 N94-Interaction between endogenous opioid Cholecystokinin (CCK) in modulating respiratory resp p 165 N94-27500 induced by thin-fiber muscular afterents

p 166 N94-27502 Electrical coupling between the sino-atrial node and atrial muscle. Cell to cell interaction through an external circuit and its simulation by computer modeling

p 167 N94-27509 Correlation between electrical activity and the size of ingle sinoatrial node cells p 168 N94-27513 ngie sinoatnal node cells p 168 N94-27513 The ionic mechanism underlying the negative the lonic mechanism underlying the insignative chronotropic effect of acetylcholine: Experimental study in rabbit single sincathal inode cells. p 169: N94-27514. The lonic mechanism underlying the negative chronotropic effect of acetylcholine: Experiments using

small sinoatrial node tissue preparations isolated from raboit hearts p 169 N94-27515

The ionic mechanism underlying the negative chronotropic effect of acetylcholine: Postganglionic vagal stimulation in isolated rabbit hearts p 169 N94-27516

Hyperaligesia to cold in patients with Subacute

Hyperalgesia to cold in patients with Subscute yelo-Optico-Neuropathy (SMON) p 179 N94-27521

Analysis of the Electrically Evoked Response (EER) of the cat p 169 N94-27519 the cat NEUROLOGY

Muscular activity and its relationship to biomechanics and human performance p 185 N94-28362 NEUROMUSCULAR TRANSMISSION

Positive chronotropic effect of mechanical stretch on the sinoatrial node: Roles of neurotransmitters and stretch activated channels p 160 N94-Interaction between endogenous opioid p 160 N94-27469 and Cholecystokinin (CCK) in modulating respiratory responses induced by thin-fiber muscular afferents

ectrogastrogram during par

The value of electrical stimulation as an exercise training p 187 N94-26372 0 PATHOLOGY Bakterielia toxiner-morgor toxins-the threat of tomorrow) [PB94-124229] toxiner-morgondagens **OPERATOR PERFORMANCE** The use of biomechanics in the study of movement in p 158 N94-27045 Task demand, workload, and perform (PB94-123627) microgravity p 197 N94-27155 Aeromedical support for casualties in extremely hot imates p 203 N94-28443 Cortical mechanisms of attention, discrimination, and OPHTHALMOLOGY Digital tracking and control of retinal images [AD-A275469] p 192 N94-28810 PATTERN RECOGNITION motor response to somesthetic stimuli Interacting cortical filters for object recognition (PB94-126374) p 193 No. AD-A274163) p 195 N94-27141 Distribution of GABA immunoreactive neurons in the OPTICAL EQUIPMENT p 193 N94-26873 Helmet head tracking mounting device (AD-D016048) brain of rolling mouse Nagoya and gamma-irradiated Onontation competition in cortical filters p 197 N94-27114 p 161 N94-27471 p 194 N94-27001 Effects of gamma ray radiation on the developing mouse cerebelium: Apoptotic cell death and induction of tissue transportant process. [PB94-125366] OPTICAL TRACKING PEPTIOES Helmet head tracking mounting device (AD-D016048) Effect of PGE2 receptor agonists butaprost, M and B 28767 and an antagonist AH 6809 on the BK response of visceral polymodal receptors p 164 N94-27494 p 197 N94-27114 p 161 N94-27472 ORGANIC COMPOUNDS evelopment of Purkinje cells in vitro Development of a sparging technique for volatile emissions from potato (Solanum tuberosum) (NASA-TM-109199) p 158 N94-27412 p 162 N94-27483 PERCOLATION Developmental expression of protein kinase C type 1 The Fermi paradox: An approach based on perco isozyme in suncus and rat cerebella p 205 N94-27370 ORGANIZATIONS PERFORMANCE TESTS
A comparison of sleep scored from electroencephalography to sleep scored by wrist p 162 N94-27484 p 198 N94-27376 Pigs in cyberspace ORGANS NEUROPHYSIOLOGY own influences on bottom-up processing 74220) p 194 N94-27072 NCVS, volume 5 IAD-A2742201 actigraphy [AD-A273739] p 158 N94-27165 [AD-A274975] p 173 N94-26748 Cortical mechanisms of attention, discrimination, and ORTHOSTATIC TOLERANCE Extra-Vehicular Activity (EVA) glove evaluation test onse to somesthetic stimuli Analysis on one minute wave in body fluid volume and muscle pumping referred to body parts generating the one [AD-A274163] p 195 N94-27141 [NASA-TM-108442] Visit to CERMA: Centre d'Etudes et de Recherches de Medecine Aerospatiale, Centre for Studies and Research in Aviation and Space Medicine, Bretigny sur Orge, France, p 201 N94-27952 Thermal protective performance and instrumented p 181 N94-27528 mannequin evaluation of multi-layer garment systems Treatment of orthostatic hypotension by nasal diministration of vasopressin p 182 N94-27533 p 202 N94-28433 November 16-18, 1992 administration of vasopressin p 182 N94-27533 Workshop on Countering Space Adaptation with Rewarming methodologies in the field (PB94-132990) p 188 N94-28392 p 190 N94-28441 NEUROTRANSMITTERS Exercise: Current Issues Annals of the Research Inst. of Environmental Medicine, Nagoya Univ., volume 44 (REPT-44-VOL-44) p 174 N94-27442 PERIPHERAL CIRCULATION [NASA-CP-3252] p 184 N94-28361 Effect of prostaglandin E1 on the relationship between skin sympathetic nerve activity and reduction in skin blood Aerobic fitness and orthostatic tolerance: Evidence p 185 N94-28365 against an association Does training-induced orthostatic hypotension result provided carolid baroreflex responsiveness? p 180 N94-27524 Distribution of GABA immunoreactive neurons in the Difference in skin blood flow reduction depending on brain of rolling mouse Nagoya and gamma-irradiated mouse p 161 N94-27471 from reduced carotid baroreflex respons activating maneuver of skin sympathetic nerve activating N94-28366 p 180 N94-27525 **OSTEOPOROSIS** The ionic mechanism underlying the negative chronotropic effect of acetylcholine: Experimental study Effect of L-dopa on hemodynamic functions in p 180 N94-27526 Irreversibility of advanced osteoporosis: Limited role for harmacologic intervention p 186 N94-28369 humans PERMEABILITY in rabbit single sinoatrial node cells p 169 N94-27514 Exercise and osteoporosis: Methodological and practical The ionic mechanism underlying the negative chronotropic effect of acetylcholine: Experiments using Fire-resistant water vapour permeable buoyant sulation p 202 N94-28431 OTOLITH ORGANS small sinoatrial node tissue preparations isolated from Study on posture control and adaption mechanism unde p 169 N94-27515 rabbit hearts An evaluation of personality testing and the five-factor model in the selection of landing craft air cushion vehicle weightlessness: Differences in weight and shape of utricular otolith of carp p 199 N94-27448 The ionic mechanism underlying the negative chronotropic effect of acetylcholine: Postganglionic vagal stimulation in isolated rabbit hearts p 169 N94-27516 (AD-A275869) p 196 N94-28754 Pulse waveform and transcranial Doppler analysis during RSONALITY TESTS Postnatal changes in the autonomic modulation of L-type er body negative pressure An evaluation of personality testing and the five-factor model in the selection of landing craft air cushion vehicle Ca(exp 2+) currents of rabbit ventricular [AD-A274516] p 174 N94-27088 p 182 N94-27535 OXYGEN (AD-A275869) Desensitization to acethylcholine in pacemaker cells of p 170 N94-27537 The role of hyperbaric oxygen as a prophylaxis for p 196 N94-28754 the sinoatrial node The role of beta-adrenoceptor AD-A274974) Human dimensions research team, operation restore p 183 N94-27541 **OXYGEN PRODUCTION** progression of chronic heart failure Space Station evolution study oxygen loop closure [NASA-CR-193938] p 197 N94-26788 hope (AD-A274340) **NEUTRON DIFFRACTION** p 194 N94-27056 Neutrons in biology n active thermal p 204 N94-28451 Recent Canadian advances in p 171 N94-27862 [DE94-701085] NEUTRON SCATTERING PERSONNEL MANAGEMENT Neutrons in biology An investigation of integrated product development implementation issues: A case study of Bosma Machine and Tool Corp. p 171 N94-27862 [DE94-701085] PAIN SENSITIVITY NEUTRONS Excitation of cutaneous polymodal receptor induced by sympathetic stimulation in adjuvant-induced arthritis rats p 164 N94-27495 Neutrons in biology AD-A273917 p 198 N94-27320 [DE94-701085] p 171 N94-27862 PERSONNEL SELECTION A comparison of two hardware implementations of a NOREPINEPHRINE influence of mechanical stimulation on inflammatory The role of beta-adrenoceptor stimulation in the ogression of chronic heart failure p 183 N94-27541 dema
The effect of naloxone on sleeping time in adjuvant
p 165 N94-2780 crew selection system p 183 N94-27541 [AD-A274913] p 192 N94-26346 Validation of the Federal Aviation Administration air Changes in pain sensation induced by repetitive application of noxious heat pulses to the human skin Size distribution of retrogradely labeled dorsal root ganglion cells: Test of normality p 165 N94-27500 traffic control specialist pre-training scree [DOT/FAA/AM-94/4] p 1 p 192 N94-26600 p 179 N94-27501 An evaluation of personality testing and the five-factor NUMERICAL CONTROL Hyperalgesia to cold in patients with Subacute
Myelo-Optico-Neuropathy (SMON) p 179 N94-27521
The polymodal receptor p 170 N94-27539
PALEONTOLOGY Digital tracking and control of retinal images [AD-A275469] p 192 N94-28810 model in the selection of landing craft air cushion vehicle p 179 N94-27521 p 170 N94-27539 AD-A2758691 Visit to CERMA: Centre d'Etudes et de Recherches de Medecine Aerospatiale, Centre for Studies and Research in Aviation and Space Medicine, Bretigny sur Orge, France, Naval aviation vision standards research at the naval An evaluation of criteria that may be used to identify species surviving a mass extinction p 171 NB4-28304 PARABOLIC FLIGHT aerospace medical research laboratory: The long view [AD-A275885] p 191 N94-28756 November 16-18, 1992 PERSPIRATION The electrogastrogram during parabolic flight p 176 N94-27452 Difference in skin blood flow reduction depending on Nutrition and hydration status of aircrew members activating maneuver of skin sympathetic nerve activity Vertical gaze direction during parabolic flig consuming an improved survival ration during a simulated p 180 N94-27525 p 176 N94-27453 p 189 Enhancement of skin sympathetic nerve activity in myotrophic lateral scierosis p 181 N94-27532 Heart rate change in normal and labyrinthectomized amsters during parabolic flight p 176 N94-27454 NUTRITIONAL REQUIREMENTS amyotrophic lateral sclerosis p 181 N94-27532 Simulation of the effect of wind on clothing by hamsters during parabolic flight PARKINSON DISEASE Nutrition and hydration status of aircrew members consuming an improved survival ration during a simulated survival scenario p 189 N94-26429 Impaired associated movement in Parkinson's disease: An evaluation of Bell's phenomenon [PB94-132289] p 201 N94-28406 **NYSTAGMUS** p 179 N94-27520 PHASE SHIFT Vertical gaze direction during parabolic flight p 173 N94-27453 mispheric phase relationship of alpha waves and dominance p 195 N94-27518 Effect of L-dopa on hemody nic functions cerebral dominance p 180 N94-27526 PATHOGENS PHASE TRANSFORMATIONS The mechanism of caloric nystagmus under microgravity. toxiner-morgondagens Construction and test of experiment hardware for a 1: Changes of endolymphatic pressure in the semicircular pace experiment on Spacelab mission IML-2 DLR-FB-93-23) p 170 N94-27743 canal of pigeon by caloric stimulation toxins-the threat of tomorrow) p 177 N94-27457 [PB94-124229] p 158 N94-27045 (DLR-FB-93-23)

Japanese Journal of Aerospace and Environmental PHOSPHORYLATION Activation by G protein beta gamma subunits of G protein-coupled receptor kinase p 162 N94-27534 PHOTOGRAPHIC RECORDING Medicine, vol. 30, no. 3 (JTN-94-80606) p 191 N94-28495 Studies on water electrolyte metab ism and end aximal exercise at 6,000 p 191 N94-28496 Root gravitropism in maize and Arat [NASA-CR-195710] PHYSICAL EXAMINATIONS responses at rest and during subm p 171 N94-27940 Effects of training at simulated attitude of 6,000 m on endocrine responses at rest and during exercise at the same altitude p 191 N94-26497 Monograph of the aviation eg for calendar year 1988 (AD-A274589) demiology data register Some issues on Japan's space food development and relating preliminary experimental study p 174 N94-26985 PHYSICAL EXERGISE D 204 N94-28498 Sympathetic nerve activity during dynamic leg exercise p 180 N94-27527 PHYSIOLOGICAL RESPONSES Changes in circadian variations of urine excretion in tail-suspended rats p 175 N94-27443 Workshop on Countering Space Adaptation with Exercise: Current Issues (NASA-CP-3252) Endocrinological evaluations of muscle and bone rophy in tail-suspended rate p 159 N94-27444 p 184 N94-28361 atrophy in tail-suspended rats Aerobic fitness and orthostatic hip to biomechanics p 185 N94-28362 and human performance p t Eccentric exercise testing and training egainst an association Exercise and osteoporosis: Me p 185 N94-28365 hodological and practical p 186 N94-28370 p 185 N94-28363 Exercise detraining: Applicability to microgravity p 185 N94-28364 Electrical stimulation in exerc p 187 N94-28371 Exercise and osteoporosis: Methodological and practical onsiderations p 186 N94-28370 Prediction of survival times on land in a cold climate p 188 N94-28423 The value of electrical stimula Treatment of mild immersion body-to-body and forced-air warming hypothermia by The use of biomechanics in the study of move p 187 N94-28373 p 189 N94-28428 Thermoregulation in the extreme cold environment p 189 N94-28438 Psychophysiology in microgravity and the role of Effects of three hydration beverages on exercise Rewarming methodologies in the p 190 N94-28441 performance during 60 hours of simulated desert exposure p 190 N94-28448 A comparison of four methods of rewarming individuals cooled by immersion in cold water m and endocrine responses at rest and during submaximal exercise at 6,000 Work conditions assessment in pilots and ground Effects of training at simulated altitude of 6,000 m on p 203 N94-28444 ects of training at simulated during exercise at the crime responses at rest and during exercise at the p 191 N94-28497 Effects of three hydration beverages on exercise performance during 60 hours of si p 190 N94-28448 Aeromedical issues related to positive pressure breathing for +Gz protection [AD-A274717] p 173 N94-26435 Alleviation of thermal strain in the CF: Keeping our cool uning the Guif conflict p 190 N94-28449 dunng the Gulf conflict PHYSIOLOGICAL TESTS p 193 N94-26749 Female combat helicopter pilot (AD-A273935) PHYSIOLOGICAL ACCELERATION The use of EEG as a workload ass p 173 N94-26847 Evaluation of near-infrared spectrophotometric method for individual tolerance to + Gz acceleration On the development of motor chunks and concurrent in a structured continuous keypressing task 53) p 194 N94-27138 Processing in ( AD-A274153) PHYSIOLOGICAL EFFECTS Annals of the Research Inst. of Environmental Medicine, Nagoya Univ., volume 44 [REPT-44-VOL-44] p 174 N94-27442 Does training-induced orthostatic hypotension result p 186 N94-28366 Study on posture control and adaption mechanism under PHYSIOLOGY weightlessness: Results of second rehearsal for space experiment using carp p 199 N94-27446 ues related to positive pressure experiment using carp p 199 N94-27446
Study on posture control and adaption mechanism under
weightlearness: Differences in weight and shape of
utricular otolith of carp p 199 N94-27448
Telescience testbedding for physiological experiments
under hypobanic hypoxic conditions p 175 N94-27449
Telescience testbedding under hypobanic hypoxic
conditions: Evaluation by operation ability and recognition
p 175 N94-27450
The electropastrogram during parabolic flight eriment using carp breathing for +Gz protection (AD-A274717) p 173 N94-26435 Eccentric exercise testing and tra 185 N94-28363 Thermoregulation in the extreme p 189 N94-28438 Physiological investigations of the isolated rat's turn-hypothermia and hypoxia and their relevance in aircraft incidents above the sea p 172 N94-28439 PILOT PERFORMANCE bolic flight p 176 N94-27452 ectrogastrogram during paral Vertical gaze direction during parabolic flight p 176 N94-27453 US Army aviation gy data registry: Incidence mes of aviator flying ovaluation boards 711) p 173 N94-26432 [AD-A274711] Heart rate change in normal and lab hamsters during parabolic flight p t Frequency analysis of body sway inducp 176 N94-27454 Task demand, (PB94-123627) mance p 197 N94-27155 duced by optokinetic p 200 N94-27455 nal states: Event related Brain wave correlates of atte potentials and quantitative EEG analysis during performance of cognitive and perceptual tasks moneutral head-out p 177 N94-27458 rater immersion in the elderly Effects of 40 C hot water im on for an hour or p 196 N94-27901 oregulatory functions in hi p 177 N94-27459 Laboratory, volume 33, 34 C tillermoneutral immersion number 4 [JTN-94-80586] cts of bathing at 40 C on cardiovascular system in p 184 N94-27942 humans: Comparison with 34 C thermoneutral bathing Comparison of performance in simulator flight among p 178 N94-27473 cts with different simulator exper Effects of 41 C bathing for 20 minutes on cardio and thermoregulatory functions in humans p 201 N94-27943 Evaluation of near-infrared se p 178 N94-27474 etric method for individual tolerance to +Gz accelera Monthly variation of physiological and psychological esponses under unsteady thermal conditions p 184 N94-27944 ed altitude of 25,000 p 184 N94-27945 p 178 N94-27475 Symptoms of hypoxia at sir onal climatic PILOT SELECTION p 178 N94-27476 Female combat he (AD-A273935) p 193 N94-26749 p 184 N94-27945

PILOTS (PERSONNEL) Work conditions assessment in pilots and ground personnel under high weather temperatures p 203 N94-28444 PIXELS An algorithm for stereo correspondence problems on the analogy of human vision (NAL-TR-1185) p 195 N94-27584 PLANT : DOTS m in maize and Arabido Root gravitropism (NASA-CR-195710) p 171 N94-27940 PLASTICIZERS Development of novel switchable protein surface (AD-A275510) p 172 N94p 172 N94-28667 POLARIZATION (CHARGE BEPARATION) Effects of Class 3 entierthythmic agents, E-4031 and MS-551 on ventricular repolarization in isolated rabbit hearts p 167 N94-27508 The effect of body orientation on the perception of vertical and horizontal distance in an outdoor setting p 200 N94-27461 POTATOES Studies on the application of radiation for genetic transformation in higher plants (DE93-632656) p 157 N94-26470 Development of a sparging technique for volatile emissions from potato (Solarium tuberosum) [NASA-TM-109199] p.158 N94-27412 p 158 N94-27412 PRESSURE BREATHING Aeromedical issues related to positive pressure breathing for + Gz protection [AD-A274717] p. 173 NGA-26435 Aeromedical issues related to positive pressure breathing for +Gz protection p 173 N94-26435 AD-A274717) A reliable and repeatable method for volume calculation of pressurized garments [AD-A275600] p 205 N94-28766 The Fermi paradox: An approach based on percolation eory p 205 N94-27370 rkov chains for random unnalysis 3: Daily model and p 192 N94-28797 PRODUCT DEVELOPMENT An investigation of integrated product development implementation issues: A case study of Bosma Machine and Tool Corp. [AD-A273917] p 198 N94-27320 PROPHYLAXIS The role of hyperbanic oxygen as a prophylaxis for [AD-A274974] p 157 N94-26517 OPRIOCEPTION Proprioceptive isol (NASA-TM-104015) p 158 N94-27227 ROPRIOCEPTORS NASA-TM-104015) p 158 N94-27227 ROSTAGLANDI Effect of PGE2 receptor agonists butaprost, M and B 28767 and an antagonist AH 6809 on the BK response of visceral polymodal receptors p 164 N94-27494 Effect of prostaglandin E1 on the relationship between skin sympathetic nerve activity and reduction in akin blood p 180 N94-27524 p 170 N94-27539 The polymodal receptor PROTECTION Development of a new chemical warfare agent protective naterial p 202 N94-28432 PROTECTIVE CLOTHING Control panel dimensions for gloved operation study 2: Toggle switches minimum spacing required between loggle
[AD-A274518]
Aerospace medicine and biology: A continuing bibliography with indexes (supplement 386)
[NASA-SP-7011(386)]
P184 N94-28208
Aerospace medicine and biology: A continuing bibliography with indexes (supplement 387)
p184 N94-28213 Cold Weather Conditions [AGARD-CP-540] p 172 N94-28420 Evaluation of life support equipment during an unsupported North Pole expedition p 202 N94-28422 The potential of new textiles in improving survival pagets p 202 N94-28431 Thermal protective performance and instrumented quin evaluation of multi-layer garment systems p 202 N94-28433

The use of biomechanics in the study of move

investigations of the isolated rat's liver in ind hypoxia and their relevance in aircraft the sea p 172 N94-28439

p 187 N94-28373

Comparison of performance in simulator flight among ubjects with different simulator experiences

PILOT TRAINING

riences p 201 N94-27943

p 184 N94-27945

Effectiveness of protection clothing for cold weather conditions after ejection over sea: A case report p 202 N94-28435 RATIONS PURIFICATION rotein surfaces p 172 N94-28667 Nutrition and hydration status of aircrew members int of novel switchable profi consuming an improved survival ration during a simulated survival scenario p 189 N94-28429 (AD-A275510) Advanced integrated cold protection for aircre BATS Q Cortical mechanisms of attention, discrimination, and Thermal strain generated by an enhanced anti-G motor response to somesthetic stimuli (AD-A274163) protection system in a hot climate p 203 N94-28445 rotection system in a hot climate implications of climatic extremes in aircrew NBC p 203 N94-28446 p 195 N94-27141 QUALITY CONTROL | AD-2/74163 | Development of inbred strains from Japanese wild rate (Rattus norvegicus) p 164 N94-2/7452 | Physiological investigations of the isolated rat's liver in hypotherma and hypoxia and their relevance in arcraft An investigation of integrated product development replementation issues: A case study of Bosma Machine operations Test of a new protection suit in a clima p 204 N94-28462 A reliable and repeatable method for volume calculation of pressurzed garments
[AD-A275600] p 205 N94-28766 p 198 N94-27320 (AD-A2739171 A reliable and repeatable method for volume calculation of pressurized garments [AD-A275600] p 205 N94-28766 incidents above the sea ROTEINS On the development of motor chunks and concurrent processing in a structured continuous keypress (AD-A274153) p 194 No. Molecular biological studies on the human radioresistance and drug resistance [DE93-632682] p 173 N94-26549 p 194 N94-27138 QUANTUM MECHANICS p 198 N94-27376 Pigs in cyberspace RECEPTORS (PHYSIOLOGY) Annais of the Research Inst. of Environmental Medicine Neutron and x ray scattering studies of the interactions between Ca(2+)-binding proteins and their regulatory targets: Comparisons of troponin C and calmodulin [DE94-002706] p 157 N94-26623 Nagoya Univ., volume 44 REPT-44-VOL-44 Effect of PGE2 receptor agonists butaprost. M and B 28767 and an antagonist AH 5809 on the BK response of visceral polymodal receptors p 164 N94-27494 Excitation of cutaneous polymodal receptor induced by RADIATION DAMAGE Cloning of rat RXR siphs cDNA and the expression of its mRNA in regenerating liver and primary cultured Disturbed neuronal migration in the cerebral cortex of mice by low-dose gamma radiation p 180 N94-27470 Distribution of GABA immunoreactive neurons in the hepatocytes
Cloning of a novel POU tamily gene by RT-PCR p 162 N94-27480 brain of rolling mouse Nagoya and gamma-irradiated mouse p 161 N94-27471 p 164 N94-27498 Influence of mechanical stimulation on inflammatory dema p 185 N94-27497 Expression analysis of Thyroxine-Binding Globulin Effects of garnma ray radiation on the developing mouse cerebellum: Apoptotic cell death and induction of tissue Complete Deficiency in Japanese (TBG-CDJ) The effect of naloxone on sleeping time in adjuvant thritic rats p 165 N94-27498 p 162 N94-27482 p 161 N94-27472 Activation by G protein beta gamma subunits of G Effects of capsaicin on freshly dissociated rat dorsal on ganglion cells p 165 N94-27499 p 182 N94-27534 protein-coupled receptor kinase p 182 N94-27534 Barley cell culture as a producer of heterologous RADIATION DOSAGE Studies on the application of radiation for genetic transformation in higher plants (DE93-632656) p 157 N94-26470 root ganglion cells Contribution of muscle spindle afferent activity to transient pause in EMG during voluntary tonic protein [PB94-132339] p 172 N94-28408 p 180 N94-27522 The role of hyperbaric oxygen as a prophylaxis for nt of novel switchable pro [AD-A275510] Activation by G protein beta gamma subunits of G rotein-coupled receptor kinase p 182 N94-27534 p 172 N94-28667 protein-coupled receptor kinase p 182 N94-27534 Mechanism for regulation of myocardial contractility by autonomic drugs: Pathophysiological relevance in (AD-A274974) p 157 N94-26517 Practice patterns of US Army medical department RADIATION EFFECTS autonomic drugs: Pa congestive heart failure psychiatrists and psychologists Studies on the application of radiation for genetic AD-A2747871 p 172 N94-26360 p 182 N94-27536 p 170 N94-27539 transformation in higher plants [DE93-632656] The polymodal receptor p 170 N94-27539
The role of beta-adrenoceptor simulation in the ogression of chronic heart failure p 183 N94-27541 PSYCHOLOGICAL EFFECTS p 157 N94-26470 Monthly variation of physiological and responses under unsteady thermal conditi ological and psychological The role of hyperbaric oxygen as a prophylaxis for p 178 N94-27475 REFLEXES [AD-A274974] Man's ability to adapt himself for the seasonal climatic changes. From viewpoint of anticipation and seasonable behavior p 178 N94-27476 p 157 N94-26517 Molecular biological studies radioresistance and drug resistance (DE93-632682) p 173 N94-26549 p 183 N94-27538 REGULATORY MECHANISMS (BIOLOGY) ehavior
A study of psychological factors affecting an extremely p 195 N94-27517 Thyroid hormone action in cultured human skin fibroblasts: Evaluation using spheroid culture p 179 N94-27478 Annals of the Research Inst. of Environmental Medicine, solated environment Some issues on Japan's space food development and relating preliminary experimental study Nagoya Univ., volume 44 (REPT-44-VOL-44) p 174 N94-27442 IOTE CONTROL.
Telescience testbedding for physiological experiments.
Penaltic conditions p 175 N94-27449 REMOTE CONTROL Disturbed neuronal migration in the cerebral cortex of mice by low-dose gamma radiation p 160 N94-27470 Distribution of GABA immunoreactive neurons in the p 204 N94-28498 Telescience testbedding for physic p 175 N94-27449 under hypobaric hypoxic conditions p 175 N94-27449 Telescience testbedding under hypobaric hypoxic conditions: Evaluation by operation ability and recognition p 175 N94-27450 **PSYCHOLOGICAL FACTORS** Development of stimulus-seeking scale for expecting individual differences against confinement stress p 177 N94-27460 brain of rolling mouse Nagoya and gamme-tradiated mouse p 161 N94-27471 mouse
Effects of gamma ray radiation on the developing mouse cerebalium: Apoptotic cell death and induction of tissue transcitutaminase p 161 N9-27472 The effect of body orientation on the perception of vertical and horizontal distance in an outdoor setting p 200 N94-27461 Telescience testbedding for physiological experiments under hypobaric hypoxic conditions. Development and evaluation in CNV measuring p 176 N94-27451 Eye-head coordination and swinging of the visual scene REMOTE HANDLING Sonic booms and marine mammals: Informational status nd recommendations p 171 N94-28198 when wearing visually up-down reversing mirror for 14 days p 200 N94-27462 Telescience testbedding under hypobaric hypoxic conditions: Evaluation by operation ability and recognition RADIATION HAZARDS
Vacuum-UV-effects on E. coli plasmid pUC19:
Inactivation, strand break induction and mutation Comparative measurement of visual stability in cosmic space: Onboard experiment and pre-flight activities p 175 N94-27450 Telescience testbedding for physiological experiments under hypobanic hypoxic conditions. Development and evaluation in CNV measuring p 176 N94-27451 0.201 N94-27463 A study of psychological factors affecting an extremely plated environment p 195 N94-27517 [DLR-FB-93-26] p 171 N94-27754 EPRODUCTION (BIOLOGY)

Cloning of rat RXR alpha cDNA and the expression of its mRNA in regenerating liver and primary cultured PSYCHOLOGICAL TESTS RADIATION INJURIES Disturbed neuronal migration in the cerebral cortex of mice by low-dose gamma radiation p 160 N94-27470 Distribution of GABA immunoreactive neurons in the Practice patterns of US Army medical departme hepatocytes p 161 N94-27479
Cloning of a novel POU family gene by RT-PCR psychiatrists and psychologists AD-A274787 p 172 N94-26360 brain of rolling mouse Nagoya and gamma-irradiated mouse p 161 N94-27471 Validation of the Federal Aviation Administration air p 162 N94-27480 traffic control specialist pre-training screen [DOT/FAA/AM-94/4] p 193 Expression analysis of Thyroxine-Binding Globulin Effects of gamma ray radiation on the developing mouse cerebellum: Apoptotic cell death and induction of lissue transglutaminase p 161 N94-27472 p 192 N94-26600 Complete Deficiency in Japanese (TBG-CDJ) A study of psychological factors affecting an extremely olated environment p 195 N94-27517 p 162 N94-27482 Electron microscopic analysis of meiotic chromosome paining in male house musk shrew, Suncus munius PSYCHOMOTOR PERFORMANCE RADIATION SHIELDING Experimental evaluation of two systems of individual air-conditioning p 191 N94-28450 An evaluation of personality testing and the five-factor model in the selection of landing craft air cushion vehicle A widely adaptable habital construction system utilizing page resources p 198 N94-27374 p 164 N94-27493 RESCUE OPERATIONS Effectiveness of protection clothing for cold weather conditions after ejection over sea: A case report RADIATION THERAPY The role of hyperbaric oxygen as a prophylaxis for (AD-A275869) p 196 N94-28754 AD-A2749741 p 157 N94-26517 Microbiology research at some research institutes in the former Soviet Union: A survey of scientific publications [P894-123320] p 158 N94-27171 **PSYCHOPHYSICS** RADIATION TOLERANCE Top down influences on bottom-up proce [AD-A274220] p 194 Molecular biological studies radioresistance and drug resistance [DE93-632682] on the human 194 N94-27072 PSYCHOPHYSIOLOGY RESEARCH AND DEVELOPMENT p 173 N94-26549 wn influences on bottom-up processing 220] p 194 N94-27072 [DE93-632682]
RADIO9HOLOGY
Molecular biological studies radioresistance and drug resistance [DE93-632682] Visit to CERMA: Centre d'Etudes et de Recherches de Medecine Aerospatiale, Centre for Studies and Research in Aviation and Space Medicine, Bretigny sur Orge, France. [AD-A274220] studies on the human Psychophysiology in microgravity and the role of p 187 N94-28374 er 16-18, 1992 p 173 N94-26549 [PB94-132990] p 188 N94-28392 PULSE AMPLITUDE Pulse waveform and transcranial Doppler analysis during lower body negative pressure [AD-A274516] p 174 NB4-27088 RESEARCH MANAGEMENT NCVS, volume 5 A critical analysis of workload predictions generated by multiple resource theory during early crewstation design [AD-A274804] 9 196 N94-26339

p 158 N94-27185

[AD-A274975]

RESPIRATION Interaction between endogenous opioid and Cholecystokinin (CCK) in modulating respiratory responses induced by thin-fiber muscular afferen p 166 N94-27502 RESPIRATORY RATE Interaction between endogenous opioid and Cholecystokinin (CCK) in modulating respiratory responses induced by thin-fiber muscular afferents p 166 N94-27502 RESPIRATORY SYSTEM Aeromedical issues related to positive pressure breathing for + Gz protection | AD-A274717 | p.173 NR4-26435 RETENTION (PSYCHOLOGY) Key cognitive issues in the design of electronic displays of instrument approach procedure charts [AD-A275647] p 204 N94-28649 Digital tracking and control of retinal images (AD-A2754691 p 192 N94-28810 Digital tracking and control of retinal images [AD-A275469] p 192 N94-28810 RETINENE Inductive differentiation of nerve cells in mouse embryonic ectoderm at early primitive streak stage by retinoic acid p 163 N94-27488 Anorectal malformations induced by intraperitoneal injection of all-trans retinoic acid in suncus p 163 N94-27489 Eye-head coordination and swinging of the visual scene when wearing visually up-down reversing mirror for 14 days p 200 N94-27462 days RIBONUCLEIC ACIDS Molecular biological studies on the human radioresistance and drug resistance p 173 N94-26549 Cloning of a novel POU family gene by RT-PCR p 162 N94-27480 method pt 102 N94-27450

Effect of sera from patients treated with long-term hemodialysis on mRNA's for collagenase, stromelysin, and tissue inhibitor of metalloprotease in cultured human p 179 N94-27481 synovial cells Space radiation health research, 1991-1992 [NASA-TM-109721] p 183 N94-27556 ROBOTS Pigs in cyberspace RODENTS p 198 N94-27376 Cross-sectional anatomy of day 30 suncus fetuses p 163 N94-27490 SACCADIC EYE MOVEMENTS ACCADIC EYE MOVEMENTS

Comparative measurement of visual stability in coemic space: Onboard experiment and pre-flight activities p 201 N94-27463

Function of selective attention intrinsic to the saccade system: Does the voluntary control override the stimulus driven control?

p 195 N94-27523 Monthly variation of physiological and psychological responses under unsteady thermal conditions p 178 N94-27475 Man's ability to adapt himself for the seasonal climatic changes: From viewpoint of anticipation and seasonab behavior An evaluation of criteria that may be used to identify species surviving a mass extinction p 171 N94-28304 SENSORIMOTOR PERFORMANCE ENSORIMOTOR PERFORMANCE
On the development of motor chunks and concurrent processing in a structured continuous keypressing task [AD-A274153] p 194 N94-27138
Pigs in cyberspace p 198 N94-27376

D-A274153)
Pigs in cyberspace p 198 N94-2745
Deterioration of manual performance in cold and windy p 189 N94-28434 SENSORY PERCEPTION Cortical mechanisms of attention, discrimination, and motor response to somesthetic stimuli (AD-A274163) p 195 N94-27141 Annals of the Research Inst. of Environmental Medicine, Nagoya Univ., volume 44 [REPT-44-VOL-44] SENSORY STIMULATION Changes in pain sensation induced by repetitive pplication of noxious heat pulses to the human skin the human skin p 179 N94-27501 SEROTONIN Abnormal development of serotonin nerve fibers in the cerebral cortex of young rats with methylazoxymethanol induced microcephaly p 162 N94-27485

SIGNS AND SYMPTOMS HLICON DIOXIDE RIZE DISTRIBUTION A comparison of electroencephalography to AD-A273739 AD-A2745381 SLEEP DEPRIVATION SOCIAL ISOLATION A study of psychological factors affecting an extremely olated environment p 196 N94-27517 solated enviro

Fuelling shivering in humans during cold water p 188 N94-26426 Symptoms of hypoxia at simulated altitude of 25,000 The Environmental Symptoms Questionnaire: Assessing reactions to environmental extremes in military operations Development of novel switchable protein surfaces (AD-A275510) p 172 N94-28667 Size distribution of retrogradely labeled dorsal root ganglion cells. Test of normality p 165 N94-27500 SKIN (ANATOMY) Thyroid hormone action in cultured human skin fibroblasts: Evaluation using apheroid culture p 179 N94-27478 Changes in pain sensation induced by repetitive application of noxious heat pulses to the human skin p 179 N94-27501 p 179 NB4-27501

Hyperalgesia to cold in patients with Subacute
Myelo-Optico-Neuropathy (SMON) p 179 NB4-27521

Effect of prostaglandin E1 on the relationship between skin sympathetic nerve activity and reduction in skin blood flow p 180 N94-27524 Difference in skin blood flow reduction depending on activating maneuver of skin sympathetic nerve activity p 180 N94-27525 An attempt of intraneural stimulation by microelectrode inserted in skin sympathetic nerve fascicle p 181 N94-27529 SKIN TEMPERATURE (BIOLOGY) Simulation of the effect of wind on clothing by measurements and calculations [PB94-132289] p 201 N94-28406 PB94-132289]
A comparison of four methods of rewarming individuals
A comparison in cold water p 190 N94-28442 poled by immersion in cold water p 190 N94-28442
Thermal strain generated by an enhanced anti-G otection system in a hot climate to sleep scored

p 203 N94-28445 p 173 N94-26748 Workload transition: Implications for individual and team p 197 N94-26964 Performance assessment in sustained operations using a computer-based synthetic work tasi:
[AD-A274707] p 102 N94-26430

Fast and slow onsets of Na channel blocking actions due to lidocaine and disopyramide using concentration-clamp method p 186 N94-27504 A study on tissue excitation of cardiac muscle under electrical field stimulation p 168 N94-27510 Block of cardiac sodium channels by Ro 22-9194 (R). a new antiarrhythmic agent: Effects on the maximum upstroke velocity (Vmax) of single guinea pig ventricular myocytes p 168 N94-27511 Electrophysiological effects of an antiarrhythmic drug, oricizine on isolated guinea pig ventricular muscles p 168 N94-27512

Human dimensions research team, operation restore hope [AD-A274340] p 194 N94-27056 SONIC BOOMS Sonic booms and marine mammals: Informational statu and recommendations
SPACE COLONIES p 171 N94-28198 The Fermi paradox: An approach based on perc

SOMALIA

SPACE ENVIRONMENT SIMULATION
Telescience teather to the control of under hypobaric hypoxic conditions p 175 N94-27449 Telescience testbedding under hypobaric hypoxic conditions: Evaluation by operation ability and recognition ability p 175 N94-27450

Telescience testbedding for physiclogical experiments under hypobanic hypoxic conditions: Development and evaluation in CNV measuring p 176 N94-27451 SPACE FLIGHT FEEDING

Japanese Journal of Aerospace and Environmental Medicine, vol. 30, no. 3 [JTN-94-80606] p 191 N94-26495 Some issues on Japan's space food development and relating preliminary experimental study p 204 N94-28498 SPACE FLIGHT STRESS
Workshop on Countering Space Adaptation with
Exercise: Current Issues
[NASA-CP-3252] p 184 N94-28361 Muscular activity and its relationship to biomechanics and human performance p 185 N94-28362 SPACE HABITATS A widely adaptable habital construction system utilizing space resources p 196 N94-27374

Designing for human presence in space: An introduction environmental control and life support systems (NASA-RP-1324) PACE MANUFACTURING

A widely adaptable habital construction system utilizing page resources p 198 N94-27374 The effect of body orientation on the perception of vertical and honzontal distance in an outdoor setting p 200 N94-27461

SPACE STATION FREEDOM Space Station evolution study oxygen loop closure [NASA-CR-193936] p 197 N94-26788

Designing for human presence in space: An introduction to environmental control and life support systems [NASA-RP-1324] p 199 N94-27437 SPACE SUITS

Extra-Vehicular Activity (EVA) glove evaluation test NASA-TM-108442 p 201 N94-27952

SPACEBORNE EXPERIMENTS

Spacelab life sciences 2 post mission report [NASA-CR-195544] p 199 N94-27410 Study on posture control and adaptation mechanism weightlessness. Summary report of ground ions performed for carp experiment (FMPT/L-2) in Shuttle mission p 199 N94-27447

Study on posture control and adaption mechanism under weightlessness: Differences in weight and shape of utricular otolith of carp p 199 N94-27448

Construction and test of experiment hardware for a space experiment on Spacelab mission IML-2
[DLR-FB-93-23] p 170 N94-27743

ACECRAFT ENVIRONMENTS Annals of the Research Inst. of Environmental Medicine. Nagoya Univ., volume 44 p 174 N94-27442 REPT-44-VOL-44 Comparative measurement of visual stability in cosmic space: Onboard experiment and pre-flight activities

SPACECREWS Psychophysiology in microgravity and the role of

SPACELAR Spacelab life sciences 2 post mission report (NASA-CR-195544) p 199

[NASA-CR-195544] p 199 N94-27410
Construction and test of experiment hardware for a space experiment on Spacelab mission IML-2
[DLR-FB-93-23] p 170 N94-27743
Signal and letters Signal- and listener-based factors in complex auditory

p 194 N94-27094 STATISTICAL ANALYSIS The use of EEG as a workload assessment tool in flight

(AD-A274568) p 173 N94-26847 STATISTICAL CORRELATION

Correlation between electrical activity and the size of single sinoatrial node cells p 168 N94-27513 STATISTICS Monograph of the Aviation Epidemiology Data Register for CY 1992

p 174 N94-27130 AD-A2744001

An algorithm for stereo correspondence problems on the analogy of human vision [NAL-TR-1185] p 195 N94-27584 STIMULATION

Development of stimulus-seeking scale for expecting individual differences against confinement stress ment stress p 177 N94-27460

Effect of PGE2 receptor agonists butaprost, M and B 26767 and an antagonist AH 6809 on the BK response of visceral polymodal receptors p 164 N94-27494 Analysis of the Electrically Evoked Response (EER) of the cat Electrical stimulation in exercise traini p 187 N94-28371

The value of electrical stimulation as an exercise training p 187 N94-28372 STOCHASTIC PROCESSES

Temporal stochasticity leads to nondeterministic chaos in a model for blood cell production [DE94-003943] p 183 N94-27744

Recent Canadian advances ctrogastrogram during parabolic flight p 176 N94-27452 TANKER AIRCRAFT STRESS (PHYSIOLOGY) ness of protection clothing for cold weather THERMAL RESISTANCE Changes in fluid and electrolyte metabolism during water immersion at high or thermoneutral temperature conditions after ejection over sea: A case report p 202 N94-28435 p 175 N94-27445 TASK COMPLEXITY The central executive component of working memory D-A274295| p 193 N94-26683 Implications of climatic extremes in aircrew NBC perations p 203 N94-28446 THERMAL STABILITY [AD-A274295] STRESS (PSYCHOLOGY) Some issues on Japan's space food development and nent in sustained operations using Performance assessment in sustains a computer-based synthetic work task [PB94-132339] relating preliminary experimental study THERMAL STRESSES p 204 N94-28498 AD-A2747071 p 192 N94-26430 TEAMS Human dimensions research team, operation restore Workload transition: Implications for individual and te THERMOREGULATION hope (AD-A274340) p 194 N94-27056 Task demand, workload, and performance [PB94-123627] p 197 N94-27155 An investigation of integrated product development implementation issues: A case study of Bosma Machine ng scale for expecting d Tool Co p 198 N94-27320 AD-A2739171 N94-27460 p 177 SURFACE REACTIONS Telescience testbedding for physiological experiments under hypobaric hypoxic conditions p 175 N94-27449 Telescience testbedding under hypobaric hypoxic nt of novel switchable prot [AD-A275510] p 172 N94-28667 SURFACE TEMPERATURE conditions: Evaluation by operation ability and recogn Prediction of survival times on land in a cold climate Telescience testbedding for physiological experiments under hypobaric hypoxic conditions: Development and p 188 N94-28423 SURGERY p 176 N94-27451 Digital tracking and control of retinal images
[AD-A275469] p 192 N94-28810 n in CNV measuring TELEOPERATORS Telescience testbedding under hypobaric hypoxic SURVEYS Microbiology research at some research institutes in the former Soviet Union: A survey of scientific publications (P894-123320) p 158 N94-27171 conditions: Evaluation by operation ability and recognition ability p 175 N94-27450 Telescience testbedding for physiological experiments under hypobaric hypoxic conditions: Development and evaluation in CNV measuring p 176 N94-27451 SURVIVAL Prediction of survival times on land in a cold cli TEMPERATURE EFFECTS p 188 N94-28423 Annals of the Research Inst. of Environmental Med during the Gulf conflict Effectiveness of protection clothing for cold weather Nagoya Univ., volume 44 THYROID GLAND conditions after ejection over sea: A case report [REPT-44-VOL-44] p 174 N94-27442 p 202 N94-28435 Changes in fluid and electrolyte metabolism during water Advanced integrated cold protection for aircrev immersion at high or thermoneutral temperature p 203 N94-28436 p 175 N94-27445 THYROXINE Thermoregulation in the extreme cold environment The mechanism of caloric nystagmus under microgravity D 189 N94-28438 1: Changes of endolymphatic pressure in the semicircular SWINE canal of pigeon by caloric stimulation Skeletal development and ossification of the swine TIME DEPENDENCE Cardiovascular function during therm rmoneutral head-out p 177 N94-27458 water immersion in the elderly p 177 N94-27458 Effects of 40 C hot water immersion for an hour on SWITCHES arthritic rats Control panel dimensions for gloved operation study 2: Toggle switches minimum spacing required between TONGUE thermoregulatory functions in humans: Comparison with 34 C thermoneutral immersion p 177 N94-27459 34 C thermoneutral immersion (AD-A274518) [AD-A274975] acts of bathing at 40 C on cardiovascular system in ns: Comparison with 34 C thermoneutral bathing TORNADOES SYMPATHETIC NERVOUS SYSTEM p 178 N94-27473 Excitation of cutaneous polymodal receptor induced by sympathetic stimulation in adjuvant-induced arthritis rats Effects of 41 C bathing for 20 minutes on cardiovascular and thermoregulatory functions in humans p 178 N94-27474 TOXICOLOGY Effect of prostaglandin E1 on the relationship between skin sympathetic nerve activity and reduction in skin blood Monthly variation of physiological and psychological sponses under unsteady thermal conditions toxins-the threat of tomorrow) [PB94-124229] p 178 N94-27475 nce in skin blood flow reduction depending on Man's ability to adapt himself for the seasonal climatic TOXINS AND ANTITOXINS activating maneuver of skin sympathetic nerve activit changes: From viewpoint of anticipation and seasonable behavior p 178 N94-27476 Sympathetic nerve activity during dynamic leg exercise p 180 N94-27527 Physiological investigations of the isolated rat's liver in hypothermia and hypoxia and their relevance in aircraft incidents above the sea p 172 N94-28439 [PB94-124229] TRACKING (POSITION) An attempt of intraneural stimulation by microelectrode inserted in skin sympathetic nerve fascicle TEMPLATES [AD-A275469] p 181 N94-27529 An algorithm for stereo correspondence problems on the analogy of human vision [NAL-TR-1185] p 195 N94-27584 TRADEOFFS Muscle sympathetic nerve activity in patients with hyper-and hypothyroidism: A microneurographic study p 181 N94-27531 TEXTILES The potential of new textiles in improving survival respects p 202 N94-28430 [NASA-CR-195687] Enhancement of skin sympathetic nerve activity in TRAINING EVALUATION Fire-resistant water vapour buoyant Mechanism for regulation of myocardial contractility by utonomic drugs: Pathophysiological relevance in p 202 N94-28431 autonomic drugs: Pa congestive heart failure ical relevance in p 182 N94-27536 THALAMUS [AD-A274313] Cortical mechanisms of attention, discrimination, and TRAINING SIMULATORS motor response to somesthetic stimul [AD-A274163] Muscle sympathetic nerve activity in humans p 183 N94-27538 p 195 N94-27141 The role of beta-adrenoceptor stimulation in the [AD-A274313] progression of chronic heart failure p 183 N94-27541 Bakteriella toxiner-morgondag hot (bacterial TWO DIMENSIONAL MODELS toxins-the threat of tomorrow) SYMPTOMOLOGY [PB94-124229] p 158 N94-27045 The Environmental Symptoms Questionnaire: Asset THERMAL COMFORT remes in military p 204 N94-28447 reactions to environmental extre Orientation competi (PB94-125366) Thermal strain generated by an enhanced anti-G operations rotection system in a hot climate Recent Canadian advances p 203 N94-28445 SYNCOPE

THERMAL INSULATION

THERMAL PROTECTION

Fire-resistant water vapour

Alleviation of thermal strain in the CF: Keeping our cool during the Gulf conflict p 190 N94-28449

n active thermal p 204 N94-28451 Test of a new protection suit in a p 204 N94-28452 Simulation of the effect of wind on clothing by measurements and calculations (PB94-132289) p 201 N94-28406 Barley cell culture as a producer of heterologous p 172 N94-28408 Thermal strain generated by an enhanced anti-G m in a hot climate p 203 N94-28445 Effects of 40 C hot water immersion for an hour on thermoregulatory functions in humans: Comparison with Effects of 41 C bathing for 20 minutes on cardiovascular and thermoregulatory functions in humans p 178 N94-27474 Prediction of survival times on land in a cold climato p 188 N94-28423 Fuelling shivering in humans during cold water p 188 N94-28426 Biochemical enhancement of cold tolerance p 189 N94-28427 Treatment of mild immersion hypothermia by body-to-body and forced-air warming p 189 N94-28428 The potential of new textiles in improving survival Thermoregulation in the extreme cold environment p 189 N94-28438 Thermal strain generated by an enhanced anti-G p 203 N94-28445 protection system in a hot climate Alleviation of thermal strain in the CF: Keeping our cool uring the Gulf conflict p 190 N94-28449 Muscle sympathetic nerve activity in patients with hyper-and hypothyroidism: A microneurographic study p 181 N94-27531 Expression analysis of Thyroxine-Binding Globulin Complete Deficiency in Japanese (TBG-CDJ) p 162 N94-27482 The effect of naloxone on sleeping time in adjuvi n 165 N94-27498 p 158 N94-27165 Effectiveness of protection clothing for cold weather onditions after ejection over sea: A case report p 202 N94-28435 toxiner-morgondagens hot (bacteria € p 158 N94-27045 Bakteriella toxiner-morgondagens toxins-the threat of tomorrow) hot (bacterial p 158 N94-27045 Digital tracking and control of retinal images p 192 N94-28810 Lunar base habitat designs: Characterizing the environment, and selecting habitat designs for future p 201 N94-27934 Benefits estimation for airnulation systems used for aircrew training in a multiship environment p 193 N94-26882 Benefits estimation for simulation systems used for aircrew training in a multiship environment p 193 N94-26882 Interacting cortical fitters for object recognition [PB94-125374] p 193 N94-26873

U

U.S.S.R.

p 204 N94-28451

p 202 N94-28431

Microbiology research at some research institutes in the former Soviet Union: A survey of scientific publications [PB94-123320] p 158 N94-27171

p 194 N94-27001

SYSTOLE

lower body negit (AD-A274516)

p 174 N94-27088

Pulse waveform and transcranial Doppler analysis during

Mechanism for regulation of myocardial contractility by utonomic drugs: Pathophysiological relevance in ongestive heart failure p 182 N94-27536

UNCONSCIOUSNESS Performance recovery in the baboon following (+)G subz-induced loss of consciousness p 157 N94-26991 [AD-A274411] UNIVERSE p 198 N94-27376 URINALYSIS Changes in fluid and electrolyte metabolism during water immersion at high or thermoneutral temperature p. 175 N94-27445 Markov chains for random urinalysis 3: Daily model and drug kinetics [AD-A275540] p 192 N94-28797 URINE Changes in circadian variations of urine excretion in ill-suspended rats p 175 N94-27443 tail-suspended rats VACCINES Bakteriella toxiner-morgondagens hot (bacterial oxins-the threat of tomorrow) p 158 N94-27045 [PB94-124229] VAPOR BARRIER CLOTHING Development of a new chemical warfare agent protective p 202 N94-28432 VARIATIONS Autonomic nervous system and cardiovascular control Clinical implications of the 1/f fluctuations of heart rate p 183 N94-27540 VASOCONSTRICTION Difference in skin blood flow reduction depending on activating maneuver of skin sympathetic nerve activit VASODILATION Effect of prostaglandin E1 on the relationship between skin sympathetic nerve activity and reduction in skin blood p 180 N94-27524 Effect of L-dopa on hemodynamic functions in umans p 180 N94-27526 VEGETATION GROWTH Root gravitropism in [NASA-CR-195710] m in maize and Arabidops p 171 N94-27940 Note on the structure of moss colonies composed of two species on King George Island, the South Shetland VERBAL COMMUNICATION The central executive component of working memory [AD-A274295] VESTIBULES Effects of imaginary target on induced eye move p 200 N94-27456 by linear acceleration Interacting cortical filters for object reco [PB94-125374] p 193 N94-26873 Naval aviation vision standards research at the naval aerospace medical research laboratory: The long view p 191 VISUAL DISCRIMINATION Function of selective attention intrinsic to the saccade system. Does the voluntary control override the stimulus driven control? p 195 N94-27523 VISUAL PERCEPTION Interacting cortical filters for object recognition p 193 N94-26873 [PB94-125366] p 194 N94-27001 Frequency analysis of body sway induced by optok p 200 N94-27455 Effects of imaginary target on induced eye movements tinear acceleration p 200 N94-27456 by linear acceleration p 200 N94-27456
Eye-head coordination and swinging of the visual scene when wearing visually up-down reversing mirror for 14 ersing mirror for 14 p 200 N94-27462 days Comparative measurement of visual stability in cosmic space: Onboard experiment and pre-flight activities p 201 N94-27463 Analysis of the Electrically Evoked Response (EER) of the call p 169 N94-27519 the cat Visit lo CERMA: Centre d'Etudes et de Recherches de

W

WATER
Aeromedical support for casualties in extremely hot climates p 203 N94-28443
Development of novel switchable protein surfaces [AD-A275510] p 172 N94-28667
WATER CONSUMPTION

Effect of carbon dioxide enrichment on radiah production using Nutrient Fam Technique (NFT) (NASA-TM-107198) p 158 N94-27411 Nutrition and hydration status of aircrew members consuming an improved survival ration during a simulated NASA-28409 NBA-28409 NBA

survival scenario p 189 N94-28426 WATER IMMERSION Changes in fluid and electrolyte metabolism during water immersion at high or thermoneutral temperature

Cardiovascular function during thermoneutral head-out water immersion in the elderly p. 177 N94-27458
Effects of 40 C hot water immersion for an hour on thermoregulatory functions in humans: Comparison with 34 C thermoneutral immersion p. 177 N94-27459
Effects of bathing at 40 C on cardiovascular system in humans: Comparison with 34 C thermoneutral bathing p. 178 N94-27473
Effects of 41 C bathing for 20 minutes on cardiovascular.

and thermoregulatory functions in humans p 178 N94-27474 Fuelling shivering in humans during cold water p 188 N94-28426

Advanced integrated cold protection for aircrew p 203 N94-28436

Emergency underwater breathing aids for helicopter passengers and crew p 203 N94-28437

A comparison of four methods of rewarming individuals

A comparison of four methods of rewarming individuals cooled by immersion in cold water p 190 N94-28442 WATER TEMPERATURE Effectiveness of protection clothing for cold weather

Effectiveness of protection clothing for cold weather conditions after ejection over sea. A case report p. 202 N94-28435

WATER VAPOR
Fire-resistant water vapour permeable buoyant
insulation
WATERPROOFING
Simulation of the effect of wind on clothing by
measurements and calculations
[PB94-132289]
P 201 N94-28406
WAVEFORMS

Correlation between electrical activity and the size of single sinoatrial node cells p 168 N94-27513 WEIGHT (MASS)
Selection of site injecting adjuvant in chronic inflarmation model p 165 N94-27496

inflammation model p 165 N94-27496
WEIGHTLESSNESS
Study on posture control and adaptation mechanism under weightlessness: Summary report of ground

operations performed for carp experiment (FMPT/L-2) in Space Shuttle mission p 199 N94-27447 Study on posture control and adaption mechanism under weightlessness: Differences in weight and shape of utricular otolith of carp p 199 N94-27448 Workshop on Countering Space Adaptation with Exercise: Current issues [NASA-CP-3252] p 184 N94-28361

WIND EFFECTS
Simulation of the effect of wind on clothing by measurements and calculations
[PB94-132289]
Deterioration of manual performance in cold and windy climates
p 189 N94-28434

WIND MEASUREMENT
Simulation of the effect of wind on clothing by measurements and calculations [PB94-132289] p 201 N94-28406
WIND TUNNEL TESTS

Simulation of the effect of wind on clothing by measurements and calculations [PB94-132289] p 201 N94-28406
WIND VELOCITY
Simulation of the effect of wind on clothing by measurements and calculations

[PB94-132289] p 201 N94-28406 Prediction of survival times on land in a cold climate p 188 N94-28423

WORKLOADS (PSYCHOPHYSIOLOGY)
A critical analysis of workload predictions generated by multiple resource theory during early crewstation design [AD-A274804] p 196 N94-26339

[AD-A274804] p 196 N94-26339
The use of EEG as a workload assessment tool in flight test
[AD-A274568] p 173 N94-26847
Workload transition: Implications for individual and teamperformance
[AD-A274538] p 197 N94-26964

Task demand, workload, and performance [PB94-123627] p 197 N94-27155

X

XANTHINES
Biochemical enhancement of cold tolerance
p 189 N94-28427

system: Does the voluntary control ove

nber 16-18, 1992

[PB94-132990]

SUAL STIMULI

(AD-A274975)

driven control?
VOICE COMMUNICATION

Medecine Aerospatiale, Centre for Studies and Research in Aviation and Space Medicine, Bretigny sur Orge, France,

Naval aviation vision standards research at the naval serospace medical research laboratory: The long view [AD-A275865] p.191 N94-98756

Function of selective attention intrinsic to the saccade

p 188 N94-28392

p 195 N94-27523

p 158 N94-27165

BLANK PAGE

June 1994

U


T

H

0

R

# Typical Personal Author Index Listing



Listings in this index are arranged alphabetically by personal author. The title of the document is used to provide a brief description of the subject matter. The report number helps to indicate the type of document (e.g., NASA report, translation, NASA contractor report). The page and accession numbers are located beneath and to the right of the title. Under any one author's name the accession numbers are arranged in sequence.

# ABE, TOSHIO

Protective action of platelet-activating factor antagonist TCV-309, against ischemia reperfusion injury in isolated rabbit hearts p 159 N94-27465

Protective action of an amilionide derivative (amilionide, 5-(N, N-dimethyl) hydrochloride) against in isolated ischemia/reperfusion newborn rabbit hearts

p 159 N94-27466

# ACKERMAN, M. Y.

Thermal protective performance and instrumented mannequin evaluation of multi-layer garment systems p 202 N94-28433

Emerging Human-Computer Interface (HCI) design uidelines for Graphical User Interface (GUI) DE94-004293] p 196 N94-26555 DE94-0042931

# AGUR, ZVIA

Temporal stochasticty leads to nondeterministic chaos in a model for blood cell production [DE94-003943] p 183 N94-27744

# AKITA, TOSHIAKI

IKITA, TOSHIAKI
Protective action of an amiloride derivative (amiloride, 5-(N, N-dimethyl) hydrochloride) against in isolated ischemia/reperfusion newborn rabbit hearts
p 159 N94-27466

# ALLEN, S. NICHOLAS

Development of a new chemical warrare agent protective naterial p 202 N94-28432 ANDERSON, GLEN

Control panel dimensions for gloved operation study 2: Toggle switches minimum spacing required between toggle (AD-A274518) p 197 N94-27089

# ANDO, MASATO

Effects of gamma ray radiation on the developing mouse cerebellum: Apoptotic cell death and induction of tissue

Benefits estimation for simulation systems used for sircrew training in a multiship environment [AD-A274313] p 193 N94-26862 p 193 N94-26882

Fast and slow onsets of Na channel blocking actions due to lidocaine and disopyramide using concentration-clamp method p 166 N94-27504 Electrical coupling between the sino-atrial node and atrial

and its simulation by computer modeling p 167 N94-27509

A study on tissue excitation of cardiac muscle under electrical field stimulation p 168 N94-27510 Block of cardiac sodium channels by Ro 22-9194 (R). a new antiarrhythmic agent: Effects on the maximum upstroke velocity (Vmax) of single guinea pig ventricular myocytes p 168 N94-27511

Electrophysiological effects of an antiarrhythmic drug, moricizine on isolated guinea pig ventricular muscles

# ANTTONEN, HANNU

Simulation of the effect of wind on clothing by seasurements and calculations

p 201 N94-28406 PR94-1322891

Contribution of muscle spindle afferent activity to transient pause in EMG during voluntary tonic contraction p 180 N94-27522

# ARAL AKIKO

electromechanical performance of cardiac muscle: Influence of fiber orientation p 160 N94-27467

On the mechanism of reentrant arrhythmias following DC deribnillation: influence of fiber orientation to the effects of low-energy electric field stimulation on the effective refractory period of cardiac muscle p 160 N94-27468

tive chronotropic effect of machanical stretch on the sinoatrial node: Roles of neurotransmitters and stretch activated channels

The ionic mechanism underlying the negative chronotropic effect of acetylcholine: Experiments using small sinoatrial node tissue preparations isolated fro p 169 N94-27515

The ionic mechanism underlying the negative chronotropic effect of acetylcholine: Postganglionic vegal stimulation in isolated rabbit hearts p 169 N94-27516 EL, GIDEON

Muscular activity and its relationship to biomechanics nd human performance p 185 N94-28362

# and human performance ASANO, KATSUMI

Studies on water electrolyte metabolism and endocrine esponses at rest and during submaximal exercise at 6,000 mai exercise at 6,000 p 191 N94-28496

m simulated altitude p 191 N94-28496
Effects of training at simulated altitude of 6,000 m on endocrine responses at rest and during exercise at the same altitude p 191 N94-28497

Nutrition and hydration status of aircrew members consuming an improved survival ration during a simulated survival scenario p 189 N94-28429

# ASUKATA, ICHIRO

Japanese Journal of Aerospace and Environmental Medicine, vol. 30, no. 3 [JTN-94-80506] p 191 N94-28495

# AYLWARD, JUDY M.

Nutrition and hydration status of aircrew member consuming an improved survival ration during a simulated survival scenario p 189 N94-28429

# В

# BABA, SHUNKICHI

Effects of imaginary target on induced eye by linear acceleration p 200 N94-27456

# BADDELEY, A.

The central executive component of working memory [AD-A274295] p 193 N94-26683 BALLANTYNE, M. J. Allevision of thermal strain in the CF: Keeping our cool uring the Gulf conflict p 190 N94-28449

# during the Gulf conflict BALMI, P. J.

A comparison of four methods of rewarming individuals noted by immersion in cold water p 190 N94-28442 cooled by immersion in cold water p 190

# BARRETT, STEVEN F.

Digital tracking and control of retinal images [AD-A275469] p 192 N94-28810

# BATTEN, JENNIFER

Development of a sparging technique for volatile missions from potato (Solanum tuberosum) p 158 N94-27412 NASA-TM-1091991

## BEAUMONT, M.

Experimental evaluation of two systems of individu p 191 N94-28450

# BENDER, ROBERT J.

Development of a new chemical warfare agent protective latenal p 202 N94-28432

# BERDIS, ELIZABETH

Development of a sparging technique for volatile emissions from potato (Solanum tuberos [NASA-TM-109199] p p 158 N94-27412

# BERGSTROEM, B.

Task demand, workload, and performance [PB94-123627] p 197 N94-27155

BERKHOUT, JAN Control panel dimensions for gloved operation study 2: Toggle switches minimum spacing required between

(AD-A274518) p 197 N94-27089

# BERNAUER, E. M.

Proprioceptive isokinetic exercise test [NASA-TM-104015] p p 158 N94-27227

# BISSON, R. U.

Aeromedical support for casualties in extremely hot climates BLOCK, JON E.

# Exercise and osteoporosis: Methodological and practical

BOHEMIER, ALBERT

Effect of seasickness on aircrew student survivor ability after ditching in cold water p 188 N94-28425

# Proprioceptive isokinetic exercise test [NASA-TM-104015] p

p 158 N94-27227 BORODIN, PAVEL M. Electron microscopic analysis of meiotic chromosome pairing in male house musk shrew, Suncus murinus

# p 164 N94-27493

Allevation of thermal strain in the CF: Keeping our cool during the Gulf conflict p 190 N94-28449 BOSTROEM, G.

Microbiology research at some research institutes in the former Soviet Union: A survey of scientific publications [P894-123320] p 158 N94-27171 (P894-123320) BOWSER, S. E.

# Emerging Human-Computer Interface (HCI) designuidelines for Graphical User Interface (GUI)

# [DE94-004293]

# BOYETT, M. R.

Correlation between electrical activity and the size of single sinoatrial node cells p. 168 N94-27513. The ionic mechanism underlying the negative chronotropic effect of acetylcholine: Experimental study in rabbit single sinoatrial node cells p. 169 N94-27514. The ionic mechanism underlying the negative chronotropic effect of scenario programment states.

chronotropic effect of acetylcholine: Experiments using small sinoatrial node tissue preparations isolated from p 169 N94-27515

# raport nearts The ionic mechanism underlying the negative chronotropic effect of acetylcholine: Postganglionic vagal stimulation in isolated rabbit hearts p 189 N94-27516 YETT, MARK R.

Desensitization to acethylcholine in pacemaker cells of p 170 N94-27537

# BOYLE, JAMES P. Markov chains for random urinalysis 3: Daily model and

# drug kinetics [AD-A275540] p 192 N94-28797

# BRADLEY, GARY F. Helmet head tracking mounting device (AD-D016048) p p 197 N94-27114

BRAMHAM, E.

Advanced integrated cold protection for aircrew p 203 N94-28436

B-1

Emergency underwater breathing aids for helicopter assengers and crew p 203 N94-28437 Validation of the Federal Aviation Administration air traffic control specialist pre-training screen p 192 N94-26600 BRISTOW, GERALD K. mild immersion hypothermia by body-to-body and forced-air warming p 189 N94-28428 BROACH, DANA Validation of the Federal Aviation Administration air traffic control specialist pre-training screen DOT/FAA/AM-94/4) p 192 N94-26600 BROKER, J. P. The use of biomechanics in the study of move BROOKS, C. Space radiation health research, 1991-1992 [NASA-TM-109721] p 183 N94-27556 BROWNE, P. A. Recent Canadian advances in active thermal BUCKEY, JAY C. Spacelab life sciences 2 post mission report [NASA-CR-195544] p 199 M p 199 N94-27410 BURNS, JOHN W. Performance recovery in the baboon following (+)G sub z-induced loss of consciousness [AD-A274411] p 157 N94-26991 C CAHILL, C. J. A comparison of four methods of rewarming individuals cooled by immersion in cold water p 190 N94-26442 A companson of sleep scored from electroencephalography to sleep scored by wrist actigraphy [AD-A273739] p 173 N94-26748 CALDWELL, J. LYNN The use of liquid and air microclimate conditioning systems to alleviate heat stress in helicopter NBC operations p 204 N94-28453 CALDWELL, JOHN A., JR. A comparison of sleep scored from electroencephalography to sleep scored by wrist p 173 N94-26748 CHAPIN, JOHN K. Cortical mechanisms of attention, discrimination, and motor response to somesthetic stimuli AD-A2741631 p 195 N94-27141 CHENG, JIANHUA Effects of perfusion of amiodarone electrophysiological properties in single rabbit ventric p 166 N94-27503 myocytes Comparative investigation of new Class 3 antiarrhythmic drugs, E-4031 and MS-551, on electrophysiological properties in isolated rabbit ventricular myocyti N94-27506 CLARKSON, PRISCILLA M. Eccentric exercise testing and training p 185 N94-28363 CLAY, MELANIE C. Key cognitive issues in the design of electronic displays of instrument approach procedure charts [AD-A275647] p.2 p 204 N94-28649 CLERE, J. M. Experimental evaluation of two systems of individual ir-conditioning p 191 N94-28450 air-condi A critical analysis of workload predictions generated by multiple resource theory during early crewstation des AD-A2748041 COLESHAW, S. R. K. Medical support for British operations in the Antarctic COYLE, EDWARD F. Exercise detraining: Applicability to microgravity p 185 N94-28364 CROWN, E. M. Thermal protective performance and instrumented mannequin evaluation of multi-layer garment systems p 202 N94-28433 CUMMINGS, WILLIAM C.

DAANEN, H. A. M. Deterioration of manual performance in cold and wi p 189 N94-28434 DALE, J. D. Thermal protective performance and instrumented mannequin evaluation of multi-layer garment systems
p 202 N94-28433 DELONG, D. Space Station evolution study oxygen loop closure [NASA-CR-193938] p 197 N94-26788 DEMPSTER, P. T. ptive isokinetic exercise test Proprioceptive isol (NASA-TM-104015) p 158 N94-27227 DEREFELDT, G. Visit to CERMA: Centre d'Etudes et de Recherches de Medecine Aerospatiale, Centre for Studies and Research in Aviation and Space Medicine, Bretigny sur Orge, France, November 16-18, 1992 p 188 N94-28392 [PR94-132990] DESHAZO, KATHLEEN B. Human dimensions research team, operation restore [AD-A274340] DICKSON, K. J. Space radiation health research, 1991-1992 [NASA-TM-109721] p 183 p 183 N94-27556 DOI, MAKOTO Some issues on Japan's space food development and relating preliminary experimental study p 204 N94-28498 DOLLINS, ANDREW B. Performance recovery in the baboon following (+)G sub z-induced loss of consciousness p 157 N94-26991 [AD-A274411] DRONKERT, Y. On the development of motor chunks and concurrent processing in a structured continuous keypressi [AD-A274153] p 194 N94 DUMSER, T. Physiological investigations of the isolated rat's liver in hypothermia and hypoxia and their relevance in aircraft incidents above the sea p 172 N94-28439 DUNCAN J. ICAN, J.
The central executive component of working memory
ID-A274295] p 193 N94-26683 [AD-A274295] E Aerobic fitness and orthostatic tolerance: Evide against an association p 185 N94-28365 EFFENHAUSER, RAINER K. Pulse waveform and transcranial Doppler analysis during lower body negative pressure AD-A2745161 p 174 N94-27088 ELLIOTT, D. H. Emergency underwater breathing aids for helicopter assengers and crew p 203 N94-28437 ELSMORE, TIMOTHY F.

Monitoring activity with a wrist-worn actigraph. Effects of amplifier passband and threshold variations.

123 Not. 26377 a computer-based synthetic work task [AD-A274707]

D

p 173 N94-26377 Performance assessment in sustained operations using

p 192 N94-26430 EMSLIE. H. The central executive component of working memory p 193 N94-26683 (AD-A274295)

ENDO, MASAO Mechanism for regulation of myocardial contractility by autonomic drugs: Pathophysiological relevance in congestive heart failure ENGBERG, B. p 182 N94-27536

Microbiology research at some research institutes in the former Soviet Union: A survey of scientific publications [PB94-123320] p 158 N94-27171

EVANS, MICHAEL L Root gravitropism in maize and Arabidopsis [NASA-CR-195710] p 171 N94-27940

FANTON, JOHN W.

Passive and active behavior of the cardiovascular system under increased gravitational loads in a chronically instrumental conscious baboon model p 174 N94-26973 [AD-A274344]

Performance recovery in the baboon following (+)G sub z-induced loss of consciousness p 157 N94-26991

FARNWORTH, BRIAN

water vapour perme Fire-resistant p 202 N94-28431 FEITH, S.

Rewarming methodologies in the field

p 190 N94-28441 FELDMEIER, JOHN J. The role of hyperbaric oxygen as a prophylaxis for

radiation ententis p 157 N94-26517

FERRALL, JOSEPH

Lunar base habital designs: Characterizing the environment, and selecting habital designs for future

NASA-CR-1956871 p 201 N94-27934 FERRARO, G.

Space radiation health research, 1991-1992 [NASA-TM-109721] p 183 p 183 N94-27556 FREEMAN, FREDERICK G.

Brain wave correlates of attentional states: Event related potentials and quantitative EEG analysis during performance of cognitive and perceptual tasks p 196 N94-27901

FRIEDLANDER, ANNE L

Exercise and osteoporosis: Methodological and practical p 186 N94-28370

Alleviation of thermal strain in the CF: Keeping our cool p 190 N94-28449 uring the Gulf conflict FUJII. KIYOAKI

Symptoms of hypoxia at simulated altitude of 25,000

FUJITA, NOBUYUKI Symptoms of hypoxia at simulated altitude of 25,000

Analysis of the Electrically Evoked Response (EER) of the cat p 169 N94-27519 FUKUI, YASUHIKO

Effects of high-intensity electric field stimulation on the electromechanical performance of cardiac muscle: Influence of fiber orientation p 160 N94-27467 On the mechanism of reentrant arrhythmias following DC delibrillation: influence of fiber orientation to the effects of low-energy electric field stimulation on the effective ctory period of cardiac muscle p 160 N94-27468

FUNAHASHI, ATSUSHI Abnormal development of serotonin nerve fibers in the cerebral cortex of young rats with methylazoxym p 162 N94-27485 induced microcephaly

Neutrons in biology

p 171 N94-27862 FURUKAWA KENJI

Effects of high-intensity electric field stimulation on the lectromechanical performance of cardiac muscle: p 160 N94-27467 Influence of fiber orientation p 160 N94-27467 On the mechanism of reentrant arrhythmias following

DC defibrillation: influence of fiber orientation to the effects of low-energy electric field stimulation on the effective refractory period of cardiac muscle p 160 N94-27488

G

GANAPATHI, GANI B. Lunar base habitat designs: Characterizing the environment, and selecting habitat designs for future

trade-offs [NASA-CR-195687] GARCIAALCON, J. L.

Work conditions assessment in pilots and ground

p 201 N94-27934

personnel under high weather temperatures p 203 N94-28444

Evaluation of life support equipment during an unsupported North Pole expedition p 202 N94-28422 GENANT, HARRY K.

Exercise and osteoporosis: Methodolo p 186 N94-28370

GEORGOULAKIS, JAMES M. Practice patterns of US Army medical department

psychiatrists and psychologists p 172 N94-26360 GIESBRECHT, GORDON G.

Treatment of mild immersion hypothermia by body-to-body and forced-air warming p 189 N94-28428

GIFFORD, ROBERT K. Human dimensions research team, operation restore [AD-A274340] p 194 N94-27056

GILPIN, ROGES K. Development of novel switchable protein surfaces
[AD-A275510] p 172 N94.9 p 172 N94-28667

CURRIER, DEAN P.

p 171 N94-28198

Sonic booms and marine mammals: Informational status and recommendations p 171 N94-28198

The value of electrical stimulation as an exercise training podelity p 187 N94-28372

GLASS, K. C.

Alleviation of thermal strain in the CF: Keeping our cool during the Guif conflict p 190 N94-28449 GLENN, FLOYD

A critical analysis of workload predictions generated by multiple resource theory during early crewstation de [AD-A274804] p 196 N94-26 p 196 N94-26339

GOMI, HIROMI

An algorithm for stereo correspondence problems on the analogy of human vision [NAL-TR-1185] p 195 N94-27584

GOTO, TAKUO

Comparative measurement of visual stability in cosmic space: Onboard experiment and pre-flight activit

GRANAAS, MICHAEL

Control panel dimensions for gloved operation study 2: Toggle switches minimum spacing required between toggie (AD-A274518) p 197 N94-27089

GREENLEAF, J. E.

Proprioceptive isokinetic exercise test [NASA-TM-104015] p p 158 N94-27227

GREGOR, R. J.

The use of biomechanics in the study of move p 187 N94-28373

GUARDIANI, FRANK

The use of liquid and air microclimate conditioning systems to alleviate heat stress in helicopter NBC operations p 204 N94-28453

# H

HACKNEY, A. C.

Psychophysiology in microgravity and the role of p 187 N94-28374

HAGA KAZUKO

Activation by G protein beta gamma subunits of G protein-coupled receptor kinase p 182 N94-27534 HAGA TATSUYA

Activation by G protein beta gamma subunits of G protein-coupled receptor kinase p 182 N94-27534

Treatment of orthostatic hypotension by nasal page 1 vasopressin p 182 N94-27533 HAKUSUI, SHIGETAKA

administration of vasopressin HARAGUCHI, TADASHI

Effects of high-intensity electric field stimulation on the electromechanical performance of cardiac muscle: Influence of fiber orientation p 160 N94-27467

On the mechanism of reentrant arrhythmias following DC defibrillation: Influence of fiber orientation to the effects of low-energy electric field stimulation on the effective refractory period of cardiac muscle p 160 NS 4-27468 HARRE. M.

Test of a new protection suit in a climatic cliamLer p 204 N94-28452

HARRIS, BERNARD A.

Workshop on Countering Space Adaptation with Exercise Current Issues

HASHIBA. MOTOYUKI

p 184 N94-28:61

Effects of imaginary target on induced eye movements y linear acceleration p 200 N94-27456 HASHIMOTO, RYOZO

Anorectal malformations induced by intraperitoneal injection of all-trans retinoic acid in suncus p 163 N94-27489

HAYAMIZU, SAYOKO

Changes in circadian variations of unine excretion in tail-suspended rats p 175 N94-27443 iii-suspended rats p 175 N94-27443 Changes in fluid and electrolyte metabolism during water

immersion at high or thermoneutral temperature p 175 N94-27445

HAYASAKA, SHIZU

Disturbed neuronal migration in the cerebral corte mice by low-dose gamma radiation p 160 N94-27470 Distribution of GABA immunoreactive neurons in the brain of rolling mouse Nagoya and gamma-irradiated mouse p 161 N94-27471 Developmental expression of protein kinase C type 1

isozyme in suncus and rat cerebella p 162 N94-27484

HELTON, K. T. A comparison of two hardware implementations of a crew selection system [AD-A274913] p 192 N94-26346

An evaluation of personality testing and the five-factor model in the selection of landing craft air cushion vehicle

(AD-A275869) p 196 N94-28754 HESSLINK, R. L.

arming methodologies in the field

p 190 N94-28441

The intracellular second mussenger system in c-los gene induction by ACTH p 161 N94-27477 p 161 N94-27477 Effects of ML-9, a myosin light-chain kinase inhibitor. molantation development of the mouse

HIGASHIYAMA ATSUKI

The effect of body orientation on the perception of vertical and horizontal distance in an outdoor setting

HILTUNEN, ESA
Simulation of the effect of wind on clothing by nts and calculations p 201 N94-28406 P894-1322891

MAN-SWEENEY, E. M. Extra-Vehicular Activity (EVA) glove evaluation test

p 201 N94-27952 NASA-TM-108442 HJALMARRSSON, KARIN

Bakteriella toxiner-morgondagens hot (bacterial toxins-the threat of tomorrow) p 158 N94-27045

HOEPER, J. Physiological investigations of the isolated rat's liver in hypothermia and hypoxia and their relevance in aircraft incidents above the sea p 172 N94-28439

incidents above the sea HOFSTETTER-DEGEN, K. Effects of imaginary target on induced eye movements y linear acceleration p 200 N94-27456 LICK, MICHAEL F. HOLICK MICHAEL F.

Weightlessness and the human skeleton: A new erspective p 186 N94-28368 HONG, WEON SEON

Molecular biological studies on the human radioresistance and drug resistance [DE93-632682] p 173 N94-26549

HONJO, HARUO Correlation between electrical activity and the size of Correlation between electrical activity and the size or single sinoathal node cells. The ionic mechanism underlying the negative chronotropic effect of acetylcholine: Experimental study in rabbit single sinoathal node cells p 169 N94-27514. The ionic mechanism underlying the negative chronotropic effect of acetylcholine: Experiments using small sinoathal node tissue preparations isolated from rabbit hards.

p 169 N94-27515 rabbit hearts p 169 N94-27515
The ionic mechanism underlying the negative chronotropic effect of acetylcholine: Postganglionic vagal stimulation in isolated rabbit hearts p 169 N94-27516
Desensitization to acethylcholine in pacemaker cells of

the sinoatnal node HORI, MASATSUGU The role of beta-adrenoceptor stimulation in the ogression of chronic heart failure p 183 N94-27541

progression of chronic ORRIGAN, D. J., JR. Effects of three hydration beverages on exercise performance during 60 hours of simulated desert exposure p 190 N94-28448

HORVAT, CHRISTINE

Helmet head tracking mounting device (AD-D016048) p 197 N94-27114

Impaired associated movement in Parkinson's disease:
An evaluation of Bell's phenomenon

p 179 N94-27520

Effects of high-intensity electric field stimulation on the electromechanical performance of cardiac muscle Influence of fiber orientation p 160 N94-27467

On the mechanism of reentrant arrhythmias following DC defibrillation: Influence of fiber orientation to the effects of low-energy electric field stimulation on the effective refractory period of cardiac muscle p 160 NS4-27468 HUDSON, JEFFREY A.

A multivariate anthropometric method for crew station design: Abridged (AD-A274588) p 197 N94-26984

HUEY, BEVERLY M.

Workload transition: Implications for individual and team parformance p 197 N94-26964

HUNN, BRUCE P. The use of EEG as a workload assessment tool in flight

(AD-A274568) p 173 N94-26847

ICHIKAWA, AYUMI T.

Skeletal development and ossification of the sw p 164 N94-27491 fetuses

ICHIKAWA, MASUMI

Frequency analysis of body sway induced by optokinetic stimulation p 200 N94-27455

HDA, MASATO
Effects of Class 1 antiarrhythmic drugs on the intraventricular conduction: Influence of fiber orientation p 167 N94-27507

IKAWA, SACHIO

Japanese Journal of Aerospace and Environmental Medicine, vol. 30, no. 3 [JTN-94-8060-2]

Function of selective attention intrinsic to the saccad m: Does the voluntary control override the stimulus a control? p 195 N94-27523

Distribution of GABA immunoreactive neurons in the brain of rolling mouse Nagoya and gamma-irradiated mouse p.161 N94-27471

INAMURA, KINSAKU

Analysis on one minute wave in body fluid volume and muscle pumping referred to body parts generating the one minute wave during human active standing

INOUE, MANABU

ment of Purkinje cells in vitro p 162 N94-27483

Disturbed neuronal migration in the cerebral cortex of mice by low-dose gamma radiation in 180 N94-27470
Effects of gamma ray radiation on the developing mouse cerebellum. Apoptotic cell death and induction of tissue

p 161 N94-27472 Developmental expression of protein kinase C type 1 isozyme in suncus and rat cerebella

p 162 N94-27484 Abnormal development of serotonin nerve fibers in the cerebral cortex of young rats with methylazoxymethanol cerebral cortex of young process proce

Anorectal malformations induced by intrapentoneal

injection of all-trans retinoic acid in suncus Cross-sectional anatomy of day 30 suncus fetuses

Skeletal development and ossification of the swine p 164 N94-27491 Electron microscopic analysis of meiotic chromosome pairing in male house musk shrew. Suncus munnus

Distribution of GABA immunoreactive neurons in the brain of rolling mosis agoya and gamma-irradiated mouse p.161 N94-27471

SEKI, TOMOKO Excitation of cutaneous polymodal receptor induced by sympathetic stimulation in adjuvant-induced arthritis rats

p 164 N94-27495 Selection of site injecting adjuvant in chronic inflammation model p 165 N94-27496 Influence of mechanical stimulation on inflammatory dema p 165 N94-27497 The effect of naloxone on sleeping time in adjuvant thring rats p 165 N94-27498 ITO MASAO

Some issues on Japan's space food development and relating preliminary experimental study p 204 N94-28498

ITO, TETSUJI

Development of stimulus-seeking scale for expecting individual differences against confinement stress

IWASE, SATOSHI

Changes in fluid and electrolyte metabolism during water innersion at high or thermoneutral temperature

p 175 N94-27445 Cardiovascular function during thermoneutral head-out atar immersion in the elderly p 177 N94-27458 water immersion in the elderly p 177 N94-27458 Effects of 40 C hot water immersion for an hour on thermoregulatory functions in humans. Companson with 34 C thermoneutral immersion p 177 N94-27459 Effects of bathing at 40 C on cardiovascular system in humans: Comparison with 34 C thermoneutral bathing p 178 N94-27473

Effects of 41 C bathing for 20 minutes on cardiovascular and thermoregulatory functions in humans

p 178 N94-27474 p 178 N94-27474

Hyperalgesia to cold in patients with Subscute
Myelo-Optico-Neuropathy (SMON) p 179 N94-27521

Effect of prostaglandin E1 on the relationship between skin sympathetic nerve activity and reduction in skin blood

Difference in skin blood flow reduction depending on activating maneuver of skin sympathetic nerve activity p 180 N94-27525

Effect of L-dopa on hemodynamic functions in p 180 N94-27526 Analysis on one minute wave in body fluid volume and muscle pumping referred to body parts generating the one minute wave during human active standing

nding p 181 N94-27528 An attempt of intraneural stimulation by microe inserted in skin sympathetic nerve fascicle

p 181 N94-27529 Enhancement of skin sympathetic nerve activity in myotrophic lateral scierosis p 181 N94-27532 Enhancement of criticals p 161 pp. 162 pp. 163 pp. 163 pp. 164 pp. 164

Effects of Class 3 antiarrhythmic agents, E-4031 and MS-551 on ventricular repolarization in isolated rabbit p 167 N94-27508

JABLIN, M. H.

Space radiation health research, 1991-1992

NASA-TM-109721 p 183 N94-27556 JACKSON, JAMES N.

Human dimensions research team, operation restore

[AD-A274340] p 194 N94-27056 JACOBS, L Fuelling shwering in humans during cold water p. 188 N94-28426

JUIWA HIROYASU

Frequency analysis of body sway induced by optokinetic stimulation p 200 N94-27455 Interhemispheric phase relationship of alpha waves and p 195 N94-27518 cerebral dominarice

JOHNSON, RICHARD F. The Environmental Symptoms Questionnaire: Assessing reactions to environmental extremes in military operations p 204 N94-28447

JONES, TANYA E.

Nutrition and hydration status of aircrew members consuming an improved survival ration during a simulated survival scenario p. 189 N94-28429 JOYNER, RONALD W.

Postnatal changes in the autonomic modulation of L-type Ca(exp 2+) currents of rabbit ventricular cells p 182 N94-27535

# K

KABIR, NURUL

Effects of ML-9, a myosin light-chain kinase inhibitor. on preimplantation development of the mouse p 163 N94-27486

KADOO, ATSUSHI Comparison of performance in simulator flight among subjects with different simulator experiences

p 201 N94-27943 KAKIMOTO, YUKIKO

Japanese Journal of Aerospace and Environmental ledicine, vol. 30, no. 3 LITN-94-806061 p 191 N94-28495

KAMADA, TAKENOBU The role of beta-adrenoceptor stimulation in the progression of chronic heart failure p 183 N94-27541 KAMBE, FUKUSHI

Cloning of rat RXR alpha cDNA and the expression of its mRNA in regenerating liver and primary cultured hepatocytes p 161 N94-27479

Cloring of a novel POU family gene by RT-PCR pethod p 162 N94-27480

KAMEYAMA, KIMIHIKO Activation by G protein beta gamma subunits of G protein-coupled receptor kinase p 182 N94-27534

KAMIYA, KAICHIRO

Effects of perfusion of amiodarone or electrophysiological properties in single rabbit ventricular 2 188 Nos-27503

Comparative investigation of new Class 3 antiarrhythmic drugs, E-4031 and MS-551, on electrophysiological properties in isolated rabbit ventricula: myocytes

N94-27506 Effects of Class 3 anisarrhythmic agents. E-4031 and MS-551 on ventricular repolarization in soluted rabbit p 167 N94-27508

KANGE, FUKUSHI

Expression analysis of Thyroxine-Binding Globulin Complete Deficiency in Japanese (TBG-CDJ)

p 162 N94-27482

KANDA KAZUMI Changes in circadian variations of urine excretion in tail-suspended rats p 175 N94-27443 Endocrinological evaluations of muscle and bone atrophy in tail-suspended rats p 159 N94-27444

Changes in fluid and electrolyte metabolism during water immersion at high or thermoneutral temperature p 175 N94-27445

The intracellular second messenger system in c-fos gene p 161 N94-27477 KANDA, SHUJI

Some issues on Japan's space food development and relating preliminary experimental study p 204 N94-28498

The electrogastrogram during parabolic flight p 176 N94-27452

KANSAKU, HIROSHI Japanese Journal of Aerospace and Environmental

ine, vol. 30, no. 3 p 191 N94-28495 JTN-94-806061

Test of a new protection suit in a climatic chamber p 204 N94-28452

KASAI, MASANORI Effects of capsaicin on freshly dissociated rat dorsa

p 165 N94-27499 KATO, SATORU Protective action of platelet-activating factor antagonist. TCV-309, against ischemia repertusion injury in isolated rabbit hearts p 159 N94-27465

Protective action of an amiloride derivative (amiloride S-(N. N-dimethyl) hydrochloride) agains) in isolated

p 159 N94-27466

KATO, SHIZUKA

Development of inbred strains from Japanese wild rats (Rattus norvegicus) p 164 N94-27492 p 164 N94-27492

ATO, TAICHI
Cloning of rat RXR aipha cDNA and the expression of its mRNA in regenerating liver and primary cultured hepatocytes p 161 N94-27479
Cloning of a novel POU family gene by RT-PCR method p 162 N94-27480

KATO, TSUYOSHI ATO, TSUYOSHI

Cloning of rat RXR alpha cDNA and the expression of its mRNA in regenerating liver and primary cultured p 161 N94-27479

KATOH, ZOUJIROU Companson of performance in simulator flight among ts with different simulator experience

p 201 N94-27943 KAWAGUCHI, TAKAKO Frequency analysis of body sway induced by optokinetic stimulation p 200 N94-27455

Development of stimulus-seeking scale for expecting individual differences against confinement stress p 177 N94-27460

KAWANO, SETSUR

AWANO, SETSUT TO Changes in circadian variations of unne excretion in tail-suspended rats p 175 N94-27443 Endocrinological evaluations of muscle and bone atrophy in tail-suspended rats p 159 N94-27444

KELLY, TERRI L nent c a new chemical warfare agent protective p 202 N94-28432

An investigation of integrated product development implementation issues. A case study of Bosma Machine and Tool Corp. p 198 N94-27320

[AD-A273917]

Development of stimulus-seeking scale for expecting individual differences against confinement stress

p 177 N94-27480 Comparative measurement of visual stability in cosmic space: Onboard experiment and pre-flight activities

p 201 N94-27463 Effects of 41 C bathing for 20 minutes on cardiovascular and thermoregulatory functions in humans

p 178 N94-27474 Monthly variation of physiological and psychological

responses under unsteady thermal conditions p 178 N94-27475 Man's abinty to adapt himself for the seasonal climatic changes. From viewpoint of anticipation and seasonable behavior p 178 N94-27476

KIM, CHANG MIN Molecular biological studies on the human adioresistance and drug resistance [DE93-632682] p 173 N94-26549 KIM, JAE SUNG

Studies on the application of radiation for genetic transformation in higher plants [DE93-832656]

p 157 N94-26470

Rewarming methodologies in the field

p 190 N94-28441

## KIRSCH, K. A.

Changes in fluid and electrolyte metabolism during water immersion at high or thermoneutral temperature

p 175 N94-27445

# KIRSCH, KARL A.

Effects of 40 C hot water immersion for an hour on thermoregulatory functions in humans: Comparison with 34 C thermoneutral immersion p 177 N94-27459 Effects of bathing at 40 C on cardiovascular system in humans: Comparison with 34 C thermoneutral bathing p 178 N94-27473

# KOBAYASHI, ASAO

Evaluation of near-infrared spectrophotometric method for individual tolerance to +Gz acceleration p 184 N94-27944

KOBRICK, JOHN L.

The Environmental Symptoms Questionnaire: Assessing reactions to environmental extremes in military operations p 204 N94-28447

KODA, HISASHI

Effect of PGE2 receptor agonists butaprost, M and B 28767 and an antagonist AH 6809 on the BK response

KODAMA, ITSUO Protective action of platelet-activating factor antagonist,

TCV-309, against ischemia reperfusion injury in iso p 159 N94-27465 Protective action of an amiloride derivative (amiloride

5-(N. N-dimethyl) hydrochloride) against in isolated

p 159 N94-27466

Effects of high-intensity electric field stimulation on the electromechanical performance of cardiac muscle. Influence of fiber orientation p 160 N94-27467

On the mechanism of reentrant arrhythmias following DC defibrillation: Influence of fiber orientation to the effects of low-energy electric field stimulation on the effective refractory period of cardiac muscle p 160 N94-27468

Positive chronotropic effect of mechanical stretch on perfusion of amounts and stretch the sinoatrial node: Roles of neurotransmitters and stretch activated channels

Effects of lectrophysiological properties in single rabbit ventricular p 166 N94-27503

Fast and slow onsets of Na channel blocking actions due to lidocaine and disopyramide using concentration-clamp method p 166 N94-27504 Electrophysiological effects of MS-551, a new Class 3

antiarrhythmic agent, on isolated rabbit ventricular muscles p 166 N94-27505 Comparative investigation of new Class 3 antiarrhythmic drugs, E-4031 and MS-551, on electrophysiological

properties in isolated rabbit ventricular myocytes p 167 N94-27506

Effects of Class 1 antiarrhythmic drugs on the intraventricular conduction: Influence of fiber orientation p 167 N94-27507

Effects of Class 3 antiarrhythmic agents, E-4031 and MS-551 on ventricular repolarization in isolated rabbil

Electrical coupling between the sino-atrial node and atrial muscle: Cell to cell interaction through an external circuit and its simulation by computer modeling

p 167 N94-27509 A study on tissue excitation of cardiac muscle under lectrical field stimulation p 168 N94-27510 electrical field stimulation

Block of cardiac sodium channels by Ro 22-9194 (R), a new anbarrhythmic agent: Effects on the maximum upstroke velocity (Vmax) of single guinea pig ventricular myocytes. p 168 N94-27511

Electrophysiological effects of an antiarrhythmic drug. monicizine on isolated guinea pig ventricular muscles p 168 N94-27512

Correlation between electrical activity and the size of single sinoatnal node cells p 168 N94-27513

ngle sinoatrial node cells p 168 N94-27513 The ionic mechanism underlying the negative chronotropic effect of acetylcholine: Experimental study in rabbit single sinoatrial node cells p 169 N94-27514

The ionic mechanism underlying the negative chronotropic effect of acetylcholine: Experiments using small sinoatrial node tissue preparations isolated fro rabbit hearts p 169 N94-27515

The ionic mechanism underlying the negative chronotropic effect of acetylcholine. Postgangionic vagal stimulation in isolated rabbit hearts p 189 N94-27516

Desensitization to acethylcholine in pacemaker cells of se sinoatrial node p 170 N94-27537 the sinoatnal node

# KOEDA, MITSUHIRO

Telescience testbedding for physiological experiments under hypobaric hypoxic conditions p 175 N94-27449 Telescience testbedding for physiological experiments under hypobanic hypoxic conditions. Development and evaluation in CNV measuring p 176 N94-27451 KOGA, KAZUO

The effect of body orientation on the perception of vertical and horizontal distance in an outdoor setting p 200 N94-27461

Eye-head coordination and swinging of the visual scene when wearing visually up-down reversing mirror for 14 p 200 N94-27462 lity in cosmic

space: Onboard experiment and pre-flig p 201 N94-27463

Monthly variation of physiological and psychological responses under unsteady thermal conditions p 178 N94-27475 Function of selective attention intrinsic to the saccade

system: Does the voluntary control overnde the stimulus driven control? p 195 N94-27523

Protective action of platelet-activating factor antagonist, TCV-309, against ischemia reperfusion injury in isolated rabbit hearts p 159 N94-27465 Protective action of an amilioride derivative (amilioride 5-(N. N-dimethyl) hydrochloride) against in isolated

hearts p 159 N94-27466 ischemia/reperfusion newborn rabbit he

Hyperalgesia to cold in patients with Subacute yelo-Optico-Neuropathy (SMON) p 179 N94-27521 KOMIZU, MAKOTO

Symptoms of hypoxia at simulated altitude of 25,000 et p 184 N94-27945

Development of inbred strains from Japanese wild rats (Rattus norvegicus) p 164 N94-27492 KOZAKI, YASUKO

Interaction between endogenous opioid and Cholecystokinin (CCK) in modulating respiratory responses induced by thin-liber muscular afferents p 166 N94-27502

KRAEMER, M.

Effectiveness of protection clothing for cold weather conditions after ejection over sea. A case report

p 202 N94-28435 Physiological investigations of the isolated rat's liver in hypothermia and hypoxia and their relevance in aircraft incidents above the sea p 172 N94-28439 Aeropathological diagnosis of lethal hypothermia p 189 N94-28440

Aeromedical issues related to positive pressure reathing for + Gz protection p 173 N94-26435 IAD-A2747171

KROLL, WALTER Electrical stimulation in exercise trains

p 187 N94-28371

KRUIZINGA, P.

Orientation competition in cortical filters [P894-125366] p 19 p 194 N94-27001

KUBICEK, W. G.

Cardiac output and cardiac contractility by impecance p 186 N94-28367

KUMAZAKI, YASUHITO

Studies on water electrolyte metabolism and endocrine responses at rest and during submaximal exercise at 6,000 m simulated altitude p 191 N94-28496 Effects of training at simulated attitude of 6,000 m on ndocrine responses at rest and during exer p 191 N94-28497

KUMAZAWA, KAZUHIKO Changes in pain sensation induced by repetitive optication of noxious heat pulses to the human skin p 179 N94-27501

KUMAZAWA, TAKAO

Effect of PGE2 receptor agonists butagrost, M and B 26767 and an antagonist AH 6809 on the BK response of visceral polymodal receptors p 164 N94-27494 Excitation of cutaneous polymodal receptor induced by sympathetic stimulation in adjuvant-induced arthritis rate

Selection of site injecting adjuvant in chronic flammation model p 165 N94-27496 inflammation model Influence of mechanical stimulation on inflammators sema p 165 N94-27497

The effect of naloxone on sleeping time in adjuvant thritic rats p 165 N94-27498 arthritic rats

arthritic ratis

Effects of capsaicin on freshly dissociated rat donal root gangtion cells

p 165 N94-27499

Size distribution of retrogradely labeled donal root gangtion cells: Test of normality

p 165 N94-27500

Changes in pain sensation induced by repetitive of noxious heat pulses to the human skin p 179 N94-27501

endogenous opioid and Cholecystokinin (CCK) in modulating respiratory response induced by thin-fiber muscular afterents

p 166 N94-27502

Compaction-like blastomere aggregation caused by loleoyl-2-acetylgycerol in mouse embryos. An electron nicroscopic observation p 163 N94-27487 microscopic obser KUNO, SATORU

Monthly variation of physiological and psychological responses under unsteady thermal conditions

p 178 N94-27475

LANDIS, GEOFFREY A.

The Fermi paradox: An approach based on percolation p 205 N94-27370 LATHAM RICKY D.

Passive and active behavior of the cardiovasci system under increased gravitational loads in a chronically instrumental conscious baboon model p 174 N94-26973

AD-A2743441 LEE, KI WOON

Studies on the application of radiation for genetic transformation in higher plants [DE93-632656]

LEE. SANG JAE Studies on the application of radiation for genetic transformation in higher plants [DE93-632656] p 157 N94-26470

Studies on the application of radiation for genetic transformation in higher plants (DE93-632656) p 157 N94-26470

ystems of individual p 191 N94-28450 air-conditioning

NCVS, volume 5 (AD-A274975) p 158 N94-27165 LIM, YONG TACK

Studies on the application of radiation for genetic transformation in higher plants.
[DE93-632656] p 157 N94-26470

Performance assessment in sustained operations using a computer-based synthetic work task [AD-A274707] p 192 N94-26430

LONCLE, M. Experimental evaluation of two syste air-conditioning p 191 N94-28450

Effects of three hydration beverages on exercise performance during 60 hours of simulated desert p 190 N94-28448 EXPOSURE LOURENS, T.

Interacting cortical filters for object recognition
[P894-125374] p 193 N94-26873

Orientation competition in cortical filturs p 194 N94-27001 [PB94-125366]

MACKOWIAK, C. L.

Effect of carbon dioxide enrichment on radial production using Nutrient Film Technique (NFT) [NASA-TM-107198] p 158 N94-27411

MACLEOD, N. An evaluation of criteria that may be used to identify species surviving a mass extinction p 171 N94-28304 MACMILLAN, A. J. F.

Implications of climatic extremes in aircrew NBC p 203 N94-28446 operations MAEDA, KENJI

Effect of sere from patients treated with long-term hemodialysis on mRNA's for collagenase, stromelysin, and assue inhibitor of metalloprotease in cultured human

MAJOMENT Q Prediction of survival times on land in a cold clime

MANNONEN, L.

Barley cell culture as a producer of heterologous prolain [PB94-132339] p 172 N94-28408

MANO, TADAAKI

Changes in fluid and electrolyte metabolism during water immersion at high or thermoneutral temperature p 175 N94-27445

Cardiovascular function during thermoneutral head-out ater immersion in the elderly p 177 N94-27458 water immersion in the elderly Effects of 40 C hot water immersion for an hour on thermoregulatory functions in humans. Comparison with 34 C thermoreutral immersion p 177 N94-27459 Comparative measurement of visual stability in cosmic space. Onboard experiment and pre-flight activities p 201 N94-27463

Effects of bathing at 40 C on cardiovascular system in humans: Comparison with 34 C thermoneutral bathing

Effects of 41 C bathing for 20 minutes on cardiovascular and thermoregulatory functions in humans p 178 N94-27474

Hyperalgesia to cold in patients with Subacute Myelo-Optico-Neuropathy (SMON) p 179 N94-27521 Contribution of muscle spindle afferent activity to nt pause in EMG during voluntary tonic

Effect of prostaglandin E1 on the relationship between un sympathetic nerve activity and reduction in skin blood by p 180 N94-27524

Difference in skin blood flow reduction depending on p 180 N94-27525

Effect of L-dopa on hemodynamic functions in p 180 N94-27526 Sympathetic nerve activity during dynamic leg exercise p 180 N94-27527

Analysis on one minute wave in body fluid volume and muscle pumping referred to body parts generating the one muscle pumping referred to duty standing minute wave during human active standing p 181 N94-27528

inserted in skin sympathetic nerve fascicle

p 181 N94-27529 The measurements of muscle blood flow by laser

Doppier flowmetry with needle type probe p 170 N94-27530

Muscle sympathetic nerve activity in patients with hyper-and hypothyroidism: A microneurographic study p 181 N94-27531

Enhancement of same p 181 N94-2755, amyotrophic lateral scienosis p 180 N94-2753 Enhancement of skin sympathetic nerve activity in cine, vol. 30, no. 3 p 191 N94-28495

JTN-94-806061

ARUYAMA, KAZUYASU Block of cardiac sodium channels by Ro 22-9194 (R), a new antiarrhythmic agent: Effects on the maximum upstroke velocity (Vmax) of single guinea pig ventricular myocytes p. 168 N94-27511

Electrophysiological effects of an antiarrhythmic drug, monicizine on isolated guinea pig ventricular muscles

US Army aviation epidemiology data registry: Incidence and outcomes of aviator flying evaluation boards
[AD-A274711] p 173 N94-26432

p 173 N94-26432
Aviation Epiderniology Data Register: Indexing the AEOR bounders laser optic archive AD-A274185) p 174 N94-27097

Aviation epidemiology data register: Age distribution of U.S. Army aviators stratified by gender and component AD-A275901 p 192 N94-28757

MASUDA, MAKOTO Japanese Journal of Aerospace and Environmental Medicine, vol. 30, no. 3

MATSURARA TAKAD Cross-sectional anatomy of day 30 suncus fetus

MATSUKAWA, TOSHIYOSHI

Cardiovascular function during thermoneutral he water immersion in the elderly p 177 N94-27458 Effects of 40 C hot water immersion for an hour on thermoregulatory functions in humans: Comparison with 34 C thermoneutral immersion p 177 N94-27459 Effects of bathing at 40 C on cardiovascular system in humans: Comparison with 34 C thermoneutral bathing p 178 N94-27473

p 163 N94-27490

Effects of 41 C bathing for 20 minutes on cardiovascular and thermoregulatory functions in humans

p 178 N94-27474 Effect of prostaglandin E1 on the relationship between skin sympathetic nerve activity and reduction in skin blood p 180 N94-27524

Difference in skin blood flow reduction depending on activating maneuver of skin sympathetic nerve activity p 180 N94-27525

humans p 180 N94-2/526 Muscle sympathetic nerve activity in patients with hyper-and hypothyroidism: A microneurographic study p. 181 N94-27501

p 183 N94-27538

MATSUOKA, TORU

Effects of imaginary target on induced eye movements by linear acceleration p 200 N94-27456

MAYR R

Effectiveness of protection clothing for cold weather conditions after ejection over sea: A case report

MCCLEEREY, MICHELLE

Control panel dimensions for gloved operation study 2: Toggle switches minimum spacing required between (AD-A274518)

MEHR, RAMIT

Temporal stochasticity leads to nondeterministic chaos in a model for blood cell production [DE94-003943] p 183 N94-27744

MEINDL RICHARD S.

A multivariate anthropometric method for crew station

design. Abridge [AD-A274588] p 197 N94-26984

MEKJAVIC, IGOR B.

Treatment of mild immersion hypothermia by body-to-body and forced-air warming p 189 N94-28428

MENJO, MASAFUMI

Thyroid hormone action in cultured human skin fibroblasts: Evaluation using spheroid culture

p 179 N94-27478 Cloning of rat RXR alpha cDNA and the expression of its mRNA in regenerating liver and primary cultured p 161 N94-27479

MEYER, L. G.

Effects of three hydration beverages on exercise performance during 60 hours of simulated desert exposure p 190 N94-28448

MILDER, MARTIN

NCVS, volume 5 [AD-A274975]

p 158 N94-27165

MITARAL GENYO

Study on posture control and adaptation mechanism under weightlessness. Summary report of ground operations performed for carp experiment (FMPT/L-2) in Space Shuttle mission MITSUMA, TERUNORI

Enhancement of siun sympathetic nerve activity p 181 N94-27532 amyotrophic lateral sclerosis

Expression analysis of Thyroxine-Binding Globulin Complete Deficiency in Japanese (TBG-CDJ)

p 162 N94-27482

MIWA, CHIHIRO

Changes in fluid and electrolyte metabolism during water immersion at high or thermoneutral temperature

Cardiovascular function during thermoneutral head-out water immersion in the elderly p 177 N94-27458 Effects of 40 C hot water immersion for an hour on thermoregulatory functions in humans. Comparison with 34 C thermoneutral immersion p 177 N94-27459 34 C thermoneutral immersion Effects of bathing at 40 C on cardiovascular system in humans: Comparison with 34 C thermoneutral bathing

Effects of 41 C bathing for 20 minutes on cardiovascular and thermoregulatory functions in humans

p 178 N94-27474 Effect of prostaglandin E1 on the relationship between skin sympathetic nerve activity and reduction in skin blood flow p 180 N94-27524

Difference in skin blood flow reduction depending on activating maneuver of skin sympathetic nerve activity

MIYAKE, YOZO

Analysis of the Electrically Evoked Response (EER) of

MIYAMOTO, AKIRA

Vertical gaze direction during parabolic flight p 176 N94-27453 Some issues on Japan's space food development and

relating preliminary experimental study

MIYAMOTO, NORIHIRO

Changes in circadian variations of unne excretion in tail-suspended rats p 175 N94-27443 Endocrinological evaluations of muscle and bone p 159 N94-27444 The intracellular second messenger system in c-los gene iduction by ACTH p. 161 N94-27477 induction by ACTH Cloning of a novel POU family gene by RT-PCR p 162 N94-27480

MIYAMOTO, YOSHINORI

Evaluation of near-infrared spectrophotometric mythod for individual tolerance to + Gz acceleration

n 184 NO4-27044

MIVATAKI TAKASH

Effect of sera from patients treated with long-term hernodialysis on mRNA's for collagenase, stromelysin, and tissue inhibitor of metalloprotease in cultured human MIYAZAKI, TAKASHI

Thyroid hormone action in cultured human skin fibroblasts: Evaluation using spheroid culture p 179 N94-27478

Evaluation of near-infrared spectrophotometric method for individual tolerance to + Gz acceleration

n 184 N94-27944

MIZUMURA, KAZUE Effect of PGE2 receptor agonists butaprost, M and B 28767 and an antagonist AH 6809 on the BK response of visceral polymodal receptors p 164 N94-27494 Selection of site injecting adjuvant in chronic p 165 N94-27496 influence of mechanical stimulation on inflammatory p 165 N94-27497 The effect of naloxone on sleeping time in adjuvant thritic rats p 165 N94-27496

Effects of capsaicin on freshly dissociated rat dorsal tool ganglion cells p 165 N94-27499 root ganglion cells Size distribution of retrogrady labeled dorsal root

ganglion cells: Test of normality Changes in pain sensation induced by repetitive application of noxious heat pulses to the human skin

p 179 N94-27501 p 170 N94-27539

MIZUNO, KOH

Studies on water electrolyte metabolism and endocrine responses at rest and during submaximal exercise at 6,000 p 191 N94-28496 m simulated altitude Effects of training at simulated altitude of 6,000 m on endocrine responses at rest and during exercise at the

MIZUNO, TOSHIYA

Effects of 41 C bathing for 20 minutes on cardiovascular nd thermoregulatory functions in humans

p 178 N94-27474

p 198 N94-27376

Monthly variation of physiological and psychological responses under unsteady thermal conditions p 178 N94-27475

MOOR, WILLIAM C.

Benefits estimation for simulation systems used for aircrew training in a multiship environme

AD-A274313 p 193 N94-26882 MORAVEC, HANS

Pigs in cyberspace MORENOVAZQUEZ, J. M.

Work conditions assessment in pilots and ground

personnel under high weather temperatures p 203 N94-28444

Impaired associated movement in Parkinson's disease. An evaluation of Beil's phenomenon. p 179 N94-27520

MORI, SHIGEO

Study on posture control and adaption mechanis weightlessness. Results of second rehearsal for space p 199 N94-27446 ment using carp Study on posture control and adaptation mechanism under weightlessness. Summary report of ground operations performed for carp experime Space Shuttle mission p OL (EMPT/1.2) is p 199 N94-27447

Study on posture control and adaption mechanism under weightlessness: Differences in weight and shape of p 190 N94-27448 utneular otolith of carp

Telescience testbedding for physiological experiments under hypobaric hypoxic conditions p 175 N94-27449 Telescience testbedding under hypobaric hypoxic conditions: Evaluation by operation ability and recognition ability p 175 N94-27450

science testbedding for physiological experiments under hypobanc hypoxic conditions. Development and evaluation in CNV measuring p 176 N94-27451 Modulation by galactosamine-induced hepatitis of biological responses of the rat exposed to high altitude hypoxia p 159 N94-27464

hypoxia MORI, YUICHI

Thyroid hormone action in cultured human skin fibroblasts: Evaluation using spheroid culture p 179 N94-27478

Expression analysis of Thyroxine-Binding Globulin Complete Deficiency in Japanese (TBG-CDJ)

p 162 N94-27482

MULLINS, WENDY R.

Female combat helicopter pilot selection cnter [AD-A273935] p 193 NS p 193 N94-26749

MURATA, YOSHIHARU

Changes in circadian variations of urine excretion in ill-suspended rats. p 175 N94-27443 tail-suspended rats Endocrinological evaluations of muscle and bone atrophy in tail-suspended rats p 159 N94-27444 Changes in fluid and electrolyte metabolism during water

immersion at high or thermoneutral temperature

Thyroid hormone action in cultured human skin fibrobiasts: Evaluation using spheroid culture

Cloning of rat RXR alpha cDNA and the expression of its mRNA in regenerating liver and primary cultured p 161 epatocytes
Cloning of a novel POU family gene by HT-PCR athod
p 162 N94-27480

method p 162 Non-comment of the property of th ion analysis of Thyroxine-Binding Globulin

Complete Deficiency in Japanese (TBG-CDJ)

MUTTER, SUSAN H.

Nutrition and hydration status of aircrew members consuming an improved survival ration during a simulated survival scenario p 189 N94-28429

NAGAOKA SHUNJI

Vertical gaze direction during parabolic flight

p 176 N94-27453

NAGATA, YUTAKA

Effects of gamma ray radiation on the developing mouse cerebellum. Apoptotic cell death and induction of tissue p 161 N94-27472 NAGATSUKA, KYOUICHI

Comparison of performance in simulator flight among

subjects with different simulator expenences p 201 N94-27943

Monitoring activity with a wrist-worn actigraph. Effects of amplifier passband and threshold variations

p 173 N94-26377 Performance assessment in sustained operations using a computer-based synthetic work task

p 192 N94-26430 AD-A2747071

NAKAHARA, NOBUO

Monthly variation of physiological and psychological responses under unsteady thermal conditions

NAKAMURA, AKIO The Reports of Aeromedical Laboratory, volume 33,

JTN-94-805861 p 184 N94-27942 Evaluation of near-infrared spectrophotometric method for individual tolerance to +Gz acceleration

p 184 N94-27944 Symptoms of hypoxia at simulated altitude of 25,000

NAKATA, HIROKO

Activation by G protein beta gamma subunits of G protein-coupled receptor kinase NAKATSUBO, TAKAYUKI p 182 N94-27534

Note on the structure of moss colonies composed of

two species on King George Island, the South Shetland p 171 N94-27971 s/ands MEISLER, H. M.

Effects of three hydration beverages on exercise

performance during 60 hours of sir p 190 N94-28448 NIIMURA, NOBUO

[DE94-701085]

p 171 N94-27862

NIKI, KIYOMI

Effects of high-intensity electric field stimulation on the electromechanical performance of cardiac muscle. Influence of fiber orientation p 160 N94-27467

On the mechanism of reentrant arrhythmias following DC defibrillation: influence of fiber orientation to the effects of low-energy electric field stimulation on the effective refractory period of cardiac muscle p 160 N94-27468

Companson of performance in simulator flight among subjects with different simulator expenences

p 201 N94-27943

NISHIO, SELII

Telescience testbedding for physiological experiments under hypobanc hypoxic conditions p 175 N94-27449 Telescience testbedding under hypobanic hypoxic conditions: Evaluation by operation ability and recognition

p 175 N94-27450 Telescience testbedding for physiological experiments under hypobaric hypoxic conditions. Development and evaluation in CNV measuring p.176 N94-27451

Cross-sectional anatomy of day 30 suncus fetus p 163 N94-27490

NIWA, YOSHIKI

Development of inbred strains from Japanese wild rats (Rattus norvegicus) p 164 N94-27492 p 164 N94-27492

PERSONAL
HONTASAK, T A comparison of the comparison of the comparison of the crew member (AD-A27586) NORLANDER, Microbiolog former Sovies (P894-12332 HORLANDER, Baktenella toxins-the thre (P894-12422 HORLANDER, Medical sur Medical sur
NORQVIST, A. Microbiolog former Sovie [PB94-12332 NOTEBOOM; The value of modality NUMNELEY, S. Aeromedic climates NYLAND, JOHI The value of modality
OBA, YASUHIR The measu Doppier flown
OCONNOR, E. Thermal s protection sys ODA, SENICHI Developme isozyme in su
Effects of I
Angrectal in injection of all
Cross-section
Skeletal di fetuses Developmer (Rattus norver Electron mi paining in male
OESTERLUND,

L AUTHOR INDEX son of two hardware implementations of a n sysiem p 192 N94-26346 tion of personality testing and the five-factor selection of landing craft air cushion vehicle p 196 N94-28754 y research at some research institutes in the Union: A survey of scientific publications p 158 N94-27171 LENA toxiner-morgondagens hot (bacterial eat of tomorrow) n 158 N94-27045 pport for British operations in the Antarctic p 188 N94-28421 ly research at some research institutes in the Union: A survey of scientific publications p 158 N94-27171 d electrical stimulation as an exercise training p. 187 N94-28372 al support for casualties in extremely h p 203 N94-28443 el electrical stimulation as an exercise training p. 187 N94-28372 0 rements of muscle blood flow by laser netry with needle type probe n 170 N94-27530 train generated by an enhanced anti-G stem in a hot climate p 203 N94-28445 ntal expression of protein kinase C type 1 p 162 N94-27484 ML-9, a mycisin light-chain kinase inhibitor. ation development of the mouse p 163 N94-27486 naiformations induced by intraperitoneal trans retinoic acid in suncu p 163 N94-27489 onal anatomy of day 30 suncus fetuses p.163 N94-27490 evelopment and ossification of the swine p 164 N94-27491

nt of inbred strains from Japanese viild rats gicus) p 164 N94-27492 cruscopic analysis of meiotic chromosome house musk shrew, Suncus munnus p 164 N94-27493 Simulation of the effect of wind on clothing by

P894-132269] p 201 N94-28406 OFTEDAL T. A. Evaluation of life support equipment during an unsupported North Pole expedition p 202 N94-28422 OHLHAUSEN, JOHN H.

measurements and calculations

A reliable and repeatable method for volume calculation of pressurized garments p 205 N94-28766 OHMORI, SACHIKO

Changes in circadian variations of unine excretion in nded rats p 175 N94-27443 OISO, YUTAKA

Expression analysis of Thyroxine-Binding Globulin Complete Deficiency in Japanese (TBG-CDJ) p 162 N94-27482

OKAMOTO, TETSUTA Enhancement of skin sympathetic nerve activity in amyotrophic lateral sciences p 181 N94-27532 OKAUE, MIYAKO The Reports of Aeromedical Laboratory, volume 33,

number 4 [JTN-94-80586] p 184 N94-27942 Comparison of performance in simulator flight among subjects with different simulator expenences p 201 N94-27943 OKUYAMA, SEISHI

Effects of 41 C bathing for 20 minutes on cardiovascular and thermoregulatory functions in humans p 178 N94-27474

Neutron and x ray scattering studies of the interactions between Ca(2+)-binding proteins and their regulatory targets: Compar [DE94-002706] risons of troponin C and calmoduli OMORI, SACHIKO

Endocrinological evaluations of muscle and bone rophy in tail-suspended rats p 159 N94-27444 atrophy in tail-suspended rats Changes in fluid and electrolyte metabolism during water inmersion at high or thermoneutral temperature

ONO. HIDEO

Monthly variation of physiological and psychological responses under unsteady thermal conditions p 178 N94-27475

Man's ability to adapt himself for the seasonal climatic changes: From viewpoint of anticipation and seasonable

Development of inbred strains from Japanese wild rats (Rattus norvegicus) p 164 N94-27492

ONOZAWA, AKIHIKO The Reports of Aeromedical Laboratory, volume 33, number 4 p 184 N94-27942 LITN-94-805861

OSAKA, RYOJI Comparative measurement of visual stability in cosmic

space: Onboard experiment and pre-flight activip 201 N94-27463

OSAKA, TOSHIYUKI Postnatal changes in the autonomic modulation of L-type

Ca(exp 2+) currents of rabbit ventricular cells p 182 N94-27535 OSHIMA, MASAMITSU

Japanese Journal of Aerospace and Environmental Medicine, vol. 30, no. 3 p 191 N94-28495

OSTERMAN, A. Microbiology research at some research institutes in the former Soviet Union: A survey of scientific publications

PR94-1233201 p 158 N94-27171 OSTREM. JULIE

NCVS, volume 5 AD-A2749751 p 158 N94-27165 OSUGI. MAMI

Compaction-like biastomere aggregation caused by 1-olecyl-2-acetylglycerol in mouse embryos: An electron microscopic observation p 163 N94-27487

OTA, YOSHIHIRO Comparative measurement of visual stability in cosmic space: Onboard experiment and pre-flight activities p.201 N94-

OTANI, SHUJI Note on the structure of mass colonies composed of two species on King George Island, the South Shetland

p 171 N94-27971 OTSUKA, KUNIAKI Autonomic nervous system and cardiovascular control: Clinical implications of the 1/f fluctuations of heart rate p. 183 N94-27540

Evaluation of life support aquipment during unsupported North Pole expedition p 202 N94-28422

OWENS, RICHARD W. Passive and active behavior of the cardiovascular system under increased gravitational loads in a chronically instrumental conscious baboon model AD-A2743441 p 174 N94-26973

P

Irreversibility of advanced osteoporosis: Limited role for pharmacologic intervention p 186 N94-28369

PAWELCZYK, JAMES A. Does training-induced orthostatic hypotension result from reduced carotid baroreflex responsiveness?

p 186 N94-28366 PEREZ, RICARDO, III A reliable and repeatable method for volume calculation of pressurized garments

p 205 N94-28766 PETERSON, BARBARA VIEUX Development of a sparging technique for volable

emissions from potato (Solanum tuberosum) [NASA-TM-109199] p.158 N94-27412 PETKOV. N.

interacting cortical filters for object recognition [PB94-125374] p 193 N94-26873 Onentation competition in cortical fifters [PB94-125366] p 194 N94-27001

PLEVYAK, HOWARD M., JR.

An investigation of integrated product development inplementation issues: A case study of Bosma Machine and Tool Corp. p 198 N94-27320

PONGRATZ, H.

Test of a new protection suit in a climatic chamber p 204 N94-28452

POST. ROBERT E.

Aviation Epidemiology Data Register: Indexing the AEDR document laser optic archive p 174 N94-27097 AD-A2741851

POWERS, J. V.

Space radiation health research, 1991-1992 VASA-TM-1097211 p 183 N94-27556 [NASA-TM-109721]

POZOS, R. S.

Rewarming methodologies in the field

p 190 N94-28441

PREEN. PHILIP J.

A reliable and repeatable method for volume calculation of pressurzed garments IAD-A2756001 p 205 N94-28766

RAVEN, PETER B.

Does training-induced orthostatic hypotension result from reduced carotid baroreflex responsiveness' p 186 N94-28366

RAY J. MICHAEL

The value of electrical stimulation as an exercise training modality p 187 N94-28372

READING J

Rewarming methodologies in the field

p 190 N94-28441

RHODES, CARROLL L

Helmet head tracking mounting device [AD-D016048] p 197 N94-27114

RICHARDS, WHITMAN

Top down influences on bottom-up processing p 194 N94-27072 [AD-A274220]

RIECK, A. Test of a new protection suit in a climatic chamb

p 204 N94-28452

Thermal protective performance and instrumented mannequin evaluation of multi-layer garment systems

Baktenella toxiner-morgondagens hot (bactenal toxins-the threat of tomorrow)

PB94-124229] p 158 N94-27045 RUFFE, L. M.

Effect of carbon dioxide enrichment on radish production using Nutrient Film Technique (NFT) [NASA-TM-107198]

p 158 N94-27411 RYAN M. M. The use of biomechanics in the study of movement in

SAITO, MITSURU

microgravity

Sympathetic nerve activity during dynamic leg exercise p 180 N94-27527

Effects of 41 C bathing for 20 minutes on cardiovascular and thermoregulatory functions in humans

p 178 N94-27474

Monthly variation of physiological and psychological responses under unsteady thermal conditions

p 187 N94-28373

SAKUMA, ICHIRO

Effects of high-intensity electric field stimulation on the electromechanical performance of cardiac muscle. influence of fiber onentation p 160 N94-27467

On the mechanism of reentrant arrhythmias following DC defibrillation: Influence of fiber orientation to the effects of low-energy electric field stimulation on the effective refractory period of cardiac muscle p 160 1/94-27468 SAKURAGI, SOKICHI

Telescence testbedding for physiological experiments under hypobanc hypoxic conditions p 175 N94-27449 Talescience testbedding under hypobaric hypoxic conditions: Evaluation by operation ability and recognition p 175 N94-27450 Telescience testbedding for physiological experiments

under hypobanc hypoxic conditions: Development and availuation in CNV measuring p 176 N94-27451 Heart rate change in normal and labyrinthectomized hamsters during parabolic flight p 176 N94-27454

SAMPSON, JAMES B. The Environmental Symptoms Questionnaire: Assessing environmental extremes in military p 204 N94-28447 reactions to SAMUEL, ARTHUR C. SASAKI, MITSUO ine, vol. 30, no. 3 LJTN-94-806061 sympathetic stimulation in adjuvant-induced arthritis rats SATO, MOTOYOSHI synovial cells November 16-18, 1992 SCHLENGERMANN, UTE ace experiment on Spacetab mission IML-2 [DLR-FB-93-23] SCHRIMSHER, ROBERT H. dar year 1988 AD-A274589 for CY 1992 (AD-A274400) SCHROEDER, MARC Treatment of body-to-body and forced-air warming SCHUCK, MARY MARGARET IDCIEM-93-251 SEKIGUCHI, CHIHARU by linear acceleration relating preliminary experimental study SELF, DAVID A instrumental conscious baboon model SEO, HISAO tail-suspended rats atrophy in tail-suspended rats induction by ACTH hepatocytes method

Signal- and listener-based factors in complex auditory p 194 N94-27094 Japanese Journal of Aerospace and Environmental p 191 N94-28495 The role of beta-adrenoceptor stimulation in the progression of chronic heart failure p 183 N94-27541 The role of beta-adrenoceptor stimulation in the progression of chronic heart failure p 183 N94-27541 Excitation of cutaneous polymodal receptor induced by p 164 N94-27495 Effect of sera from patients treated with long-term hemodialysis on mRNA's for collagenase, stromelysin, and tissue inhibitor of metalloprotease in cultured human Visit to CERMA: Centre d'Etudes et de Recherches de Medecine Aerospatiale, Centre for Studies and Research in Aviation and Space Medicine, Bretigny sur Orge, France, Construction and test of experiment hardware for a p 170 N94-27743 Monograph of the eviation epidemiology data register ricalendar year 1988 p 174 N94-26985 Monograph of the Aviation Epidemiology Data Register p 174 N94-27130 mild immersion hypothermia by p 189 N94-28428 One from many: Selecting an appropriate human p 201 N94-27683 Effects of imaginary target on induced eye movements innear acceleration p 200 N94-27456 Some issues on Japan's space food development and p 204 N94-28498 Passive and active behavior of the cardiovascular system under increased gravitational loads in a chronically Changes in circadian variations of unne excretion in iti-suspended rats p 175 N94-27443 Endocrinological evaluations of muscle and pone p 159 N94-27444 Mcdulation by galactosamine-induced hepatits of biological responses of the rat exposed to high altitude p 159 N94-27464 The intracellular second messenger system in c-los gene p 161 N94-27477 Thyroid hormone action in cultured human skin fibroblasts: Evaluation using spheroid culture p 179 N94-27478 Clonics of rat RXR alpha cDNA and the expression of its mRNA in regenerating liver and primary cultured p 161 N94-27479 Cloning of a novel POU family gene by RT-PCR p 162 N94-27480 Effect of sers from patients treated with long-term hemodialysis on mRNA's for collagenase, stromelysin, and tissue inhibitor of metalloprotease in cultured human p 179 N94-27481 Expression analysis of Thyroxine-Binding Globulin Complete Deficiency in Japanese (TBG-CDJ)

SUEDA, KAOR

SESSLER, DANIEL I.

Treatment of mild immersion hypothermia by SHANNON, S. G. nes of aviator flying evaluation bo [AD-A274711] of service SHANNON, SAMUEL G. endar year 1988 [AD-A274589] document laser optic archive (AD-A274185) [AD-A274400] SHAW, J. M. SHIBATA, NITARO influence of fiber orientation SHIMAZU, KAZUHIRO SHIMIZU, KEN for individual tolerance to +Gz acceleration transformation in higher plants (DE93-632656) SHIONOYA, SHIGEHIKO Doppler flowmetry with needle type probe SHIRAKAWA, MASAKI ical field stimulation SHOJI, TAKATOSHI in CNV easuring SICONOLFI, STEVEN F. Exercise: Current Issues [NASA-CP-3252] SLATER, K SOBUE GEN armyotrophic lateral sclerosis SONG, HI SUP transformation in higher plants SONODA, HIDEKI

p 168 N94-27510 p 175 N94-27450 SUZUKI, HIROYUKI p 176 N94-27451 p 184 N94-26361 p 181 N94-27532

> SUZUKI, RYOKO Effects of high-intensity electric field stimulation on the lectromechanical performance of cardiac muscle. p 160 N94-2746? influence of fiver crientation On the mechanism of reentrant arrhythmias following DC defibrillation: Influence of fiber orientation to the effects of low-energy electric field stimulation on the effective refractory period of cardiac muscle p 160 N94-27468 Positive chronotropic effect of mechanical stretch on the sinoatrial node: Roles of neurotransmitters and stretch activated channels p 160 N94-27469
> Electrophysiological effects of MS-551, a new Class 3 antiarrhythmic sgent, on isolated rabbit ventricular muscles p 166 N94-27505

Effects of Class 3 antiarrhythmic agents. E-4031 and MS-551 on ventricular repolarization in isolated rabbit hearts p 167 N94-27508

p 189 N94-28428

US Army aviation epidemiology data registry: Incidence

p 173 N94-26432 Aviation epidemiology data register: Age distribution of U.S. Army aviators stratified by gender and component

Monograph of the aviation epidemiology data register p 174 N94-26985 Aviation Epidemiology Data Register: Indexing the AEDR p 174 N94-27097

Monograph of the Aviation Epidemiology Data Register for CY 1992

p 174 N94-27130

Psychophysiology in microgravity and the role of

Effects of high-intensity electric field stimulation on the ectromechanical performance of p 160 N94-27467

On the mechanism of reentrant arrhythmias following DC defibrillation: Influence of fiber orientation to the effects of low-energy electric field stimulation on the effective mod of cardiac muscle p 160 N94-27468

Analysis of the Electrically Evoked Response (EER) of p 169 N94-27519

Evaluation of near-infrared spectrophotometric method

p 184 N94-27944

Studies on the application of radiation for genetic

p 157 N94-26470

The measurements of muscle blood flow by laser

p 170 N94-27530

A study on tissue excitation of cardiac muscle unde

Telescience testbedding for physiological experiments under hypobaric hypoxic conditions p 175 N94-27449 Telescience testbedding under hypobaric hypoxic conditions: Evaluation by operation ability and recog

Telescience testbedding for physiological experiments under hypobanic hypoxic conditions: Development and

Workshop on Countering Space Adaptation with

The potential of new textiles in improving survival rospects p 202 N94-28430

Enhancement of skin sympathetic nerve activity in

Studies on the application of radiation for genetic

p 157 N94-26470

Symptoms of hypoxia at simulated attitude of 25,000 p 184 N94-27945 SOWOOD, P. J.

Thermal strain generated by an enhanced anti-G protection system in a hot climate p 203 N94-28445

Exercise and osteoporosis: Methodological and practical p 166 N94-28370 STREET, D. R., JR.

An evaluation of personality testing and the five-factor model in the selection of landing craft air cushion vehicle (AD-A275869) p 196 N94-28754

Endocrinological evaluations of muscle and bone p 159 N94-27444 spended rats SUGANUMA ISAO

Studies on water electrolyte metabolism and enducrine responses at rest and during submaximal exercise at 6,000 m simulated altitude p 191 N94-28496

Effects of training at simulated altitude of 6,000 m on endocrine responses at rest and during exercise at the same altitude p 191 N94-98497

SUGENOYA, JUNICHI

Changes in fluid and electrolyte metabolism during water immersion at high or thermoneutral temperature p 175 194-27445

Effects of 40 C hot water immersion for an hour on thermoregulatory functions in humans: Comparison with 34 C thermoneutral immersion p 177 N94-27459 Effects of bathing at 40 C on cerdiovascular system in hurnans: Comparison with 34 C thermoneutral be p 178 N94-27473

An attempt of intraneural stimulation by microelectrode inserted in skin sympathetic nerve fascicle p 181 N94-27529

SUGIMOTO, TAKAHITO

Development of Purkinje cells in vitro p 162 N94-27483

SUGIMURA, KIMIYA

Hyperalgesia to cold in patients with Subscute Myelo-Optico-Neuropathy (SMON) p 179 N94-27521 SUGIYAMA, YOSHIKI

Cardiovascular function during thermoneutral head-o water immersion in the elderly p 177 N94-27458 Effects of 40 C hot water immersion for an hour on thermoregulatory functions in humans: Comparison with 34 C thermoneutral immersion p 177 N94-27459 Effects of bathing at 40 C on cardiovascular system in humans: Comparison with 34 C thermoneutral bathing

Effects of 41 C bathing for 20 minutes on cardiovascular

and thermoregulatory functions in humans p 178 N94-27474

Hyperalgesia to cold in patients with Subacute yelo-Optico-Neuropathy (SMON) p 179 N94-27521 Effect of prostaglandin E1 on the relationship between skin sympathetic nerve activity and reduction in skin blood p 180 N94-27524 Difference in skin blood flow reduction depending on

activating maneuver of skin sympathetic nerve active p 180 N94-27525

Effect of L-dopa on hemodynamic functions p 180 N94-27526 An attempt of intraneural stimulation by microelectrode inserted in skin sympathetic nerve fascicle

p 151 N94-27529 Treatment of orthostatic hypotension by nasal propertration of vasopressin p 182 N94-27533 administration of vasopressin

Disturbed neuronal migration in the cerebral cortex of nice by low-dose gamms radiation p 160 N94-27470

Cardiovascular function during thermoneutral head-out water immersion in the elderly p 177 N94-27458
Monthly variation of physiological and psychological

responses under unsteady thermal conditions p 178 N94-27475

Telescience testbedding for physiological experiments under hypobanc hypoxic conditions p 175 N94-27449 Telescience testbedding under hypobanc hypoxic p 175 N94-27450 escience testbedding for physiological experiments

under hypobanic hypoxic conditions: Development and evaluation in CNV measuring p 176 N94-27451 The electrogastrogram during parabolic flight

p 176 N94-27452

Vertical gaze direction during parabolic flight p 176 N94-27453 Heart rate change in normal and labyrinthectomized

p 176 N94-27454 hamsters during parabolic flight Effects of imaginary target on induced eye movements by linear acceleration The mechanism of caloric nystagmus under microgravity 1: Changes of endolymphatic pressure in the semicircular canal of pigeon by caloric stimulation

p 177 N94-27457

(NASA-CR-195687)

p 201 N94-27934

Lunar base habital designs: Characterizing the environment, and selecting habital designs for future

Block of cardiac sodium channels by Ro 22-9194 (R), a new antiarrhythmic agent: Effects on the maximum upstroke velocity (Vmax) of single guinea pig ventricular myocytes p 168 N94-27511

Electrophysiological effects of an antiarrhythmic drug. moricizine on isolated guinea pig ventricular muscles p 168 N94-27512

The ionic mechanism underlying the negative chronotropic effect of acetylcholine: Experiments using small sinoatrial node tissue preparations isolated from p 169 N94-27515 rabbit hearts

The ionic mechanism underlying the negative chronotropic effect of acetylcholine. Postganglionic vagal stimulation in isolated rabbit hearts p 169 N94-27516

SUZUKI, SHIGEYUKI Excitation of cutaneous polymodal receptor induced by sympathetic stimulation in adjuvant-induced arthritis rats p 164 N94-27495

Selection of site injecting adjuvant in chronic p 165 N94-27496 inflammation model Influence of mechanical stimulation on inflammatory dema p 165 N94-27497 The effect of naloxone on sleeping time in adjuvant rthritic rats p 165 N94-27498

TACHIBANA, SHOICHI

arthritic rats

The Reports of Aeromedical Laboratory, volume 33,

[JTN-94-80586] p 184 N94-27942 Symptoms of hypoxia at simulated altitude of 25,000 p 184 N94-27945

Interaction between endogenous opioid and Cholecystokinin (CCK) in modulating respiratory responses induced by thin-fiber muscular afferents

p 166 N94-27502

TAKABAYASHI, AKIRA

Study on posture control and adaption mechanism under reightlessness: Results of second rehearsal for spa experiment using carp p 199 N94-27446 Study on posture control and adaptation mechanism under weightlessness: Summary report of ground operations performed for carp experiment (FMPT/L-2) in

Space Shuttle mission p 199 N94-27447 Study on posture control and adaption mechanism under reightlessness: Differences in weight and shape of utricular otolith of carp p 199 N94-27448

Japanese Journal of Aerospace and Environmental Medicine, vol. 30 no. 3

p 191 N94-28495 LITN-94-80606

TAKAGI, SADAHARU

Study on posture control and adaption mechanism und veightlessness: Results of second rehearsal for space p 199 N94-27446 nment using carp

Study on posture control and adaptation mechanism under weightlessness. Summary report of ground operations performed for carp experiment (FMPT/L-2) in pace Shuttle mission p 199 N94-27447 Study on posture control and adaption mechanism under Space Shuttle mission

weightlessness: Differences in weight and shape of utricular otolith of carp p 199 N94-27448 p 199 N94-27448 TAKAGISHI, YOSHIKO

Distribution of GABA immunoreactive neurons in the brain of relling mouse Nagoya and gamma-irradiated p 161 N94-27471 Development of Purkinje cells in vitro

p 162 N94-27483 Developmental expression of protein kinase C type 1 isczyme in suncus and rat cerebella

p 162 N94-27484 Effects of ML-9, a myosin light-chain kinase inhibitor, on preimplantation development of the mous-

p 163 N94-27486 Compaction-like blastomere aggregation caused by 1-oleoyi-2-acetylglycerol in mouse embryos: An electron microscopic observation p 163 N94-27487 p 163 N94-27487

Electron microscopic analysis of meiotic chromosome paining in male house musk shrew, Suncus munius

# TAKAHASHI, AKIRA

Hyperalgesia to cold in patients with Subacute lyelo-Optico-Neuropathy (SMON) p 179 N94-27521

Effect of prostaglandin E1 on the relationship between skin sympathetic nerve activity and reduction in skin blood p 180 N94-27524 Effect of L-dopa on hemodynamic functions in

p 180 N94-27526 TAMARU MASAO

Effects of gamma ray radiation on the developing mouse cerebellum: Apoptotic cell death and induction of tissue p 161 N94-27472

Size distribution of retrogradely labeled dorsal root ganglion cells: Test of normality p 165 N94-27500 TANAKA, MASAFUMI

Development of stimulus-seeking scale for expecting individual differences against confinement stress ment stress p 177 N94-27460

A study of psychological factors affecting an extre p 195 N94-27517 isolated environm

Expression analysis of Thyroxine-Binding Globulin Complete Deficiency in Japanese (TBG-CDJ) p 162 N94-27482

TANIGUCHI, AKIHIKO

Fast and slow onsets of Na channel blocking actions due to lidocaine and disopyramide using concentration-clamp method p 166 N94-27504 A study on tissue excitation of cardiac muscle und lectrical field stimulation p 168 N94-27510

The Reports of Aeromedical Laboratory, volume 33. p 184 N94-27942

[.ITN-94-80586]

TEMME, LEONARD A. Naval aviation vision standards research at the naval pace medical research laboratory: The long vi p 191 N94-28756 IAD-A2758851

THOMPSON, THEODORE J. Markov chains for random urinalysis 3: Daily model and drug kinetics

THORNTON, ROBERT

The use of liquid and air microclimate conditioning systems to alleviate heat stress in helicopter NBC operations p 204 N94-28453

TIPTON, M. J.

Advanced integrated cold protection for aircrew

p 203 N94-28436 Emergency underwater breathing aids for helicopte passengers and crew p 203 N94-28437

A comparison of four methods of rewarming individuals cooled by immersion in cold water p 190 N94-26442 TITZE, INGO

NCVS, volume 5

AD-A274975 p 158 N94-27165

TOYAMA, JUNJI

Protective action of plateful action injury in isolated TCV-309, against ischemia reperfusion injury in isolated p 159 N94-27465 Protective action of platelet-activating factor antagonist.

Protective action of an amiloride derivative (amiloride, 5-(N, N-dimethyl) hydrochloride) against in isolated ischemia/reperfusion newborn rabbit h

p 159 N94-27466 Positive chronotropic effect of mechanical stretch on the sinoatrial node: Roles of neurotransmitters and stretch activated channels

ctivated channels p 160 N94-27469 Effects of perfusion of amioderone on lectrophysiological properties in single rabbit ventricular p 166 N94-27503

Fast and slow onsets of Na channel blocking actions due to lidocaine and disopyramide using concentration-clamp method p 166 N94-27504 concentration-clamp method

Electrophysiological effects of MS-551, a new Class 3
antiarrhythmic agent, on isolated rabbit ventricular
muscles

p 166 N94-27505

Comparative investigation of new Class 3 antiarrhythmic drugs, E-4031 and MS-551, on electrophysiological ties in isolated rabbit ventricular myocytes p 167 N94-27506

Effects of Class 1 antiarrhythmic drugs on the intraventricular conduction: Influence of liber orientation p 167 N94-27507

Effects of Class 3 antiarrhythmic agents, E-4031 and MS-551 on ventricular repolarization in isolated rabbit p 167 N94-27508

Electrical coupling between the sinc-atrial node and atrial muscle. Cell to cell interaction through an external circuit and its simulation by computer modeling

p 167 N94-27509 A study on tissue excitation of cardiac muscle under lectrical field stimulation p 168 N94-27510

Block of cardiac sodium channels by Ro 22-9194 (R), a new antiarrhythmic agent: Effects on the maximum upstroke velocity (Vmax) of single guines pig ventrici p 168 N94-27511

Electrophysiological effects of an antiamhythmic drug, moricizine on isolated guinea sig ventricular muscles p 168 N94-27512

Correlation between electrical activity and the size of ingle sinoatrial node cells p 168 N94-27513

the sonostrial node cells p 168 N94-27513

The ionic mechanism underlying the negative chronotropic effect of acetylcholine: Experimental study in rabbit single sinoatrial node cells p 169 N94-27514

The ionic mechanism underlying the negative chronotropic effect of acetylcholine: Experiments using small sinoatrial node tissue preparations isolated from p 169 N94-27515

The kinic mechanism underlying the negative chronotropic effect of acetylcholine: Postganglionic vagal stimulation in isolated rabbit hearts p 169 N94-27516

TRACY, R. A. Cargiac utput and cardiac contractility by impedance cardiograuny during exercise of runners

TREWHELLA, J.

Neutron and x ray scattering studies of the interactions between Ca(2+)-binding proteins and their regulatory targets: Comparisons of troponin C and calmodulin [DE94-002706]

TRIPP, LLOYD D., JR.

Pulse waveform and transcranial Doppler analysis during lower body negative pressure (AD-A274516)

TSUJI, KEIICHIRO

Comparative measurement of visual stability in cosmic space: Onboard experiment and pre-flight activities

TSUKAHARA, REIKO

Contribution of muscle spindle afferent activity to transient pause in EMG during voluntary tonic contraction p 180 N94-27522 Effect of L-dopa on hemodynamic functions p 180 N94-27526

TSUKAHARA, SHINICHIRO

Cloning of a novel POU family gene by RT-PCR method p 162 N94-27480

TVERSKY, BARBARA G.

Induced pictorial representations (AD-A274251) p 194 N94-27012

# U

UGLENE, WENDELL

Fire-resistant water vapour permeable p 202 N94-28431

USUI, SHIRO

Study on posture control and adaption mechanism under weightlessness: Flesuits of second rehearsal for spa experiment using carp p 199 N94-27446

Study on posture control and adaptation mechanism under weightlessness: Summary report of ground operations performed for carp experiment (FMPT/L-2) in Space Shuttle mission

e Shuttle mission rtical gaze direction during parabolic flight p 176 N94-27453

A study on tissue excitation of cardiac muscle und p 168 N94-27510 olectrical field stimulation

Test of a new protection suit in a climatic chamber

VALLERAND, A. L.

Biochemical enhancement of cold tolerance

p 189 N94-28427 VANGGAARD, LEIF

Thermoregulation in the extreme cold environs

p 189 N94-28438 VERWEY, W. B. On the development of motor chunks and concurrent

processing in a structured continuous keypressing task [AD-A274153] p 194 N94-27138

WADA, YOSHIRO

Telescience testbedding for physiological experiments under hypobanc hypoxic conditions p 175 N94-27449 ince testbedding under hypobaric hypoxic conditions: Evaluation by operation ability and recognition

Telescience testbedding for physiological experiments under hypobanc hypoxic conditions: Development and evaluation in CNV measuring p 176 N94-27451 The electrogastrogram during parabolic flight p 176 N94-27452

Heart rate change in normal and labyrinthectomized harneters during parabolic flight p 176 N94-27454 Effects of imaginary target on induced eye movements by linear acceleration p 200 N94-27456 The mechanism of caloric nystagmus under microgravity. Changes of endolymphatic pressure in the semicircular canal of pigeon by caloric stimulation

p 177 N94-27457

WALLACE-ROBINSON, J.
Space radiation health research, 1991-1992
p. 183 p 183 N94-27556

Effects of imaginary target on induced eye move p 200 N94-27456 WATANABE, EIICHI

Fast and slow onsets of Na channel blocking actions due to lidoceine and disopyramide using concentration-clamp method p 166 N94-27504 Electrical coupling between the sino-atrial node and sinal muscle: Cell to cell interaction through an external circuit and its simulation by computer modeling

p 167 N94-27509

WATANABE, HARUO

Autonomic nervous system and cardiovascular control Clinical implications of the 1/f fluctuations of heart rate p 183 N94-27540

WATANABE, SATORU

Study on posture control and adaption mechanism under weightlessness: Results of second rehearsal for space periment using carp p 199 N94-27446 Study on posture control and adaptation mechanism inder weightlessness: Summary report of ground experiment using carp

operations performed for carp experiment (FMPT/L-2) in Space Shuttle mission p 199 N94-2744 Study on posture control and adaption mechanism under weightlessness: Differences in weight and shape of

utricular otolith of carp Telescience testbedding for physiological experiments under hypobaric hypoxic conditions p 175 N94-27449

ence testbedding under hypobaric hypoxic conditions: Evaluation by operation ability and recognition p 175 N94-27450

abinity
Telescience testbedding for physiological experiments
under hypobane hypoxic conditions. Development and
evaluation in CNV measuring p 176 N94-27451 The electrogastrogram during parabolic flight

p 176 N94-27452 Vertical gaze direction during parabolic flight

p 176 N94-27453 Heart rate change in normal and labyonthectomized p 176 N94-27454 hamsters during parabolic flight Frequency analysis of body sway induced by optokinetic property pr

Effects of imaginary target on induced eye movements v linear acceleration p 200 N94-27456 by linear acceleration The mechanism of calonic nystagmus under microgravity
1: Changes of endolymphatic pressure in the semicircular

canal of pigeon by caloric stimulation p 177 N94-27457

Interhemispheric phase relationship of alpha waves and erebral dominance p 195 N94-27518 Analysis of the Electrically Evoked Response (EER) of cerebral dominance p 169 N94-27519 Impaired associated movement in Parkinson's disease: An evaluation of Bell's phenomenon

Vacuum-UV-effects on E. coli plasmid pUC19 inactivation, strand break induction and mutation induction

p 179 N94-27520

(DLR-FB-93-26) p 171 N94-27754

WERCHAN, PAUL M. Performance recovery in the baboon following (+)G sub induced loss of consciousness

[AD-A274411] p 157 N94-26991 WHEELER, R. M.

Effect of carbon dioxide enrichment on radish production using Nutrient Film Technique (NFT)

NASA-TM-107198] p 158 N94-27411

WHEELER, RAYMOND M.

Development of a sparging technique for volatile emissions from potato (Solanum tuberosum) [NASA-TM-109199] p 158 N94-27412

WHERRY, ROBERT J., JR.

A critical analysis of workload predictions generated by ultiple resource theory during early crewsta IAD-A2748041 p 196 N94-26339

Passive and active behavior of the cardiovascular system under increased gravitational loads in a chronically instrumental conscious baboon model p 174 N94-26973 [AD-A274344]

WICKENS, CHRISTOPHER D.

Workload transition: Implications for individual and team AD-A274538 p 197 N94-26964

WIELAND, PAUL

Designing for human presence in space. An introduction ntal control and life support systems p 199 N94-27437

[NASA-RP-1324]

WILLCOCKSON, NANCY K. Practice patterns of US Army medical department psychiatnsts and psychologists AD-A2747871 p 172 N94-26360

WOOD, M. G.

Station evolution study oxygen loop closure (R-193938) p 197 N94-26788 Space Station et (NASA-CR-193938) WYKES, HARRY B.

A widely adapt space resources p 198 N94-27374

X

XUE. VE-XIANG

Cardiovascular function during thermoneutral head-out water immersion in the elderly p 177 N94-27458 Effects of 40 C hot water immersal.

hermoregulatory functions in humans: Companison with p. 177 N94-27459 Effects of 40 C hot water immersion for an hour on 34 C thermoneutral immersion Effects of bathing at 40 C on cardiovascular system in

humans: Comparison with 34 C thermoneutral bathing p 178 N94-27473

YABE, KYONOSUKE

Contribution of muscle spindle afferent activity to contribution of muscle spirituding voluntary tonic ransient pause in EMG during voluntary tonic p 180 N94-27522 contraction

VAGURA, SHIGEYUKI

Evaluation of near-infrared spectrophotometric method for individual tolerance to +Gz acceleration p 184 N94-27944

Some issues on Japan's space food development and relating preliminary experimental study p 204 N94-28498

YAMAGUCHI, HIROSHI

Effects of 41 C bathing for 20 minutes on cardiovascular nd thermoregulatory functions in humans

D 178 N94-27474

p 170 N94-27530

YAMAGUCHI, KOJI

Effects of 40 C hot water immersion for an hour on thermoregulatory functions in humans: Comparison with 34 C thermoneutral immersion p 177 N94-27459 Effects of bathing at 40 C on cardiovascular system in humans: Comparison with 34 C thermoneutral bathing p 178 N94-27473

YAMAGUCHI, SHIZUKO Some issues on Japan's space food development and relating preliminary experimental study p 204 N94-28498

YAMAMORI, IKUO

Expression analysis of Thyroxine-Binding Globulin Complete Deficiency in Japanese (TBG-CDJ) p 162 N94-27482

VAMAMOTO, CHIKASHI

Changes in circadian variations of urine excretion in tail-suspended rats p 175 N94-27443 Changes in fluid and electrolyte metabolism during water

immersion at high or thermoneutral temperature p 175 N94-27445 Modulation by galactosamine-induced hepatitic of biological esponses of the rat exposed to high altitude p 150 N94-274 4

YAMAMO' O, KIYOHITO The ressurements of muscle blood flow by laser Doppier flowmetry with needle type probe

YAMAMO'N, KIYOKO

Inductive differentiation of nerve cells in mouse embryoric ectoderm at early primitive streak stage by retinoic a cid p 163 N94-27488

Enhancement of skin sympathetic nerve activity in myotrop'sc lateral sclerosis p 181 N94-27532

YAMAMURA, HIDEKI

Disturbit of neuronal migration in the cerebral cortex of mice by it widose gamma radiation p 160 N94-27470 Distribution of GABA immunoreactive neurons in the brain of oiling mouse Nagoya and gamma-irradiated p 161 N94-27471 Development of Purkinja cells in vitro

p 162 N94-27483 Divelopmental expression of protein kinase C type 1 isc tyme in suncus and rat cerebella

p 162 N94-27484 Abnormal development of serotonin nerve fibers in the cerebral cortex of young rats with methylazoxymethanol induced microcephaly p 162 N94-27485 Effects of ML-9, a myosin light-chain kinase inhibitor

on preimplantation development of the mouse p 163 N94-27486 Compaction-like biastomere aggregation caused by 1-oleoyi-2-acetylglycerol in mouse embryos. An electron microacopic observation. p 163 N94-27487

Anorectal malformations induced by intraperitoneal injection of all-trans retinoic acid in sunct

p 163 N94-27489 Cross-sectional anatomy of day 30 suncus fetuses p 163 N94-27490

Development of inbred strains from Japanese wild rats lattus norvegicus) p 164 N94-27492 (Rattus norvegicus) p 164 N94-27492 Electron microscopic analysis of meiotic chromosome pairing in male house musk shrew, Suncus murinus p 164 N94-27493

VAMANURA, HIDEKI

inductive differentiation of nerve cells in mouse embryonic ectoderm at early primitive streak stage by p 163 N94-27488

VAMASHITA, MASAMICHI

Telescience testbedding for physiological experiments under hypobaric hypoxic conditions p 175 N94-27449. Telescience testbedding for physiological experiments under hypobaric hypoxic conditions: Development and evaluation in CNV measuring p 176 N94-27451

YAMAZAKI, MANABU Thyroid hormone action in cultured human skin fibroblasts: Evaluation using spheroid culture

179 N94-27478

YASUI, HIROTAKA Changes in pain sensation induced by repetitive application of noxious heat puises to the human skin p 179 N94-27501

VOKOBORI, SAKAE

Japanese Journal of Aerospace and Environmental Medicine, vol. 30, no. 3 (JTN-94-80606) p.191 NG4-28406

Effect of carbon dioxide enrichment on radish production using Nutnent Film Technique (NFT) [NASA-TM-107198] p 158 N94-27411

VORIO, NEIL C. Development of a sparging technique for volatile

emissions from potato (Solanum tuberosum) [NASA-TM-109199] p 158

YOSHIMURA, HIROKAZU Eye-head coordination and swinging of the visual scene when wearing visually up-down reversing mirror for 14 pp 200 N94-27462 days

INO, MASATAKA Modulation by galactosamine-induced hepatitis of biological responses of the rat exposed to high altitude

hypoxia YOSHINO, SEIJI Impaired associated movement in Parkinson's disease

An evaluation of Bell's phenomenon p 179 N94-27520

YUMIKURA, SEI

Effects of imaginary target on induced eye movements by linear acceleration p 200 N94-27456 Some issues on Japan's space food development and relating preliminary experimental study

p 204 N94-28498


Z

ZAFREN. B.

Space radiation health research, 1991-1992 INASA-TM-109721 p 183 N94-27556 ZEHNER, GREGORY F.

A multivariate anthropometric method for crew station design: Abridged [AD-A274588] p 197 N94-26984

# **Typical Corporate Source Index Listing**



Listings in this index are arranged alphabetically by corporate source. The title of the document is used to provide a brief description of the subject matter. The page number and the accession number are included in each entry to assist the user in locating the abstract in the abstract section. If applicable, a report number is also included as an aid in identifying the document.

Academy of Sciences (USSR), Novosibirsk

Electron microscopic analysis of meiotic chromosome pairing in male house musk shrew, Suncus murinus p 164 N94-27493

Advisory Group for Aerospace Research and Development, Neutlly-Sur-Seine (France). The Support of Air Operations under Extreme Hot and Cold Weather Conditions

AGARD-CP-540 Aerospace Medical Research Labs., Brooks AFB, TX.
Performance recovery in the baboon following (+)G sub z-induced loss of consciousness

AD-A274411 p 157 N94-26991 Aeromedical support for casualties in extremely hot

climates p 203 N94-26443 Aichi Agricultural Research Center, Naga (Japan). Skeletal development and ossification of the swine fetuses p 164 N94-27491

Aichi Medical Univ., Nagakute (Japan).
An attempt of intransural stimulation by microelectrode inserted in skin sympathetic nerve fascicle

p 181 N94-27529 Enhancement of skin sympathetic nerve activity in myotrophic lateral sclerosis p 181 N94-27532 amyotrophic lateral sclerosis

Alchi Univ. of Education (Japan).
Telescience lestbedding under hypobanic hypoxic

conditions: Evaluation by operation ability and recognition ability p 175 N94-27450

Heart rate change in normal and labyrinthectomized amsters during parabolic flight p 176 N94-27454 hamsters during parabolic flight p 176 N9. Air Force Flight Test Center, Edwards AFB, CA. The use of EEG as a workload assessment tool

p 173 N94-26847

Air Force Inst. of Tech., Wright-Patterson AFB, OH.
An investigation of integrated product development implementation issues: A case study of Bosma Machine. p 198 N94-27320 [AD-A273917]

Digital tracking and control of retinal images [AD-A275469] p 192 N94-28810

Air Force Systems Command, Brooks AFB, TX. issues related to positive pressure Aeromedical

breathing for + Gz protection [AD-A274717]

erta Univ., Edmonton.

Thermal protective performance and instrumented mannequin evaluation of multi-layer garment systems p 202 N94-28433

Muscular activity and its relationship to biomechanic and human performance p 185 N94-2836 p 185 N94-28362

Arizona State Univ., Tempe.

Benefits estimation for simulation systems used for rcrew training in a multiship environme

[AD-A274313] p 193 N94-26882 Army Aeromedical Research Lab., Fort Rucker, AL. US Army aviation epidemiology data registry: Incidence and outcomes of aviator flying evaluation boards

p 173 N94-26432 (AD-A274711) A comparison of sleep scored from electroencephalography to sleep scored by wrist

[AD-A273739] p 173 N94-26748 Monograph of the aviation epider for calendar year 1988 niology data register [AD-A274589] p 174 N94-26985

Aviation Epidemiology Data Register: Indexing the AEDR locument laser optic archive p 174 N94-27097 (AD-A274185)

Monograph of the Aviation Epidemiology Data Register for CY 1992

p 174 N94-27130 AD-A274400 The use of liquid and air microclimate conditioning systems to alleviate heat stress in helicopter NBC operations p 204 N94-28453 Aviation epidemiology data register: Age distribution of U.S. Army aviators stratified by gender and component of service (AD-A275901)

p 192 N94-28757 Army Command and General Staff Coll., Fort Leavenworth, KS.

Female combat helicopter pilot selection criteria p 193 N94-26749 [AD-A273935]

Activity, Fort Sam Houston, TX.

Practice patterns of US Army medical department

psychiatrists and psychologists

AD-A274787) p 172 N94-26360 Army Natick Research and Develo

Nutrition and hydration status of aircrew members consuming an improved survival ration during a simulated survival scenario p. 189 N94-28429 rmy Research Inst. of Environmental Medicine,

Nutrition and hydration status of aircrew members consuming an improved survival ration during a simulated survival scenario rvival scenario p 189 N94-28429 The Environmental Symptoms Questionnaire: Assessing

environmental extremes in military p 204 N94-28447 to operations

# B

loeing Defense and Space Group, Huntaville, AL. Space Station evolution study oxygen loop closure [NASA-CR-193938] p 197 N94-26788

Boston Univ., MA. Weightlessness p 186 N94-28368

perspective rubaker Group, Los Angeles, CA.
A widely secretals habital construction system utilization p. 196 N94-273 p 198 N94-27374

# C

California Urini, Les Angeles.

The use of Diomechanics in the study of movement in p 187 N94-28373 microgravity

California Univ., San Francisco. Exercise and osteoporosis: Methodological and practical Carnegie-Melion Univ., Pittaburgh, PA.
Pigs in cyberspace

# D

Defence and Civil Inst. of Environmental Medicine,

view (Onterio). One from many: Selecting an appropriate human

p 201 N94-27683 DCIEM-93-251 Defence and Civil Inst. of Environmental Medicine, North York (Ontario).

Fuelling shivering in humans during cold water innersion p 188 N94-28426 Biochemical enhancement of cold tolerance

p 189 N94-28427 Alleviation of thermal strain in the CF: Keeping our cool gring the Gulf conflict p 190 N94-28449 during the Gulf conflict

Denver Center for the Performing Arts, CO. NCVS, volume 5 p 158 N94-27165

AD-A2749751 Department of the Navy, Washington, DC.

Helmet head tracking mounting device AD-D016048] p 197 N94-27114

Deutsche Forschungsanstalt fuer Luft- und Raumfahrt, Cologne (Germany).

Construction and test of experiment hardware for a pace experiment on Spacelab mission IML-2 DLB-FB-93-231 DLR-FB-93-23] p 170 N94-27743 Vacuum-UV-effects on E. coli plasmid pUC19 Inactivation, strand break induction and mutation

[DLA-FB-93-26] p 171 N94-27754

# E

Elsai Co. Ltd., Hashima (Japan).

Cross-sectional anatomy of day 30 suncus fetuse p 163 N94-27490

Erlanger-Nuremberg Univ. Childrens Hospital (Germany).

Physiological investigations of the isolated rat's liver in hypothermia and hypoxia and their relevance in aircraft incidents above the sea p 172 N94-28439 Exotemp Systems, Inc., Stittsville (Ontario).

Canadian advances in active p 204 N94-28451

Federal Aviation Administration, Cambridge, MA.
Key cognitive issues in the design of electronic displays of instrument approach procedure charts p 204 N94-28649

Federal Aviation Administration, Oklahoma City, OK. Validation of the Federal Aviation Administration air raffic control specialist pre-training screen p 192 N94-26600 DOT/FAA/AM-94/41

Ford (Henry) Hospital, Detroit, MI. Irreversibility of advanced osteoporosis. Limited rise for pharmacologic intervention

Fujita Health Univ., Toyohashi (Japan).

Study on posture control and adaption mechanism under weightiessness: Differences in weight and shape of utnouter of oith of carp p 199 N94-27448

# G

Effectiveness of protection clothing for cold weather anditions after ejection over sea: A case report

Gore (W. L.) and Associates, Inc., Elikton, MD.
Development of a new chemical warfare agent protective
p 202 N94-28432

**00**0079

Groningen Rijksuniv. (Netherlands).

Interacting cortical filters for object recognition [PB94-125374] p 193 N9 p 193 N94-26873 Orientation competition in cortical filters p 194 N94-27001

Guelph Univ. (Ontario).

The potential of new textiles in improving survival p 202 N94-28430

# Hahnemann Medical Coll. and Hospital, Philadelphia,

Cortical mechanisms of attention, discrimination, and motor response to somesthetic stimuli

[AD-A274163] p 195 N94-27141

Hiroshima Univ. (Japan).

Note on the structure of moss colonies composed of two species on King George Island, the South Shetland p 171 N94-27971

# ı

# Institute for Perception RVO-TNO, Soesterberg

On the development of motor chunks and concurrent processing in a structured continuous keypressing task D 194 AD-A2741531

Deterioration of manual performance in cold and windy p 189 N94-28434

Institute of Aviation Medicine, Fuerstenfeldbruck

Aeropathological diagnosis of lethal hypothermi

p 189 N94-28440 Institute of Aviation Medicine, Manching (Germany). Test of a new protection suit in a climatic chambe

lows Univ., lows City. NCVS, volume 5 (AD-A274975)

p 158 N94-27165

Japan Atomic Energy Research Inst., Tokyo.

Neutrons in biology DE94-7010851 p 171 N94-27862 Japan Society of Aerospace and Environmental

dicine, Tokyo. Japanese Journal of Aerospace and Environmental

Medicine, vol. 30, no. 3 LITN-94-806061 p 191 N94-28495 Japanese Air Self-Defense Force, Tokyo.

The Reports of Aeromedical Laboratory, volume 33. number 4

p 184 N94-27942 [JTN-94-80586] Comparison of performance in simulator flight among subjects with different simulator experiences

p 201 N94-27943 Evaluation of near-infrared spectrophotometric method

for individual tolerance to + Gz acceleration D 184 N94-27944 Symptoms of hypoxia at simulated altitude of 25,000

Jet Propulsion Lab., California Inst. of Tech.,

Lunar base habital designs: Characterizing the environment, and selecting habital designs for future trade-offs

[NASA-CR-195687] p 201 N94-27934

# Kanazawa Univ. (Japan).

Eye-head coordination and swinging of the visual scene when wearing visually up-down reversing mirror for 14 days p 200 N94-27462

Kawasaki Heavy Industries Ltd., Kobe (Japan). Telescience testbedding for physiological expe

under hypobaric hypoxic conditions p 175 N94-27449 Kawasaki Heavy Industries Ltd., Tokyo (Japan). Some issues on Japan's space food development and

relating preliminary experimental study p 204 N94-28498

Kent State Univ., OH.

A multivariate anthropometric method for crew station

[AD-A274588] p 197 N94-26984 relopment of novel switchable protein surfaces p 172 N94-28667 [AD-A275510]

Kentucky Univ., Lexington.
The value of electrical stimulation as an exercise training p 187 N94-28372 Kirjo Gakuin Univ., Nagoya (Japan).

Interaction between endogenous opioid and Cholecystokinin (CCK) in modulating respiratory responses induced by thin-fiber muscular afferents

p 166 N94-27502

Korean Atomic Energy Research Inst., Daeduk

Studies on the application of radiation for genetic ransformation in higher plants [DE93-632656] p 157 N94-26470

radioresistance and drug resistance

DE93-6326821 p 173 N94-26549

Krug Life Sciences, Inc., San Antonio, TX.

A reliable and repeatable method for volume calculation of pressurized garments p 205 N94-28766 (AD-A2756001

# Laboratoire de Medecine Aerospatiale.

Bretigny-sur-Orge (France).

rimental evaluation of two systems of individual p 191 N94-28450 air-conditioning Lockheed Engineering and Sciences Co., Washi

ace radiation health research, 1991-1992

p 183 N94-27556 INASA-TM-1097211 Los Alamos National Lab., NM.

Neutron and x ray scattering studies of the interactions between Ca(2+)-binding proteins and their regulatory targets: Comparisons of troponin C and calmodul [DE94-002706] p 157 N9-

p 157 N94-26623 Temporal stochasticity leads to nondeterministic chaos in a model for blood cell production p 183 N94-27744 [DE94-003943]

Manitobe Univ., Winnipeg.

Treatment of mild immersion hypothermia by body-to-body and forced-air warming

p 189 N94-28428 Massachusetts Inst. of Tech., Cambridge.

Top down influences on bottom-up processing

p 194 N94-27072 AD-A2742201

Massachusetts Univ., Amherst. Eccentric exercise testing and training

p 185 N94-28363

Electrical stimulation in exercise training p 187 N94-28371

Medical Coll. of Wisconsin, Milwaukee. Aerobic fitness and orthostatic tolerance: Evidence p 185 N94-28365

against an association p 185 N94 Medical Research Council, Cambridge (England). The central executive component of working memory ND-A274295] p 193 N94-26683

[AD-A274295] META Research, Inc., Richmond (British Columbia).
Fire-resistant water vapour permeable buoyant p 202 N94-28431 Minnesota Univ., Minneapolis.

Cardiac output and cardiac contractility by impedance cardiography during exercise of runners

p 186 N94-28367

Nagoya City Univ. (Japan).

Effects of imaginary target on induced eye movements by linear acceleration p 200 N94-27456 Nagoya Univ. (Japan).

Annals of the Research Inst. of Environmental Medicine Nagoya Univ., volume 44 p 174 N94-27442 [REPT-44-VOL-44]

Changes in fluid and electrolyte metabolism during water immeraion at high or thermoneutral temperature

Study on posture control and adaption mechanism under weightlessness: Results of second rehearsal for space p 199 N94-27446 experiment using carp

Study on posture control and adaptation mechanism under weightlessness: Summary report of ground operations performed for carp experiment (FMPT/L-2) in pace Shuttle mission p 199 N94-27447

Telescience testbedding for physiological experiments under hypobanic hypoxic conditions: Development and evaluation in CNV measuring p 176 N94-27451

The electrogastrogram during parabolic flight p 176 N94-27452

Vertical gaze direction during parabolic flight p 176 N94-27453

Frequency analysis of body sway induced by optokinetic p 200 N94-27455

The mechanism of caloric nystagmus under microgravity Changes of endolymphatic pressure in the semicircular canal of pigeon by caloric stimulation

p 177 N94-27457

Cardiovascular function during thermoneutral head-out p 177 N94-27458 water immersion in the elderly Effects of 40 C hot water immersion for an hour on rmoregulatory functions in humans: Comparison with p 177

34 C thermoneutral immersion Development of stimulus-seeking scale for expecting individual differences against confinement stress

p 177 N94-27460 Comparative measurement of visual stability in cosmic space: Onboard experiment and pre-flight activities

p 201 N94-27463 Modulation by galactosamine-induced hepatitis of biological responses of the rat exposed to high p 159 N94-27464 hypoxia

Protective action of platelet-activating factor antagonist. TCV-309, against ischemia reperfusion injury in is p 159 N94-27465 rabbit bearts

Protective action of an amiloride derivative (amiloride 5-(N, N-dimethyl) hydrochloride) against in isolated schemia/reperfusion newborn rabbit hearts

p 159 N94-27466 Effects of high-intensity electric field stimulation on the electromechanical performance of cardiac muscle

p 160 N94-27467 influence of fiber orientation On the mechanism of reent ant arrhythmias following DC defibriliation: Influence of fiber orientation to the effects of low-energy electric field stirnulation on the effective p 160 N94-27468 refractory period of cardiac muscle

Positive chronotropic effect of mechanical stretch on the sinoatrial node: Roles of neurotransmitters and stretch activated channels p 160 N94-27469

Disturbed neuronal migration in the cerebral cortex of mice by low-dose gamma radiation p 160 N94-27470 Distribution of GABA immunoreactive neurons in the brain of rolling mouse Nagoya and gamma-irradiated mouse p 161 N94-27471

Effects of bathing at 40 C on cardiovascular system in humans: Comparison with 34 C thermoneutral bathing

p 178 N94-27473 Effects of 41 C bathing for 20 minutes on cardiovascular

and thermoregulatory functions in humans p 178 N94-27474 Monthly variation of physiological and psychological

responses under unsteady thermal conditions p 178 N94-27475 The intracellular second messenger system in c-fos gene induction by ACTH

Thyroid hormone action in cultured human skin

fibroblasts: Evaluation using spheroid culture p 179 N94-27478 Cloning of rat RXR alpha cDNA and the expression of its mRNA in regenerating liver and primary cultured hepatocytes p 161 N94-27479

Cloning of a novel POU family gene by RT-PCR p 162 N94-27480 method Effect of sera from patients treated with long-term hemodialysis on mRNA's for collagenase, stromelysin, and tissue inhibitor of metalloprotease in cultured human

p 179 N94-27481 synovial cells Expression analysis of Thyroxine-Binding Globulin

Complete Deficiency in Japanese (TBG-CDJ) p 162 N94-27482 Development of Purkinje cells in vitro

p 162 N94-27483 Developmental expression of protein kinase C type 1 isozyme in suncus and rat cerebella

p 162 N94-27484 Abnormal development of serotonin nerve fibers in the cerebral cortex of young rats with methylazoxymethanol p 162 N94-27485 induced microcephaly Effects of ML-9, a myosin light-chain kinase inhibitor.

on preimplantation development of the mouse p 163 N94-27486 Compaction-like blastomere aggregation caused by 1-oleoyl-2-acetylglycerol in mouse embryos. An electron microscopic observation p 153 N94-27487 microscopic observation p 163 N94-27487
Anorectal malformations induced by intraperitoneal

injection of all-trans retinoic acid in suncus p 163 N94-27489 Effect of PGE2 receptor agonists butaprost, M and B 28767 and an antagonist AH 6809 on the BK respons p 164 N94-27494 of visceral polymodal receptors Excitation of cutaneous polymodal receptor induced by

sympathetic stimulation in adjuvant-induced arthritis racs p 164 N94-27495 Selection of site injecting adjuvant chronic p 165 N94-27496 inflammation model Influence of mechanical stimulation on infla

p 165 N94-27497 The effect of naloxone on sleeping time in adjuvant thritic rats p 165 N94-27498 arthritic rats

Effects of capsaicin on freshly dissociated rat dorsal root ganglion cells p 165 N94-27499 Size distribution of retrogradely labeled dorsal root ganglion cells: Test of normality p 165 N94-27500 Effects of perfusion of amiodarone on electrophysiological properties in single rabbit ventricular p 166 N94-27503

Fast and slow onsets of Na channel blocking actions due to lidocaine and disopyramide using concentration-clamp method p 166 N94-27504 ue to tidocaine and disopyramide using oncentration-clamp method p 166 N94-27504 Electrophysiological effects of MS-551, a new Class 3 agent, on isolated rabbit ventricular p 166 N94-27505

muscles Comparative investigation of new Class 3 antiarrhythmic drugs, E-4031 and MS-551, on electrophysiological properties in isolated rabbit ventricular myocytes

p 167 N94-27506 Effects of Class 1 antiarrhythmic drugs on the intraventricular conduction: Influence of fiber orientation p 167 N94-27507 p 167

Effects of Class 3 antiarrhythmic agents, E-4031 and MS-551 on ventricular repolarization in isolated rabbit p 167 N94-27508

Electrical coupling between the sino-atrial node and atrial muscle: Cell to cell interaction through an external circuit and its simulation by computer modeling

p 167 N94-27509 A study on tissue excitation of cardiac muscle under extrical field stimulation p.168 N94-27510 Block of cardiac sodium channels by Ro. 22-9194 (R), electrical field stimulation

a new antiarrhythmic agent. Effects on the maximum upstroke velocity (Vmax) of single guinea pig ventricular myocytes. p 188 N94-27511

Electrophysiological effects of an antiarrhythmic drug, moricizine on isolated guinea pig ventricular muscles

Correlation between electrical activity and the size of p 168 N94-27513 single sinoatrial node cells

The sonic mechanism underlying the negative chronotropic effect of acetylcholine: Experimental study in rabbit single sinoatrial node cells p 169 N94-27514

The ionic mechanism underlying the negative chronotropic effect of acetylcholine: Experiments using small sinoatrial node tissue preparations isolated from p 169

The ionic mechanism underlying the negative chronotropic effect of acetylcholine: Postganglionic vagal stimulation in isolated rabbit hearts p 169 N94-27516

A study of psychological factors affecting an extremely plated environment p 195 N94-27517 solated environment

Interhemispheric phase relationship of alpha waves and erebral dominance p 195 N94-27518 cerebral dominance Analysis of the Electrically Evoked Response (EER) of

p 169 N94-27519 Impaired associated movement in Parkinson's disease An evaluation of Bell's phenomenon

H peralgesia to cold in patients with Subacute Mye -Optico-Neuropathy (SMON) p 179 N94-27521 Contribution of muscle spindle afferent activity to pause in EMG during voluntary p 180 N94-27522 contraction

Effect of prostaglandin E1 on the relationship between skin sympathetic nerve activity and reduction in skin blood p 180 N94-27524

Difference in skin blood flow reduction depending on activating maneuver of skin sympathetic nerve activity

Effect of L-dopa on hemodynamic functions in p.180 N94-27526 humans

Analysis on one minute wave in body fluid volume and muscle pumping referred to body parts generating the one minute wave during human active standing

p 181 N94-27528 The measurements of muscle blood flow by laser

Doppler flowmetry with needle type probe p 170 N94-27530

Muscle sympathetic nerve activity in patients with hyper-and hypothyroidism: A microneurographic study p 181 N94-27531

ensitization to acethylcholine in pacemaker cells of the sinoatrial node Muscle sympathetic nerve activity in humans p 183 N94-27538

p 170 N94-27539 The polymodal receptor

goya Women's Univ. (Japan). Endocrinological evaluations of muscle and bons p 159 N94-27444 atrophy in tail-suspended rats

ational Academy of Sciences - National Research Council, Washington, DC. Workload transition: Implications for individual and team

(AD-A274538) p 197 N94-26964

itics and Space Administration Washington, DC.

Space radiation health research, 1991-1992 [NASA-TM-109721] p 183 Aerospace medicine and biology: A continuing bibliography with indexes (supplement 386) [NASA-SP-7011(386)] p 184 N94-28208

Aerospace medicine and biology: Abbiography with indexes (supplement 387)

[NASA-SP-7011(387)] p 184 N94-28213
Aerospace medicine and biology: A cumulative index
to a continuing bibliography (supplement 384)
[NASA-SP-7011(384)] p 184 N94-28219
lational Aeronautics and Space Administration. Ames
Research Center, Moffett Field, CA.
Proprioceptive isokinetic exercise test
[NASA-TM-104015]

[NASA-TM-104015] p 158 N94-27227 National Aeronautics and Space Administration. John F. Kennedy Space Center, Cocoa Beach, FL.

Effect of carbon dioxide enrichment on radish production using Nutnent Film Technique (NFT)
[NASA-TM-107198] p 158 N94-27411
Development of a sparging technique for volatile from potato (Solanum tuberosum) [NASA-TM-109199] p 158 N94-27412

ional Aeronautics and Space Administration

Lyndon B. Johnson Space Cunter, Houston, TX. Workshop on Countering Space Adaptation with Exercise: Current Issues NASA-CP-32521 p 184 N94-28361

Altional Aeronautics and Space Administration.

Marshall Space Flight Center, Huntsville, AL.

Designing for human presence in space: An introduction

ental control and life support systems (NASA-RP-1324) p 199 N94-27437 Extra-Vehicular Activity (EVA) glove evaluation test

p 201 N94-27952 [NASA-TM-108442]

ional Aerospace Lab., Tokyo (Jepan). An algorithm for stereo correspondence problems on

the analogy of human vision [NAL-TR-1185] p 195 N94-27584 itional Defence Research Establish ment, Stockholm (Sweden).

Task demand, workload, and performance B94-123627] p 197 N94-27155 onal Defence Research Establishment, Umea [PB94-123627]

weden). Bakteriella toxiner-morgondagens hot (bacterial

oxins-the threat of tomorrow) p 158 N94-27045 [PB94-124229] [PB94-124229]
Microbiology research at some research institutes in the former Sowet Union: A survey of scientific publications [PB94-123320] p 158 N94-27171

7894-123320] Ional Inst. of Polar Research, Tokyo (Japan). Counting Adelie penguins at colonies. Seasonal and p 171 N94-27970 lavai Aerospace Medical Research Lab., Pensacola.

A comparison of two hardware implementations of a ction system

p 192 N94-26346 Effects of three hydration beverages on exercise performance during 60 hours of simulated p 190 N94-28448 An evaluation of personality testing and the five-factor model in the selection of landing craft air cushion vehicle

Naval aviation vision standards research at the naval erospace medical research laboratory. The long view

[AD-A275885] 191 N94-28756 level Air Warfare Center, Warminster, PA. A critical analysis of workload predictions generated by

multiple resource theory during early crewstation de [AD-A274804] p 196 N94-26 N94-26339 val Health Research Center, San Diego, CA.

Monitoring activity with a wrist-worn actigraph. Effects

p 173 N94-26377

Performance assessment in sustained operations using a computer-based synthetic work task p 192 N94-26430

Rewarming methodologies in the field p 190 N94-28441

avy Personnel Research and Development Center, San Diego, CA. Markov chains for random unnalysis 3: Daily model and drug kinetics (AD-A275540) p 192 N94-28797

orth Carolina Univ., Chapel Hill. Psychophysiology in microgravity and the role of p 187 N94-28374 ехегсіве

region Transarctic Expedition, His. Evaluation of life support equipment during unsupported North Pole expedition p 202 N94-28 0

Oceanographic Consultants.

Sonic booms and marine mammals: informational status p 171 N94-28198 and recommendations Ohio State Univ., Colum

m in maize and Arabidopsis Root gravitropism ( INASA-CR-195710) p 171 N94-27940 Old Dominion Univ., Hortolk, VA.

Brain wave correlates of attentional states: Event related otentials and quantitative EEG analysis during performance of cognitive and perceptual tasks

Osaka Prefecture Univ., Sakai (Japan).

The effect of body orientation on the perception of vertical and horizontal distance in an outdoor setting p 200 N94-27461

Osaka Univ. (Japan).

The role of beta-adrenoceptor stimulation in the progression of chronic heart failure p 183 N94-27541

Pacific Northwest Lab., Richland, WA.

Emerging Human-Computer Interface (HCI) design guidelines for Graphical User Interface (GUI) p 196 N94-26555 [DE94-004293]

Princeton Univ., NJ.

An evaluation of criteria that may be used to identify species surviving a mass extinction p 171 N94-28304

Red Cross Hospital, Nagoya (Japan).

Treatment of orthostatic hypote administration of vasopressin essarch Inst. of National Defence, S hypotension by nasal p 182 N94-27533

Visit to CERMA: Centre d'Etudes et de Recherches de Medecine Aerospatiale, Centre for Studies and Research in Aviation and Space Medicine, Bretigny sur Orge, France, November 16-18, 1992 [PB94-132990] p 188 N94-28392

ert Gordon's Inst. of Tech., Aberdeen (Scotland). Medical support for British operations in the Antarctic p 188 N94-28421

Royal Air Force, Farnborough (England).

Prediction of survival times on land in a cold climate p 188 N94-28423

Thermal strain generated by an enhanced anti-G protection system in a hot climate p 203 N94-28445 Implications of climatic extremes in aircrew NBC perations p 203 N94-28446

Royal Danish Navy, Gentofte.

Thermoregulation in the extreme cold environment p 189 N94-28438

Royal Navai Hospital, Hasiar (England).

A comparison of four methods of rewarming individuals cooled by immersion in cold water p 190 N94-28442 p 190 N94-28442

Sanwa Kagaku Kenkyusho Co. Ltd., Kasugai (Japan). Changes in circadian variations of urine excretion in tail-suspended rats p 175 N94-27443

Seinan Gakuin Univ., Fukuoka (Japan). Inductive differentiation of nerve

nerve cells in mouse embryonic ectoderm at early primitive streak stage by retinoic acid p 163 4-27488 Shark Group of Companies, Morpeth (England).

nced integrated cold protection for p. 203 N94-28436

Shizuoka Saiseikai General Hospital (Japan).
Postnatal changes in the autonomic modulation of L-type Ca(exp 2+) currents of rabbit ventricular cells

rth Dekota Univ., Vermillion.

Control panel dimensions for gloved operation study 2: Toggle switches minimum spacing required between (AD-A274518) p 197 N94-27089

Spanish Air Force, Ta., era AFB.
Work conditions assessment in pilots and ground personnel under high weather temperatures p 203 N94-28444

Induced pictorial representations [AD-A274251] p 194 N94-27012

State Univ. of New York, Stony Brook. Signal- and listener-based factors in complex auditory p 194 N94-27094

Sugiyama Jogakuin Univ., Nagoya (Japan).

Man's ability to edapt himself for the seasonal climatic changes: From viewpoint of anticipation and seasonable behavior p 178 N94-27476

Surrey Univ., Guildford (England). Emergency underwater breathing aids for helicopter p 203 N94-28437 passengers and crew

Survival Systems Ltd., Dartmouth (Nova Scotia).

Effect of seasickness on aircrew student survivor ability after ditching in cold water p 188 N94-28425 p 188 N94-28425

Suzuka Univ. of Medical Science and Technology

Effects of garmma ray radiation on the developing mouse cerebellum: Apoptotic cell death and induction of tissue p 161 N94-27472 transgiutaminase

Sverdrup Technology, Inc., Cleveland, OH.
The Fermi paradox: An approach based on percolation theory p 205 N94-27370

Systems Research Labs., Inc., Dayton, OH.

Passive and active behavior of the cardiovascular system under increased gravitational loads in a chronically instrumental conscious baboon model p 174 N94-26973

T

Technical Research Centre of Finland, Espoo

Barley cell culture as a producer of heterologous p 172 N94-28408

Technical Research Centre of Finland, Tampere.

Simulation of the effect of wind on clothing by measurements and calculations p 201 N94-28406

Texas Coll. of Osteopathic Medicine, Fort Worth.

Does training-induced orthostatic hypotension result from reduced carotid baroreflex responsiveness? p 186 N94-28366

Texas Univ., Austin.

Exercise detraining: Applicability to microgravity p 185 N94-28364

Texas Univ., Dallas.

Spacelab life sciences 2 post mission report p 199 N94-27410

Texas Univ. Health Science Center, San Antonio. The role of hyperbanc oxygen as a prophylaxis for

Tokyo Univ. (Japan).

Function of selective attention intrinsic to the saccade system Does the voluntary control overnde the stimulus driven control? p 195 N94-27523

Activation by G protein beta gamma subunits of G protein-coupled receptor kinase p 182 N94-27534

Tokyo Woman's Medical Coll. (Japan).

Autonomic nervous system and cardiovascular control. Clinical implications of the 1/f fluctuations of heart rate. p 183 N94-27540

Toyota Coll. of Technology (Japan).

Sympathetic nerve activity during dynamic leg exercise p 180 N94-27527

Yeukuba Univ., Ibaraki (Japan).

Studies on water electrolyte metabolism and endocrine responses at rest and during submaximal exercise at 6,000 m simulated altitude p 191 N94-28496

Effects of training at simulated altitude of 6,000 m on endocnne responses at rest and during exercise at the same affitude p 191 N94-28497

Utah Univ., Salt Lake City.

[AD-A274975]

p 158 N94-27165

Walter Reed Army Inst. of Research, Washington, DC. Human dimensions research leam, operation restore

hope (AD-A274340) p 194 N94-27056

Wisconsin Univ., Medison.

p 158 N94-27165 [AD-A274975]

Wright State Univ., Dayton, OH.

Pulse waveform and transcranial Doppler analysis during lower body negative pressure (AD-A274516) p 174 N94-27088

000001

Yagi Nemorial Park, Mitake (Japan).

Development of inbred strains from Japanese wild rats
(Rattus norvegicus) p 164 N94-27492

magata Univ. (Japan).

Mechanism for regulation of myocardial contractility by autonomic drugs: Pathophysiological relevance in congestive heart failure p 182 N94-27536

Yasul Acupuncture Clinic, Nagoya (Japan).

Changes in pain sensation induced by repetitive

application of noxious heat pulses to the human skin

p 179 N94-27501

F

0

R

E

G

N

# Typical Foreign Technology Index Listing

COUNTRY OF INTELLECTUAL ORIGIN CZECHOSLOVAKIA The different effects of hypokinesia on insulin receptors in various tissues of rats [IAF PAPER 93-144] A94-11145 TITLE

Listings in this index are arranged alphabetically by country of intellectual origin. The title of the document is used to provide a brief description of the subject matter. The page number and accession number are included in each entry to assist the user in locating the abstract in the abstract section. If applicable, a report number is also included as an aid in identifying the document

# FRANCE

AEROSPACE MEDICINE AND BIOLOGY / A Continuing Bibliography (Supplement 389)

The Support of Air Operations under Extreme Hot and Cold Weather Conditions IAGARD-CP-5401 p 172 N94-28420 Experimental evaluation of two systems of individual air-conditioning p 191 N94-28450

# G

Construction and test of experiment hardware for a ace experiment on Spacelab mission IML-2 p 170 N94-27743 IDLR-FB-93-231 Vacuum-UV-effects on E. coli plasmid pUC19 Inactivation, strand break induction and mutation induction [DLR-FB-93-26]

Effectiveness of protection clothing for cold weather conditions after ejection over sea: A case report p 202

Physiological investigations of the isolated rat's liver in hypothermia and hypoxia and their relevance in aircraft incidents above the sea p 172 N94-Aeropathological diagnosis of lethal hypothermia p 172 N94-28439

p 189 N94-28440 Test of a new protection suit in a climatic chamber p 204 N94-28452

# ICELAND

Temporal stochasticity leads to nondeterministic chaos a model for blood cell production p 183 N94-27744 [DE94-003943]

# JAPAN

Annals of the Research Inst. of Environmental Medicine Nagoya Univ., volume 44 (REPT-44-VOL-44) p 174 N94-27442 REPT-44-VOL-44-]
Changes in circadian variations of urine excretion in all-suspended rats p 175 N94-27443
Endocrinological evaluations of muscle and bone prophy in tail-suspended rats p 159 N94-27444 tail-suspended rats atrophy in tail-suspended rats p 159 N94-27444
Changes in fluid and electrolyte metabolism during water immersion at high or thermoneutral temperature 175 N94-27445

Study on posture control and adaption mechanism under ness: Results of second rehearsal for p 199 N94-27446 experiment using carp Study on posture control and adaptation mechanism under weightiessness. Summary report of ground operations performed for carp experiment (FMPT/L-2) in p 199 N94-27447 Study on posture control and adaption mechanism under

aness: Differences in weight and shape of utricular otolith of carp p 199 N94-27448 cience testbedding for physiological expenme Telescience testbedding under hypobaric hypoxic

conditions. Evaluation by operation ability and recognition ability p 175 N94-27450 Telescience testbedding for physiological experiments under hypobaric hypoxic conditions. Development and evaluation in CNV measuring p 178 N94-27451

The electrogastrogram during parabolic flight p 176 N94-27452

Vertical gaze direction during parabolic flight p 176 N94-27453

Heart rate change in normal and labyrinthectomized hamsters during parabolic flight p 176 N94-27-Frequency analysis of body sway induced by optokin p 176 N94-27454 p 200 N94-27455

Effects of imaginary target on induced eye movements y linear acceleration p 200 N94-27456 by linear acceleration The mechanism of calonic hystagmus under microgravity 1: Changes of endolymphatic prescure in the semicircular canal of pigeon by calonic stimulation

p 177 N94-27457

Cardiovascular function during thermoneutral head-out Cardiovascular function ourning the control of the water immersion in the elderly p. 177. N94-27458. Effects of 40 C hot water immersion for an hour on thermoregulatory functions in humans: Comparison with 34 C thermoneutral immersion. p. 177. N94-27459. Development of stimulus-seeking scale for expecting individual differences against confinement stress p.177 N94-27460

The effect of body orientation on the perception of vertical and horizontal distance in an outdoor set

p 200 N94-27461 Eye-head coordination and swinging of the visual scene when wearing visually up-down reversing mirror for 14 days p 200 N94-27462 Comparative measurement of visual stability in cosmic

space: Onboard experiment and pre-flight activities

Modulation by galactosamine-induced hepatitis of biological responses of the rat exposed to high altitude p 159 N94-27464 Protective action of platelet-activating factor antagonist.

TCV-309, against ischemia reperfusion injury in is p 159 N94-27465 rabbit hearts Protective action of an amilioride derivative (amilioride

5-(N, N-dimethyl) hydrochloride) against in isolated ischemia/reperfusion newborn rabbit hearts

p 159 N94-27466 Effects of high-intensity electric field stimulation on the electromechanical performance of Influence of fiber orientation p 160 N94-27467 On the mechanism of reentrant arrhythmias following DC defibrillation: Influence of fiber orientation to the effects of low-energy electric field stimulation on the effective

refractory period of cardiac muscle p 180 N94-27468 Positive chronotropic effect of mechanical stretch on the sinoatrial node: Roles of neurotransmitters and stretch p 160 N94-27469 activated channels

Disturbed neuronal migration in the cerebral cortex of mice by low-dose gamma radiation p 160 N94-27470 Distribution of GABA immunoreactive neurons in the brain of rolling mouse Nagoya and gamma-tradiated mouse p 161 N94-27471

Effects of gamma ray radiation on the developing mouse cerebellum: Apoptotic cell death and induction of tissue transglutaminase p. 161 N94-27472 facts of bathing at 40 C on cardiovascular system in

humans: Comparison with 34 C thermoneutral bathing Effects of 41 C bathing for 20 minutes on cardiovascular

and thermoregulatory functions in humans p 178 N94-27474

Monthly variation of physiological and psychological responses under unsteady thermal conditions p 178 N94-27475

Man's ability to adapt himself for the seasonal climatic changes: From viewpoint of anticipation and seasonable behavior p 178 N94-27476 behavior The intracellular second messenger system in c-los gene

induction by ACTH p 161 N94-27477 hormone action in cultured human skin libroblasts: Evaluation using spheroid culture

p 179 N94-27478 Cloning of rat RXR alpha cDNA and the expression of its mRNA in regenerating liver and primary cultured hepatocytes p 161 N94-27479 hepatocytes p 161 Cloning of a novel POU family gene by RT-PCR p 162 N94-27480

Effect of sera from patients treated with long-term hemodialysis on mRNA's for collagenase, stromelysin, and trissue inhibitor of metallioprotease in cultured human synovial ceils p 179 N94-27481

Expression analysis of Thyroxine-Binding Globulin Complete Deficiency in Japanese (TBG-CDJ)

p 162 N94-27482 Development of Purkinje cells in vitro

p 162 N94-27483 Developmental expression of protein kinase C type 1 isozyme in suncus and rat cerebella

p 162 N94-27484 Abnormal development of serotonin nerve fibers in the cerebral cortex of young rats with methylazoxymetha induced microcephaly p 162 N94-27485

One from many: Selecting an appropriate human performance model

p 201 N94-27683 DCIEM-93-251 Effect of seasickness on aircrew student survivor ability fter ditching in cold water p 188 N94-28425 after ditching in cold water Fuelling shivering in humans during cold water p. 188 N94-28426 immersion Biochemical enhancement of cold tolerance

p 189 N94-28427 Treatment of mild immersion hypothermia by body-to-body and forced-air warming p 189 N94-28428

The potential of new textiles in it p 202 N94-28430 prospects Fire-resistant water vapour permeable p 202 N94-28431 insulation Alleviation of thermal strain in the CF. Keeping our cool uning the Gulf conflict p 190 N94-28449 during the Gulf conflict. Recent. Canadian advances in active therma p 204 N94-28451

# D

Thermoregulation in the extreme cold environment p 189 N94-28438

Simulation of the effect of wind on clothing by neasurements and calculations [PB94-132289] p 201 N94-28406

Barley cell culture as a producer of heterologous protein [PB94-132339] p 172 N94-28408

000034

Effects of ML-9, a myosin light-chain kinase inhibitor. on preimplantation development of the mou p 163 N94-27486

Compaction-like blastomere aggregation caused by 1-oleoyi-2-acetylglycerol in mouse embryos: An electron microscopic observation p 163 N94-27487 inductive differentiation of nerve cells in mouse embryonic ectoderm at early primitive streak stage by retinoic acid p 163 N94-27488

Anorectal malformations induced by intraperitonea injection of all-trans retinoic acid in suncus

p 163 N94-27489 Cross-sectional anatomy of day 30 suncus fetuses

p 163 N94-27490 Skeletal development and ossification of the swine p 164 N94-27491 se wild rate Development of inbred strains from Japa p 164 N94-27492

(Rattus norvegicus) p 164 N94-27492 Effect of PGE2 receptor agonists butaprost, M and B 28767 and an antagonist AH 6809 on the BK response of visceral polymodal receptors p 164 N94-27494 Excitation of cutaneous polymodal receptor induced by sympathetic stimulation in adjuvant-induced arthritis rats

p 164 N94-27495 Selection of site injecting adjuvant in chronic p 165 N94-27496 Influence of mechanical stimulation on inflammatory p 165 N94-27497

The effect of naloxone on sleeping time in adjuvant thintic rats p 165 N94-27498 arthribe rats Effects of capsaicin on freshly dissociated rat dorsal tot ganglion cells p 165 N94-27499 root ganglion cells

Size distribution of retrogram p 165 N94-27500 ganglion cells. Test of normality p 165 N94-27500 Changes in pain sensation induced by repetitive application of noxious heat pulses to the human stun p 179 N94-27501 Size distribution of retrogradely labeled dorsal roo

Interaction between endogenous opioid and Cholecystokinin (CCK) in modulating respiratory responses induced by thin-fiber muscular afferents

p 166 N94-27502 perfusion of amiodarone on electrophysiological properties in single rabbit ventricular p 166 N94-27503 Fast and slow onsets of Na channel blocking actions due to lidocaine and disopyramide concentration-clamp method p 166 N using 166 N94-27504

Electrophysiological effects of MS-551, a new Class 3 antarrhythmic agent, on isolated rabbit ventricular muscles p.166 N94-27505 muscles Comparative investigation of new Class 3 antiarrhythmic

drugs, E-4031 and MS-551, on electrophysiological properties in isolated rabbit ventricular myocytes N94-27506 p 167

Effects of Class 1 antiarrhythmic drugs on the intraventricular conduction: Influence of fiber orientation p 167 N94-27507

Effects of Class 3 antiarrhythmic agents, E-4031 and MS-551 on ventricular repolarization in isolated rabbit hearts p 167 N94-27508

Electrical coupling between the sino-atrial node and atria muscle: Cell to cell interaction through an external circuit and its simulation by computer modeling p 167 N94-27509

A study on tissue excitation of cardiac muscle under p 168 N94-27510 Block of cardiac sodium channels by Ro 22-9194 (R). a new antiarrhythmic agent. Effects on the maximum upstroke velocity (Vmax) of single guinea pig ventricular myocytes p 168 N94-27511

Electrophysiological effects of an antiarrhythmic drug. moncizine on isolated guinea pig ventricular muscles

Correlation between electrical activity and the size of N94-27513

single sinoatrial node cells p. 168. A The ionic mechanism underlying the chronotropic effect of acetylcholine: Experimental study in rabbit single sinoatnal node cells p 169 N94-27514

The ionic mechanism underlying the negative chronotropic effect of acetylcholine: Experiments using small sinoatrial node tissue preparations isolated from rabbit hearts p 169 N94-27515

The ionic mechanism underlying the negative chronotropic effect of acetylcholine. Postganglionic vagal stimulation in isolated rabbit hearts. p 169 N94-27516 A study of psychological factors affecting an extremely plated environment p 195 N94-27517 solated environment

olated environment interhemisphenic phase relationship of alpha waves and seebral dominance p.195 N94-27518 cerebral dominance Analysis of the Electrically Evoked Response (EER) of p 169 N94-27519 the cat Impaired associated movement in Parkinson's disease.

Impaired associated movements
An evaluation of Beil's phenomenon p 179 N94-27520 Hyperalgesia to cold in patients with Subscute Myelo-Optico-Neuropathy (SMON) p 179 N94-27521

Contribution of muscle spindle afferent activity to transient pause in EMG during voluntary tonic contraction p 180 N94-27522

Function of selective attention intrinsic to the saccade system: Does the voluntary control override the stimulus p 195 driven control?

driven contror?

Effect of prostagiandin E1 on the relationship between skin sympathetic nerve activity and reduction in skin blood p 180 N94-27524 Difference in skin blood flow reduction depending on activating maneuver of skin sympathetic nerve activi

p 180 N94-27525 Effect of L-dopa on hemodynamic p 180 N94-27526 umans
Sympathetic nerve activity during dynamic leg exercise
p 180 N94-27527

Analysis on one minute wave in body fluid volume and nuscle pumping referred to body parts generating the one minute wave during human active standing

p 181 N94-27528 An attempt of intraneural stimulation by microelectrode inserted in skin sympathetic nerve fascicle

p 181 N94-27529 The measurements of muscle blood flow by laser Doppier flowmetry with needle type probe

p 170 N94-27530 Muscle sympathetic nerve activity in patients with hyper-and hypothyroidism: A microneurographic study p.181 N94-27531

Enhancement of skin sympathetic nerve activity in p 181 N94-27532 amyotrophic lateral sclerosis Treatment of orthostatic hypotension by nasal diministration of vasopressin p 182 N94-27533 administration of vasopressin Activation by G protein beta gamma subunits of G protein-coupled receptor kinase p. 182 N94-27534 Postnatal changes in the autonomic modulation of L-type p 182 N94-27534 Ca(exp 2+) currents of rabbit ventricular cells

p 182 N94-27535 Mechanism for regulation of myocardial contractility by cal relevance in p 182 N94-27536 autonomic drugs: Pa congestive heart failure Pathophysiological sensitization to acethylcholine in pacemaker cells of noatnal node p 170 N94-27537 the sinoatnal node Muscle sympathetic nerve activity in humans

p 183 N94-27538 p 170 N94-27539 The polymodal receptor Autonomic nervous system and cardiovascular control Clinical implications of the 1/f fluctuations of heart rate

p 183 N94-27540 The role of beta-adrenoceptor stimulation in the progression of chronic heart failure p 183 N94-27541 An algorithm for stereo correspondence problems on the analogy of human vision

[NAL-TR-1185] p 195 N94-27584 Neutrons in biology

p 171 N94-27862 [DE94-701085] The Reports of Aeromedical Laboratory, volume 33, LITN-94-805861 p 184 N94-27942

Companson of performance in simulator flight among subjects with different simulator expenences p 201 N94-27943

Evaluation of near-infrared spectrophotometric method for individual tolerance to +Gz acceleration

Symptoms of hypoxia at simulated altitude of 25,000 p 184 N94-27945 Counting Adelie penguins at colonies. Seasonal and p 171 N94-27970 annual changes

Note on the structure of moss colonies composed of two species on King George Island, the South Shetland p 171 N94-27971

Japanese Journal of Aerospace and Environmental Medicine, vol. 30, no. 3

p 191 N94-28495 Studies on water electrolyte metabolism and endocrine responses at rest and during submaximal exercise at 6,0% N94-20496 m simulated altitude p 191

Effects of training at simulated altitude of 6,000 m on endocrine responses at rest and during exercise at the same altitude p 191 N94-28497

Some issues on Japan's space food development and relating preliminary experimental study

p 204 N94-28498

# ĸ

KOREA. REPUBLIC OF

DE93-6326821

Studies on the application of radiation for genetic transformation in higher plants p 157 N94-26470 [DE93-632656] Molecular biological studies on the human radioresistance and drug resistance p 173 N94-26549

unsupported North Pole expedition

NETHERLANDS Interacting cortical lifters for object recognition [PB94-125374] p.193 Ni N94-26873 Orientation competition in cortical filters

p 194 N94-27001 [PB94-125366] On the development of motor chunks and concurrent processing in a structured continuous keypressing task AD-A274153] p 194 N94-27138

Deterioration of manual performance in cold and windy p 189 N94-28434 climat NORWAY

Evaluation of life support equipment during an

p 202 N94-28422

Electron microscopic analysis of meiotic chromosome pairing in male house musk shrew. Suncus munnus p 184 N94-27493

S

Work conditions assessment in pilots and ground personnel under high weather temperatures

p 203 N94-28444

SWEDEN Bakteriella toxiner-morgondagens hot (bacterial toxins-the threat of tomorrow)

[PB94-124229] p 158 N94-27045 Task demand, workload, and performance [PB94-123627] p. 197

p 197 N94-27155 Microbiology research at some research institutes in the former Soviet Union: A survey of scientific publications [PB94-123320] p 158 N94-27171

Visit to CERMA: Centre d'Etudes et de Recherches de Medecine Aerospatiale, Centre for Studies and Research in Aviation and Space Medicine, Bretigny sur Orge, France, November 16-18, 1992

p 188 N94-28392

UNITED KINGDOM

The contral of 1/42951 iral executive component of working memor p 193 N94-26683 Medical support for British operations in the Antarctic

p 188 N94-28421 Prediction of survival times on land in a cold climate p 188 N94-28423

Advanced integrated cold protection for aircrew p 203 N94-28436 Emergency underwater breathing aids for helicopter p 203 N94-28437 passengers and crew A comparison of four methods of rewarming individuals soled by immersion in cold water p 190 N94-28442

cooled by immersion in cold water p 190 N94-28442
Thermal strain generated by an enhanced anti-G protection system in a hot climate p 203 N94-28445 implications of climatic extremes in aircrew operations p 203 N94-28446

# **Typical Contract Number Index Listing**

p 183 N94-27744



Listings in this index are arranged alphanumerically by contract number. Under each contract number the accession numbers denoting documents that have been produced as a result of research done under the contract are shown. The accession number denotes the number by which the citation is identified in the abstract section. Preceding the accession number is the page number on which the citation may be found.

AF PROJ. 2312	-	N94-26973
AF PROJ. 7231	p 174	N94-27088
AF PROJ. 7930	p 173	N94-26435
	p 157	N94-26991
AF-AFOSR-0076-89	p 194	N94-27012
AF-AFOSR-0266-90	p 195	N94-27141
AF-AFOSR-0343-90	p 193	N94-26683
AF-AFOSR-0378-91		N94-27094
AF-AFOSR-0504-89		N94-27072
DA PROJ. MM3-P-30	p 192	N94-26430
DA PROJ. M00-96	p 192	N94-26430
DA PROJ. 1L1-62716-AH-70	p 197	N94-27089
DA PROJ. 3M1-62787-A-879	p 173	N94-26432
	p 174	N94-27097
	p 174	N94-27130
	p 192	N94-28757
DAAA15-90-C-1025		N94-27089
DAAL03-90-G-0061		N94-28667
DAMD17-92-C-2062		N94-26985
DE-AC06-76RL-01830		N94-26555
F33615-85-C-0541		N94-26984
F33615-92-C-0018		N94-28766
F49620-92-J-0183		N94-26517
MIPR-91MM1505		N94-26377
MOE-03680181		N94-27470
MOE-03807084		N94-27479
MOE-04255103	-	N94-27494
	p 164	N94-27495 N94-27496
	p 165	N94-27497
	p 165 p 165	N94-27498
	p 165	N94-27499
	p 165	N94-27500
	p 179	N94-27501
	p 166	N94-27502
MOE-04454559		N94-27480
MOE-04551001		N94-27480
MOE-04670012		N94-27486
MOE-04671488		N94-27482
MOE-04671469		N94-27477
MOE-04671470		N94-27478
MOE-04770070		N94-27495
NAG10-84		N94-27940
NAS10-11624		N94-27412
NAS7-918		N94-27934
NAS8-38783		N94-26788
NAS9-18736	p 199	N94-27410
NOE-03551003		N94-27462
RTOP 199-18-12-07		N94-27227
RTOP 506-49-21-00		N94-27934
W-7405-ENG-36	p 157	N94-26623


BLANK PAGE

# REPORT NUMBER INDEX

# AEROSPACE MEDICINE AND BIOLOGY / A Continuing Bibliography (Supplement 389)

June 1994

# Typical Report Number Index Listing



Listings in this index are arranged alphanumerically by report number. The page number indicates the page on which the citation is located. The accession number denotes the number by which the citation is identified. An asterisk (\*) indicates that the item is a NASA report. A pound sign (#) indicates that the item is available on microfiche.

A-93070	p 158	N94-27227	
AD-A273739		N94-26748	*
AD-A273917	p 198	N94-27320	*
AD-A273935		N94-26749	*
AD-A274148	p 194	N94-27094	*
AD-A274153	p 194	N94-27138	
AD-A274163	p 195	N94-27141	*
AD-A274185	p 174	N94-27097	*
AD-A274220	p 194	N94-27072	*
AD-A274251		N94-27012	
AD-A274295		N94-26683	
AD-A274313		N94-26882	
AD-A274340		N94-27056	
AD-A274344		N94-26973	
AD-A274400		N94-27130	
AD-A274411		N94-26991	-
AD-A274516		N94-27088	-
AD-A274518	0.197	N94-27089	- 2
AD-A274538		N94-26964	
AD-A274568		N94-26847	-
AD-A274586		N94-26984	
AD-A274589			
AD-A274705		N94-26985 N94-26377	
AD-A274707	D 1/3		
		N94-26430	*
		N94-26432	
AD-A274717		N94-26435	*
AD-A274787		N94-26360	
AD-A274804			*
AD-A276913		N94-26346	
AD-A274974		N94-26517	
AD-A274975		77:65	
AD-A275469	p 192	-6910	
AD-A275510		Nov. 16667	
AD-A275840		N94-29797	*
AD-A275600		N94-28766	*
AD-A275647		N94-28649	
AD-A275869 AD-A275885	5 96	N94-28754	
		N94-28756	*
AD-A275901	p 192	N94-29757	
AD-0016048	p 197	N94-27114	
AFFTC-TIM-93-02	p 173	N94-26847	
ATT/CI/C:A-90-260	p 192	N94-28810	
AFR GSM/LAS/935-11	g 198	N94-27320	,
AFOSR-43-0867711	p 194	N94-27012	
AFOSR 93-0893TR		N94-27072	
AFOSR-93-U896TR		N94-26083	
AFOSR-93-0697TR			-
AFOSR-93-0906TR	p 194	N94-27094	

AGARD-CP-540	p 172	N94-28420	
AL-TP-1992-0024	p 173	N94-26435	
AL-TR-1992-0164	p 197	N94-26984	
AL/AQ-TR-1993-3103	p 174	N94-26973	
AL/CF-PC-1993-0051	p 205	N94-28766	*
AL/CF-TR-1993-0097			
AL/CF-TR-1993-0110	p 157	N94-26991	*
AL/HR-TR-1993-0158	p 193	N94-26882	
ARL-CR-122	p 197	N94-27089	*
ARO-27695.21-CH-SM	p 172	N94-28667	
CONF-920821-4	p 157	N94-26623	*
CONF-9309185-5 CONF-9310100-7	p 183	N94-27744	*
CCNF-9310100-7	p 196	M94-28000	
CS-9302			
CS-9303	p 193	N94-26873	
CTN-94-81117	p 201	N94-27683	
DCIEM-93-25			
DE93-632656			
DE93-632682 DE94-002706	p 157	N94-26623	
DE94-003943	p 183	N94-27744	*
DE94-004293 DE94-701065	p 196	N94-26555	*
DE94-701065	D 171	M94-5 (905	
DLR-F8-93-23 DLR-F8-93-26			
DOT-VNTSC-FAA-93-18	p 204	N94-28649	*
DOT/FAA/AM-94/4	p 192	N94-26600	*
DOT/FAA/RD-93/39	p 204	N94-28649	
DSIS-94-00071	p 201	N94-27683	
ETN-94-95499 ETN-94-95502	p 170 p 171	N94-27743 N94-27754	*
FOA-A-50016-5.2	0 197	NO. 27155	
FOA-A-50019-5.5	p 188	N94-28392	*
FOA-C-40309-4 4	p 158	N94-27171	
FOA-C-40310-4.4			
		N94-26360	
ISBN-92-835-0721-5 ISBN-951-38-4251-7	p 172 p 201	N94-28420 N94-28406	
ZF-1993-8-6	p 194	N94-27138	
JAERI-M-92-213	p 171	N94-27862	*
JPL-PUBL-93-20	p 201	N94-27934	
JTN-94-80524			
JTN-94-80586	p 184	N94-27942	
JTN-94-80606 JTN-94-80614			
KAERI/RR-1114/91 KAERI/RR-1214/92			
LA-UR-93-3851	p 157	N94-26623	
LA-UR-93-4068			
M-735	p 199	N94-17437	
NAL-TR-1185	p 196	N94-27534	*

NAMRL-SR-93-2	p 191	N94-28756	4
NAMRL-SR-93-3			
NAMRL-1385	p 196	N94-28754	4
NAS 1.15:104015	p 158	N94-27227	. 4
NAS 1.15:107196	p 158	N94-27411	. 4
NAS 1.15:108442	p 201	N94-27952	. 4
NAS 1.15:109199	p 158	N94-27412	. 4
NAS 1.15:109721	p 183	N94-27556	* 4
NAS 1.21:7011(384) NAS 1.21:7011(386)	p 184	N94-28219	•
NAS 1.21:7011(386)	p 184	N94-28208	•
NAS 1.21:7011(367)	p 184	N94-20213	•
NAS 1.26.193938	p 197	N94-26788	
NAS 1.26:195544			
NAS 1.26:195687	0 201	N94-27934	
NAS 1.26:195710			
NAS 1.55:3252 NAS 1.61:1324	p 104	N94-26-101	
NASA-CP-3252			
NASA-CR-193938	p 197	N94-26788	. #
NASA-CR-195544	p 199	N94-27410	
NASA-CR-195687			
NASA-CR-195710			
NASA-RP-1324			
NASA-SP-7011(384)			
NASA-SP-7011(386)	p 184	N94-28208	
NASA-SP-7011(387)	p 184	N94-28213	•
NASA-TM-104015	p 158	N94-27227	
NASA-TM-107198	p 158	N94-27411	. #
NASA-TM-108442			
NASA-TM-109199			
NASA-TM-109721			
NAWCADWAR-TN-93043-60	p 196	N94-26339	*
NHRC-92-30	p 192	N94-26430	*
NHRC-93-18	p 173	N94-26377	*
NPRDC-TN-94-12	p 192	N94-28797	*
P894-123320	p 158	N94-27171	
PB94-123627			
P894-124229	p 158	N94-27045	
P894-125366	p 194	N94-27001	
P894-125374			
P894-132299			*
PB94-132339			
P994-132990			
PNL-SA-22009			
REPT-1	p 199	N94-27410	
REPT-44-VOL-44	p 174	N94-27442	*
S-755			
TDCX-93-1348	p 194	N94-27138	
US-PATENT-APPL-SN-021388	p 197	N94-27114	
USAARL-93-32	p 173	N94-26748	
USAARL-93-36	D 174	N94-27130	
USAARL-94-1	p 174	N94-27097	
USAARL-94-2	p 173	N94-26432	
USAARL-94-4	p 192	N94-28757	
VTT/PUB-133	p 201	N94-28406	
VTT/PUS-138	172	N94-28408	-
	2		

AFOSR-94-0016TR

p 194 N94-27094 # p 157 N94-26517 #

# **BLANK PAGE**


BLANK PAGE

# **ACCESSION NUMBER INDEX**

AEROSPACE MEDICINE AND BIOLOGY / A Continuing Bibliography (Supplement 389)

June 1994

# Typical Accession Number Index Listing



Listings in this index are arranged alphanumerically by accession number. The page number indicates the page on which the citation is located. The accession number denotes the number by which the citation is identified. An asterisk (\*) indicates that the item is a NASA report. A pound sign (\*) indicates that the item is available on microfiche.

N94-26339	P 196	N94-27447		p 199
N94-26346	p 192	N94-27448		p 199
N94-26360	p 172	N94-27449	-	p 175
N94-26377	p 173	N94-27450	7	p 175
N94-26430	p 192			
N94-26432	p 173	N94-27451	*	p 176
N94-26435	p 173	N94-27452	*	p 176
N94-26470	p 157	N94-27453	*	p 176
N94-26517	P p 157	N94-27454		p 176
N94-26549	p 173	N94-27455	*	p 200
N94-26555 #	P 196	N94-27456	*	p 200
N94-26600 A		N94-27457	*	p 177
N94-26623 #	p 157	N94-27458		p 177
N94-26683	p 193	N94-27459	*	p 177
N94-26748	p 173	N94-27460	*	p 177
N94-26749	p 193	N94-27461		p 200
N94-26788 * A		N94-27462	*	p 200
N94-26847		N94-27463	*	p 201
N94-26873	p 193	N94-27464	7	p 159
N94-26882 #	p 193	N94-27465	7	p 159
N94-26964	p 197	N94-27466	*	p 159
N94-26973	p 174	N94-27467	7	p 160
N94-26984 A		N94-27468		p 160
N94-26985 A	p 174	N94-27469	7	p 160
N94-26991 #	p 157	N94-27470	7	p 160
N94-27001 #	p 194	N94-27471	7	p 161
N94-27012 #	p 194	N94-27472		p 161
N94-27045 #	p 158	N94-27473 N94-27474	7	p 178
N94-27056 A	p 194	N94-27475	5	p 178
N94-27072 A		N94-27475	7	p 178
N94-27088 #			7	p 178
N94-27089 #	p 197	N94-27477 N94-27478	7	p 161
N94-27094 #	p 194	N94-27479	7	p 179
N94-27097 #		N94-27480	7	p 161 p 162
N94-27114 A	p 197		7	
N94-27130 #		N94-27481 N94-27482	7	p 179
N94-27138	p 194	N94-27483	7	p 162 p 162
N94-27141 #	p 195	N94-27484	7	p 162
N94-27155	p 197	N94-27485	7	p 162
N94-27165 #	p 158	N94-27486	7	p 163
N94-27171	p 158	N94-27487	-	p 163
N94-27227 * #	p 158	N94-27488	7	p 163
N94-27320 #	p 198	N94-27489	7	p 163
N94-27370 ° #	p 205	N94-27490	7	p 163
N94-27374 * #	P	N94-27491	-	p 164
N94-27376 *#	p 198	N94-27492	7	p 164
N94-27410 *#	p 199	N94-27492	7	p 164
N94-27411 * #		N94-27494	-	p 164
N94-27412 * #		N94-27495	-	p 164
N94-27437 *#		N94-27496	-	p 165
N94-27442 #	p 174	N94-27497	-	p 165
N94-27443 #	p 175	N94-27498	-	p 165
NO4-27444 4	n 150	1494-5/490	-	P 100

N94-27502 #	n 166
NO4-27502 #	0 100
N94-27503 #	p 100
N94-27504 #	p 166 p 166 p 166 p 167 p 167
N94-27505 #	p 166
N94-27506 #	p 167
N94-27507 #	D 167
N94-27508 #	0 167
NO4-27500 #	0 167
N94-27509 #	D 167
N94-27510 #	p 166
N94-27511 #	p 168
N94-27512 #	p 168
N94-27513 #	p 168
N94-27514 #	0 160
NO4-27515 A	0 160
MAN 51210 W	p 100
N94-27516 #	p 169
N94-27517 #	p 195
N94-27518 #	p 195
N94-27519 #	p 169
N94-27520 #	p 179
N94-27521 #	n 170
NO4 07500 #	p 100
N94-27522 #	p 180
N94-27523 #	p 195
N94-27524 #	p 180
N94-27525 #	p 180
N94-27526 #	p 180
N94-27527 #	0.180
N94-27502 # N94-27503 # N94-27505 # N94-27506 # N94-27507 # N94-27508 # N94-27507 # N94-27510 # N94-27511 # N94-27512 # N94-27513 # N94-27516 # N94-27516 # N94-27516 # N94-27517 # N94-27518 # N94-27518 # N94-27518 # N94-27519 # N94-2752 # N94-2753 # N94-2754 # N94-2754 # N94-2754 # N94-2754 # N94-2754 # N94-2754 # N94-2794 # N94-2794 # N94-2794 # N94-2794 # N94-2794 # N94-2795  * N94-2797 # N94-2819 * N94-28219 * N94-28219 * N94-28219 * N94-28219 * N94-28208 * N94-28219 * N94-28208 * N94-	P 166 P 166 P 167 P 167 P 168 P 169 P 169
1494-2/026 #	D 101
N94-27529 #	p 181
N94-27530 #	p 170
N94-27531 #	p 181
N94-27532 #	0 161
NO4 07533 #	p 163
1494-27533 #	p 182
N94-27534 #	p 182
N94-27535 #	p 182
N94-27536 #	p 182
N94-27537 #	p 170
N94-27538 #	D 183
NO4-27530 #	0 170
1494-27539 #	p 170
N94-27540 #	p 183
N94-27541 #	p 183
N94-27556 * #	p 163
N94-27584 #	p 195
N94-27683	p 201
NO4-27749 #	p 170
1494-27743 #	p 170
N94-27744 #	p 183
N94-27754 #	p 171
N94-27862 #	p 171
N94-27901 * #	p 196
N94-27934 * #	p 201
N04-27040 * #	0 171
NO4-27040 #	- 184
N94-27942 #	p 184
N94-27943 #	p 201
N94-27944 #	p 184
N94-27945 #	p 184
N94-27952 * #	p 201
N94-27970 #	p 171
NO4-27071 #	0 171
MO4-27071 W	p 171
N94-20198 - W	p 1/1
N94-28208 .	p 184
N94-28213 *	p 184
N94-28219 *	p 184
N94-28304 * #	p 171
N94-28361 *#	0 184
NO4-20303 1 #	p 104
1494-50305 N	p 185
N94-28363 * #	p 185
N94-28364 ° #	p 185
N94-28365 * #	p 185
N94-26366 * #	p 186
N04-28267 * #	0 186
NO4 20307 #	p 100
MA4-50300 W	p 100
N94-28361 * #N94-28363 * #N94-28365 * #N94-28366 * #N94-28366 * #N94-28367 * #N94-28370 * #N94-28372 * #N94-28373 * #N94-28306 #N94-28406 #N94-28406	p 185 p 185 p 186 p 186 p 186 p 186
N94-28370 *#	p 186
N94-28371 "#	p 187
N94-28372 *#	p 187 p 187 p 187 p 187 p 188
N94-28373 * #	p 187
NO4 20274 1 #	p 107
N94-28374 * # N94-28392 #	p 187
N94-26392 #	p 188
N94-28406 #	p 201
N94-28408	p 172
N94-28420 #	p 172
AND4 00101	0 172
N94-28421 #	p 188
N94-28422 #	p 202
N94-28422 # N94-28423 #	p 188
HOLEDIED M	P 100

N94-28425	*	p 186
N94-28426	*	p 186
N94-28427	*	p 186
N94-28428	*	p 189
N94-28429	*	p 186
N94-28430	*	p 202
N94-28431	*	p 202
N94-28432	*	b 505
N94-28433	*	b 505
N94-28434	*	p 189
N94-28435	*	b 505
N94-28436	*	p 200
N94-28437	*	p 200
N94-28438	*	p 189
N94-28439	#	p 172
N94-28440	*	p 189
N94-28441	*	p 190
N94-28442	*	p 190
N94-28443	*	b 500
N94-28444	*	p 203
N94-28445	*	p 203
N94-28446	*	p 203
N94-28447	#	p 204
N94-28448	*	p 190
N94-28449	*	p 190
N94-28450		p 191
N94-28451	*	p 204
N94-28452	*	p 204
N94-28453	*	p 204
N94-28495	*	p 191
N94-26496		p 191
N94-28497	*	p 191
N94-28498	*	p 204
N94-28649	*	p 204
N94-28667	41	p 172
N94-28754	*	p 196
N94-28756		p 191
N94-28757		p 192
N94-28766	*	p 205
N94-28797	*	p 186 p 200 p 200 p 186 p 200 p 186 p 200 p 186
N94-28426 N94-28427 N94-28420 N94-28430 N94-28431 N94-28435 N94-28435 N94-28436 N94-28436 N94-28436 N94-28436 N94-28440 N94-28440 N94-28441 N94-28442 N94-28442 N94-28446 N94-28450 N94-28	****** ************************	p 192

N94-27444 # N94-27445 # p 159

BLANK PAGE

# **AVAILABILITY OF CITED PUBLICATIONS**

# **OPEN LITERATURE ENTRIES (A94-10000 Series)**

Inquiries and requests should be addressed to: CASI, 800 Elkridge Landing Road, Linthicum Heights, MD 21090-2934. Orders are also taken by telephone, (301) 621-0390, e-mail, help@sti.nasa.gov, and fax, (301) 621-0134. Please refer to the accession number when requesting publications.

# STAR ENTRIES (N94-10000 Series)

One or more sources from which a document announced in *STAR* is available to the public is ordinarily given on the last line of the citation. The most commonly indicated sources and their acronyms or abbreviations are listed below, and their addresses are listed on page APP-3. If the publication is available from a source other than those listed, the publisher and his address will be displayed on the availability line or in combination with the corporate source line.

- Avail: CASI. Sold by the NASA Center for AeroSpace Information. Prices for hard copy (HC) and microfiche (MF) are indicated by a price code following the letters HC or MF in the STAR citation. Current values for the price codes are given in the tables on page APP-5.
  - NOTE ON ORDERING DOCUMENTS: When ordering publications from CASI, use the N accession number or other report number. It is also advisable to cite the title and other bibliographic identification.
- Avail: SOD (or GPO). Sold by the Superintendent of Documents, U.S. Government Printing Office, in hard copy.
- Avail: BLL (formerly NLL): British Library Lending Division, Boston Spa, Wetherby, Yorkshire, England. Photocopies available from this organization at the price shown. (If none is given, inquiry should be addressed to the BLL.)
- Avail: DOE Depository Libraries. Organizations in U.S. cities and abroad that maintain collections of Department of Energy reports, usually in microfiche form, are listed in Energy Research Abstracts. Services available from the DOE and its depositories are described in a booklet, DOE Technical Information Center Its Functions and Services (TID-4660), which may be obtained without charge from the DOE Technical Information Center.
- Avail: ESDU. Pricing information on specific data, computer programs, and details on Engineering Sciences Data Unit (ESDU) topic categories can be obtained from ESDU International Ltd. Requesters in North America should use the Virginia address while all other requesters should use the London address, both of which are on page APP-3.
- Avail: Fachinformationszentrum Karlsruhe. Gesellschaft für wissenschaftlich-technische Information mbH 76344 Eggenstein-Leopoldshafen, Germany.
- Avail: HMSO. Publications of Her Majesty's Stationery Office are sold in the U.S. by Pendragon House, Inc. (PHI), Redwood City, CA. The U.S. price (including a service and mailing charge) is given, or a conversion table may be obtained from PHI.
- Avail: Issuing Activity, or Corporate Author, or no indication of availability. Inquiries as to the availability of these documents should be addressed to the organization shown in the citation as the corporate author of the document.
- Avail: NASA Public Document Rooms. Documents so indicated may be examined at or purchased from the National Aeronautics and Space Administration (JBD-4), Public Documents Room (Room 1H23), Washington, DC 20546-0001, or public document rooms located at NASA installations, and the NASA Pasadena Office at the Jet Propulsion Laboratory.

APP-1

- Avail: NTIS. Sold by the National Technical Information Service. Initially distributed microfiche under the NTIS SRIM (Selected Research in Microfiche) are available. For information concerning this service, consult the NTIS Subscription Section, Springfield, VA 22161.
- Avail: Univ. Microfilms. Documents so indicated are dissertations selected from *Dissertation Abstracts* and are sold by University Microfilms as xerographic copy (HC) and microfilm. All requests should cite the author and the Order Number as they appear in the citation.
- Avail: US Patent and Trademark Office. Sold by Commissioner of Patents and Trademarks, U.S. Patent and Trademark Office, at the standard price of \$1.50 each, postage free.
- Avail: (US Sales Only). These foreign documents are available to users within the United States from the National Technical Information Service (NTIS). They are available to users outside the United States through the International Nuclear Information Service (INIS) representative in their country, or by applying directly to the issuing organization.
- Avail: USGS. Originals of many reports from the U.S. Geological Survey, which may contain color illustrations, or otherwise may not have the quality of illustrations preserved in the microfiche or facsimile reproduction, may be examined by the public at the libraries of the USGS field offices whose addresses are listed on page APP-3. The libraries may be queried concerning the availability of specific documents and the possible utilization of local copying services, such as color reproduction.

# FEDERAL DEPOSITORY LIBRARY PROGRAM

In order to provide the general public with greater access to U.S. Government publications, Congress established the Federal Depository Library Program under the Government Printing Office (GPO), with 53 regional depositories responsible for permanent retention of material, inter-library loan, and reference services. At least one copy of nearly every NASA and NASA-sponsored publication, either in printed or microfiche format, is received and retained by the 53 regional depositories. A list of the regional GPO libraries, arranged alphabetically by state, appears on the inside back cover of this issue. These libraries are *not* sales outlets. A local library can contact a regional depository to help locate specific reports, or direct contact may be made by an individual.

# PUBLIC COLLECTION OF NASA DOCUMENTS

An extensive collection of NASA and NASA-sponsored publications is maintained by the British Library Lending Division, Boston Spa, Wetherby, Yorkshire, England for public access. The British Library Lending Division also has available many of the non-NASA publications cited in *STAR*. European requesters may purchase facsimile copy or microfiche of NASA and NASA-sponsored documents, those identified by both the symbols # and \* from ESA — Information Retrieval Service European Space Agency, 8-10 rue Mario-Nikis, 75738 CEDEX 15, France.

# STANDING ORDER SUBSCRIPTIONS

NASA SP-7011 supplements and annual index are available from the NASA Center for AeroSpace Information (CASI) on standing order subscription. Standing order subscriptions do not terminate at the end of a year, as do regular subscriptions, but continue indefinitely unless specifically terminated by the subscriber.

000092

# ADDRESSES OF ORGANIZATIONS

British Library Lending Division Boston Spa, Wetherby, Yorkshire England

Commissioner of Patents and Trademarks U.S. Patent and Trademark Office Washington, DC 20231

Department of Energy Technical Information Center P.O. Box 62 Oak Ridge, TN 37830

European Space Agency-Information Retrieval Service ESRIN Via Galileo Galilei 00044 Frascati (Rome) Italy

Engineering Sciences Data Unit International P.O. Box 1633 Manassas, VA 22110

Engineering Sciences Data Unit International, Ltd. 251-259 Regent Street London, W1R 7AD, England

Fachinformationszentrum Karlsruhe
Gesellschaft für wissenschaftlich-technische
Information mbH
76344 Eggenstein-Leopoldshafen, Germany

Her Majesty's Stationery Office P.O. Box 569, S.E. 1 London, England

NASA Center for AeroSpace Information 800 Elkridge Landing Road Linthicum Heights, MD 21090-2934

National Aeronautics and Space Administration Scientific and Technical Information Program (JTT) Washington, DC 20546-0001 National Technical Information Service 5285 Port Royal Road Springfield, VA 22161

Pendragon House, Inc. 899 Broadway Avenue Redwood City, CA 94063

Superintendent of Documents U.S. Government Printing Office Washington, DC 20402

University Microfilms A Xerox Company 300 North Zeeb Road Ann Arbor, MI 48106

University Microfilms, Ltd. Tylers Green London, England

U.S. Geological Survey Library National Center MS 950 12201 Sunrise Valley Drive Reston, VA 22092

U.S. Geological Survey Library 2255 North Gemini Drive Flagstaff, AZ 86001

U.S. Geological Survey 345 Middlefield Road Menlo Park, CA 94025

U.S. Geological Survey Library Box 25046 Denver Federal Center, MS914 Denver, CO 80225



# SCAN Goes Electronic!

If you have NASA Mail or if you can access the Internet you can get biweekly issues of SCAN delivered to your desktop — absolutely free!

Electronic SCAN takes advantage of computer technology to alert you to the latest aerospace-related, worldwide scientific and technical information that has been published.

No more waiting while the paper copy is printed and mailed to you. You can review Electronic SCAN the same day it is released! And you get all 191 — or any combination of — subject areas of announcements with abstracts to browse at your leisure. When you locate a publication of interest, you can print the announcement or electronically add it to your publication order list.

Start your free access to Electronic SCAN today.

Over 1,000 announcements of new reports, books, conference proceedings, journal articles . . . and more — delivered to your computer every two weeks.

Electronic SCAN.
Timely.
Flexible.
Complete.
Free!

For instant access via Internet: ftp.sti.nasa.gov gopher.sti.nasa.gov listserv@sti.nasa.gov

For additional information:

e-mail: help@sti.nasa.gov scan@sti.nasa.gov

(Enter this address on the "To" line. Leave the subject line blank and send. You will receive an automatic reply with instructions in nunutes.)

phone: 301-621-0390 fax: 301-621-0134

Write: NASA Access Help Desk
NASA STI Program
NASA Center for AeroSpace Information

800 Elkridge Landing Road Linthicum Heights, MD 21090-2934



SCAN and Electronic SCAN are products of the NASA Scientific & Technical Information Program.

10.18

# **CASI PRICE TABLES**

# STANDARD PRICE DOCUMENTS

PRICE	NORTH AMERICAN PRICE	FOREIGN PRICE
A01	\$ 9.00	\$ 18.00
A02	12.50	25.00
A03	17.50	35.00
A04-A05	19.50	39.00
A06-A09	27.00	54.00
A10-A13	36.50	73.00
A14-A17	44.50	89.00
A18-A21	52.00	104.00
A22-A25	61.00	122.00
A99	Call For Price	Call For Price

# MICROFICHE

PRICE	NORTH AMERICAN PRICE	FOREIGN PRICE
A01	\$ 9.00	\$ 18.00
A02	12.50	25.00
A03	17.50	35.00
A04	19.50	39.00
A06	27.00	54.00
A10	36.50	73.00

# IMPORTANT NOTICE

CASI Shipping and Handling Charges
U.S.—ADD \$3.00 per TOTAL ORDER
Canada and Mexico—ADD \$3.50 per TOTAL ORDER
All Other Countries—ADD \$7.50 per TOTAL ORDER
Does NOT apply to orders
requesting CASI RUSH HANDLING.
CASI accepts most credit/charge cards.

# NASA Center for AeroSpace Information

800 Elkridge Landing Road Linthicum Heights, MD 21090-2934 Telephone: (301) 621-0390 E-mail: help@sti.nasa.gov

Fax: (301) 621-0134

# REPORT DOCUMENT PAGE

		10.0	accession No.	3.	B - 1 - 1 11 - O - 1		
1.	Report No. NASA SP-7011 (389)	2. Government A		3.	Recipient's Cata	alog No.	
4.	Title and Subtitle			5.	Report Date		
•		Dieleren			June 1994		
	Aerospace Medicine and A Continuing Bibliography		80/		Performing Orga		0-1
	A Continuing bibliography	y (Supplement S	09)			anization	Code
-	A. Abrada)				JTT	- circtic	Dane
7	Author(s)			8. 1	Performing Orga	anization	неро
9.	Performing Organization Name and	l Address		10 \	Work Unit No.		
	NASA Scientific and Tech		n Program	11. (	Contract or Gran	nt No	
				' '	contract or Gran	1110	
12.	Sponsoring Agency Name and Add	iress			ype of Report a		
	National Aeronautics and	Space Administ	ration		Special Pub	olicatio	on
	Washington, DC 20546-0	001		14. 8	Sponsoring Age	ncy Cod	ie
15.	Supplementary Notes						
	Abstract						
16	This report lists 234 report STI Database.	ts, articles and o	other documents	recently	announce	ed in th	ne N
16		ts, articles and o	other documents	recently	, announce	d in th	ne N
	STI Database.				, announce	ed in th	ne N
16.	STI Database.  Key Words (Suggested by Author(s)		18. Distribution St	tatement		d in th	ne N
	STI Database.  Key Words (Suggested by Author(s)  Aerospace Medicine		18. Distribution St Unclassifi	tatement ed - Uni	imited	d in th	ne N
	STI Database.  Key Words (Suggested by Author(s)		18. Distribution St	tatement ed - Uni	imited	d in th	ne N
	Key Words (Suggested by Author(s) Aerospace Medicine Bibliographies	))	18. Distribution St Unclassifi	tatement ed - Uni ategory	imited		Price

# FEDERAL REGIONAL DEPOSITORY LIBRARIES

ALABAMA AUBURN JNIV. AT MONTGOMERY LIBRARY

Documents Dept. 7300 University Dr. Montgomery, AL 36117-3596 (205) 244-3650 Fax. (205) 244-0678

UNIV. OF ALABAMA Amelia Gayle Gorgas Library

Govt Documents Box 870266 Tuscalcosa, AL 35487-0266 (205) 348-6046 Fax (205) 348-8833

ARIZONA
DEPT. OF LIBRARY, ARCHIVES,
AND PUBLIC RECORDS

Federal Documents Third Floor State Capitol 1700 West Washington Phoenix, AZ 85007 (602) 542-4121 Fax: (602) 542-4400, 542-4500

ARKANSAS ARKANSAS STATE LIBRARY

One Capitol Mall Little Rock, AR 72201 (501) 682-2869

CALIFORNIA CALIFORNIA STATE LIBRARY

Govt. Publications Section 914 Capitol Mail - P.O. Box 942837 Sacramento, CA 94237-0001 (916) 322-4572 Fax: (916) 324-8120

COLORADO
UNIV. OF COLORADO - BOULDER

Norlin Library Govt. Publications Campus Box. 184 Boulder, CO. 83309-0184 (303) 492-8834 Fax. (303) 492-2185

DENVER PUBLIC LIBRARY

Govt Publications Dept. BS/GPD 1357 Broadway Denver, CO 80203 (303) 571-2135

CONNECTICUT CONNECTICUT STATE LIBRARY

231 Capitol Avenue Hartford, CT 06106 (203) 566-4971 Fax: (203) 566-3322

FLORIDA UNIV. OF FLORIDA LIBRARIES

Documents Dept. Library West Gainesville FL 32611-2048 (904) 392-0366 Fax: (904) 392-7251

GEORGIA UNIV. OF GEORGIA LIBRARIES

Govt Documents Dept. Jackson Street Athens, GA 30602 (404) 542-8949 Fax: (404) 542-6522

HAWAII UNIV. OF HAWAII

Hamilton Library Govt. Documents Collection 2550 The Mall Honofidu, HI 96822 (808) 948-8230 Fax: (808) 956-5968

IDAHO UNIV. OF IDAHO LIBRARY

Documents Section Moscow, ID 83843 (208) 885-6344 Fax: (208) 885-6817

ILLINOIS ILLINOIS STATE LIBRARY

Reference Dept 300 South Second Springfield, IL 62701-1796 (217) 782-7596 Fax: (217) 524-0041 INDIANA INDIANA STATE LIBRARY

Serials/Documents Section 140 North Senate Avenue Indianapolis, IN 46204 (317) 232-3678 Fax. (317) 232-3728

IOWA
UNIV. OF IOWA LIBRARIES

Govt Publications Dept Washington & Madison Streets Iowa City, IA 52242 (319) 335-5926 Fax: (319) 335-5830

KANSAS UNIV. OF KANSAS

Govt. Documents & Map Library 6001 Malatt Hall Lawrence, KS 66045-2800 (913) 864-4660 Fax. (913) 864-5380

KENTUCKY UNIV. OF KENTUCKY LIBRARIES

Govt. Publications/Maps Dept Lexington, KY 40506-0039 (606) 257-3139 Fax: (606) 257-1563, 257-8379

LOUISIANA LOUISIANA STATE UNIV.

Middleton Library Govt. Documents Dept. Baton Rouge, LA 70803 (504) 388-2570 Fax. (504) 388-6992

LOUISIANA TECHNICAL UNIV.

Prescott Memorial Library Govt. Documents Dept 305 Wisteria Street Ruston, LA 71270-9985 (318) 257-4962 Fax: (318) 257-2447

MAINE TRI-STATE DOCUMENTS DEPOS.

Raymond H. Fogler Library Govt. Documents & Microforms Dept. Univ of Maine Orono, ME 04469 (207) 581-1680

MARYLAND UNIV. OF MARYLAND

Hornbake Library Govt. Documents/Maps Unit College Park, MD 20742 (301) 454-3034 Fax. (301) 454-4985

MASSACHUSETTS BOSTON PUBLIC LIBRARY

Govt. Documents Dept. 666 Boylston Street Boston, MA 02117 (617) 536-5400 ext. 226 Fax: (617) 267-8273, 267-8248

MICHIGAN DETROIT PUBLIC LIBRARY

5201 Woodward Avenue Detroit, MI 48202-4093 (313) 833-1440, 833-1409 Fax: (313) 833-5039

LIBRARY OF MICHIGAN

Govt. Documents Unit P.O. Box 30007 Lansing, MI 48909 (517) 373-0640 Fax: (517) 373-3381

MINNESOTA UNIV. OF MINNESOTA

Wilson Library Govt. Publications Library 309 19th Avenue South Minneapolis, MN 55455 (612) 624-5073 Fax: (612) 626-9353

MISSISSIPPI UNIV. OF MISSISSIPPI

J.D. Williams Library Federal Documents Dept. 106 Old Gym Bldg. University, MS 38677 (601) 232-5857 Fax: (601) 232-5453 MISSOURI UNIV. OF MISSOURI - COLUMBIA

Ellis Library Govt. Documents Columbia, MO 65201 (314) 882-6733 Fax. (314) 882-8044

MONTANA UNIV. OF MONTANA

Maureen & Mike Mansfield Library Documents Div. Missoula, MT 59812-1195 (406)243-6700 Fax. (406) 243-2060

NEBRASKA UNIV. OF NEBRASKA - LINCOLN

D.L. Love Memorial Library Documents Dept Lincoln, NE 68588 (402) 472-2562

NEVADA UNIV. OF NEVADA

Reno Library Govt Publications Dept. Reno, NV 89557 (702) 784-6579 Fax: (702) 784-1751

NEW JERSEY NEWARK PUBLIC LIBRARY

U.S. Documents Div. 5 Washington Street -P.O. Box 630 Newark, MJ 07101-0630 (201) 733-7812 Fax. (201) 733-5648

NEW MEXICO

General Library Govt Publications Dept. Albuquerque, NM 87131-1466 (505) 277-5441 Fax. (505) 277-6019

NEW MEXICO STATE LIBRARY

325 Don Gaspar Avenue Santa Fe, NM 87503 (505) 827-3826 Fax: (505) 827-3820

NEW YORK NEW YORK STATE LIBRARY

Documents/Gift & Exchange Section Federal Depository Program Cultural Education Center Albany, NY 12230 (518) 474-5563 Fax. (518) 474-5786

NORTH CAROLINA
UNIV. OF NORTH CAROLINA
CHAPEL HILL

CB#3912. Davis Library BA/SS Dept. - Documents Chapel Hill, NC 27599 (919) 962-1151 Fax. (919) 962-0484

NORTH DAKOTA NORTH DAKOTA STATE UNIV. LIB.

Documents Office Fargo, ND 58105 (701) 237-8886 Fax. (701) 237-7138 In cooperation with Univ. of North Dakota, Chester Fritz Library Grand Forks

OHIO STATE LIBRARY OF OHIO

Documents Dept. 65 South Front Street Columbus, OH 43266 (614) 644-7051 Fax: (614) 752-9178

OKLAHOMA
OKLAHOMA DEPT. OF LIBRARIES

U.S. Govt. Information Div. 200 NE 18th Street Oklahoma City, OK 73105-3298 (405) 521-2502, ext. 252, 253 Fax. (405) 525-7804

OKLAHOMA STATE UNIV. Edmon Low Library

Documents Dept. Stillwater, OK 74078 (405) 744-6546 Fax: (405) 744-5183 OREGON PORTLAND STATE UNIV.

Millar Library 934 SW Harrison - P.O. Box 1151 Portland, OR 97207 (503) 725-3673 Fax. (503) 725-4527

PENNSYLVANIA STATE LIBRARY OF PENN

Govt Publications Section Walnut St. & Commonwealth Ave P.O. Box 1601 Harnsburg, PA 17105 (717) 787-3752

SOUTH CAROLINA

Cooper Library
Public Documents Unit
Clemson, SC 29634-3001
(803) 656-5174 Fax: (803) 656-3025
In cooperation with Univ of South
Carolina, Thomas Cooper Library.
Columbia

TENNESSEE MEMPHIS STATE UNIV. LIBRARIES

Govt. Documents Memphis, TN 38152 (901) 678-2586 Fax: (901) 678-2511

TEXAS TEXAS STATE LIBRARY

United States Documents P.O. Box 12927 - 1201 Brazos Austin, TX 78711 (512) 463-5455 Fax. (512) 463-5436

TEXAS TECH. UNIV. LIBRARY

Documents Dept Lubbock, TX 79409 (806) 742-2268 Fax: (806) 742-1920

UTAH UTAH STATE UNIV.

Merrill Library & Learning Resources Center, UMC-3000 Documents Dept. Logan, UT 84322-3000 (801) 750-2684 Fax (801) 750-2677

VIRGINIA UNIV. OF VIRGINIA

Alderman Library Govt. Documents Charlottesville, VA 22903-2498 (804) 824-3133 Fax. (804) 924-4337

WASHINGTON WASHINGTON STATE LIBRARY

Document Section MS AJ-11 Olympia, WA 98504-0111 (206) 753-4027 Fax (206) 753-3546

WEST VIRGINIA
WEST VIRGINIA UNIV. LIBRARY

Govt. Documents Section P.O. Box 6069 Morgantown, WV 26506 (304) 293-3640

WISCONSIN ST. HIST. SOC. OF WISCONSIN LIBRARY

Govt Publications Section 816 State Street Madison, WI 53706 (608) 262-2781 Fax (608) 262-4711 In cooperation with Univ of Wisconsin Madison, Memorial Library

MILWAUKEE PUBLIC LIBRARY

Documents Div. 814 West Wisconsin Avenue Milwaukee, WI 53233 (414) 278-2167 Fax: (414) 278-2137 POSTMASTER Address Correction Requested (Sections 137 and 159 Post Manual)

National Aeronautics and Space Administration Code JTT Washington, DC 20546-0001

Official Business Penalty for Private Use, \$300 BULK RATE
POSTAGE & FEES PAID
NASA
PERMIT No. G-27

# 

# DATE FILMED 02/07/96